

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **PROFILITE 35**

Product number: **in the attachment nr 09/001**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 02.01.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
09.001.3305.01.830	PROFILITE 35 Suspended PLX HE 3fT/830, 841mm RAL9016
09.001.3305.01.830.DALI	PROFILITE 35 Suspended PLX HE 3fT/830, 841mm DALI RAL9016
09.001.3305.01.840	PROFILITE 35 Suspended PLX HE 3fT/840, 841mm RAL9016
09.001.3305.01.840.DALI	PROFILITE 35 Suspended PLX HE 3fT/840, 841mm DALI RAL9016
09.001.3305.03.830	PROFILITE 35 Suspended PLX HE 3fT/830, 841mm RAL9005
09.001.3305.03.830.DALI	PROFILITE 35 Suspended PLX HE 3fT/830, 841mm DALI RAL9005
09.001.3305.03.840	PROFILITE 35 Suspended PLX HE 3fT/840, 841mm RAL9005
09.001.3305.03.840.DALI	PROFILITE 35 Suspended PLX HE 3fT/840, 841mm DALI RAL9005
09.001.3306.01.830	PROFILITE 35 Suspended PLX ST 3fT/830, 841mm RAL9016
09.001.3306.01.830.DALI	PROFILITE 35 Suspended PLX ST 3fT/830, 841mm DALI RAL9016
09.001.3306.01.840	PROFILITE 35 Suspended PLX ST 3fT/840, 841mm RAL9016
09.001.3306.01.840.DALI	PROFILITE 35 Suspended PLX ST 3fT/840, 841mm DALI RAL9016
09.001.3306.03.830	PROFILITE 35 Suspended PLX ST 3fT/830, 841mm RAL9005
09.001.3306.03.830.DALI	PROFILITE 35 Suspended PLX ST 3fT/830, 841mm DALI RAL9005
09.001.3306.03.840	PROFILITE 35 Suspended PLX ST 3fT/840, 841mm RAL9005
09.001.3306.03.840.DALI	PROFILITE 35 Suspended PLX ST 3fT/840, 841mm DALI RAL9005
09.001.3307.01.830	PROFILITE 35 Suspended PLX HO 3fT/830, 841mm RAL9016
09.001.3307.01.830.DALI	PROFILITE 35 Suspended PLX HO 3fT/830, 841mm DALI RAL9016
09.001.3307.01.840	PROFILITE 35 Suspended PLX HO 3fT/840, 841mm RAL9016
09.001.3307.01.840.DALI	PROFILITE 35 Suspended PLX HO 3fT/840, 841mm DALI RAL9016
09.001.3307.03.830	PROFILITE 35 Suspended PLX HO 3fT/830, 841mm RAL9005
09.001.3307.03.830.DALI	PROFILITE 35 Suspended PLX HO 3fT/830, 841mm DALI RAL9005
09.001.3307.03.840	PROFILITE 35 Suspended PLX HO 3fT/840, 841mm RAL9005
09.001.3307.03.840.DALI	PROFILITE 35 Suspended PLX HO 3fT/840, 841mm DALI RAL9005
09.001.3308.01.830	PROFILITE 35 Suspended PLX HE 4fT/830, 1121mm RAL9016
09.001.3308.01.830.DALI	PROFILITE 35 Suspended PLX HE 4fT/830, 1121mm DALI RAL9016
09.001.3308.01.840	PROFILITE 35 Suspended PLX HE 4fT/840, 1121mm RAL9016
09.001.3308.01.840.DALI	PROFILITE 35 Suspended PLX HE 4fT/840, 1121mm DALI RAL9016
09.001.3308.03.830	PROFILITE 35 Suspended PLX HE 4fT/830, 1121mm RAL9005
09.001.3308.03.830.DALI	PROFILITE 35 Suspended PLX HE 4fT/830, 1121mm DALI RAL9005
09.001.3308.03.840	PROFILITE 35 Suspended PLX HE 4fT/840, 1121mm RAL9005
09.001.3308.03.840.DALI	PROFILITE 35 Suspended PLX HE 4fT/840, 1121mm DALI RAL9005
09.001.3309.01.830	PROFILITE 35 Suspended PLX ST 4fT/830, 1121mm RAL9016
09.001.3309.01.830.DALI	PROFILITE 35 Suspended PLX ST 4fT/830, 1121mm DALI RAL9016
09.001.3309.01.840	PROFILITE 35 Suspended PLX ST 4fT/840, 1121mm RAL9016
09.001.3309.01.840.DALI	PROFILITE 35 Suspended PLX ST 4fT/840, 1121mm DALI RAL9016
09.001.3309.03.830	PROFILITE 35 Suspended PLX ST 4fT/830, 1121mm RAL9005
09.001.3309.03.830.DALI	PROFILITE 35 Suspended PLX ST 4fT/830, 1121mm DALI RAL9005
09.001.3309.03.840	PROFILITE 35 Suspended PLX ST 4fT/840, 1121mm RAL9005
09.001.3309.03.840.DALI	PROFILITE 35 Suspended PLX ST 4fT/840, 1121mm DALI RAL9005
09.001.3310.01.830	PROFILITE 35 Suspended PLX HO 4fT/830, 1121mm RAL9016
09.001.3310.01.830.DALI	PROFILITE 35 Suspended PLX HO 4fT/830, 1121mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3310.01.840	PROFILITE 35 Suspended PLX HO 4fT/840, 1121mm RAL9016
09.001.3310.01.840.DALI	PROFILITE 35 Suspended PLX HO 4fT/840, 1121mm DALI RAL9016
09.001.3310.03.830	PROFILITE 35 Suspended PLX HO 4fT/830, 1121mm RAL9005
09.001.3310.03.830.DALI	PROFILITE 35 Suspended PLX HO 4fT/830, 1121mm DALI RAL9005
09.001.3310.03.840	PROFILITE 35 Suspended PLX HO 4fT/840, 1121mm RAL9005
09.001.3310.03.840.DALI	PROFILITE 35 Suspended PLX HO 4fT/840, 1121mm DALI RAL9005
09.001.3311.01.830	PROFILITE 35 Suspended PLX HE 5fT/830, 1401mm RAL9016
09.001.3311.01.830.DALI	PROFILITE 35 Suspended PLX HE 5fT/830, 1401mm DALI RAL9016
09.001.3311.01.840	PROFILITE 35 Suspended PLX HE 5fT/840, 1401mm RAL9016
09.001.3311.01.840.DALI	PROFILITE 35 Suspended PLX HE 5fT/840, 1401mm DALI RAL9016
09.001.3311.03.830	PROFILITE 35 Suspended PLX HE 5fT/830, 1401mm RAL9005
09.001.3311.03.830.DALI	PROFILITE 35 Suspended PLX HE 5fT/830, 1401mm DALI RAL9005
09.001.3311.03.840	PROFILITE 35 Suspended PLX HE 5fT/840, 1401mm RAL9005
09.001.3311.03.840.DALI	PROFILITE 35 Suspended PLX HE 5fT/840, 1401mm DALI RAL9005
09.001.3312.01.830	PROFILITE 35 Suspended PLX ST 5fT/830, 1401mm RAL9016
09.001.3312.01.830.DALI	PROFILITE 35 Suspended PLX ST 5fT/830, 1401mm DALI RAL9016
09.001.3312.01.840	PROFILITE 35 Suspended PLX ST 5fT/840, 1401mm RAL9016
09.001.3312.01.840.DALI	PROFILITE 35 Suspended PLX ST 5fT/840, 1401mm DALI RAL9016
09.001.3312.03.830	PROFILITE 35 Suspended PLX ST 5fT/830, 1401mm RAL9005
09.001.3312.03.830.DALI	PROFILITE 35 Suspended PLX ST 5fT/830, 1401mm DALI RAL9005
09.001.3312.03.840	PROFILITE 35 Suspended PLX ST 5fT/840, 1401mm RAL9005
09.001.3312.03.840.DALI	PROFILITE 35 Suspended PLX ST 5fT/840, 1401mm DALI RAL9005
09.001.3313.01.830	PROFILITE 35 Suspended PLX HO 5fT/830, 1401mm RAL9016
09.001.3313.01.830.DALI	PROFILITE 35 Suspended PLX HO 5fT/830, 1401mm DALI RAL9016
09.001.3313.01.840	PROFILITE 35 Suspended PLX HO 5fT/840, 1401mm RAL9016
09.001.3313.01.840.DALI	PROFILITE 35 Suspended PLX HO 5fT/840, 1401mm DALI RAL9016
09.001.3313.03.830	PROFILITE 35 Suspended PLX HO 5fT/830, 1401mm RAL9005
09.001.3313.03.830.DALI	PROFILITE 35 Suspended PLX HO 5fT/830, 1401mm DALI RAL9005
09.001.3313.03.840	PROFILITE 35 Suspended PLX HO 5fT/840, 1401mm RAL9005
09.001.3313.03.840.DALI	PROFILITE 35 Suspended PLX HO 5fT/840, 1401mm DALI RAL9005
09.001.3314.01.830	PROFILITE 35 Suspended PLX HE 6fT/830, 1681mm RAL9016
09.001.3314.01.830.DALI	PROFILITE 35 Suspended PLX HE 6fT/830, 1681mm DALI RAL9016
09.001.3314.01.840	PROFILITE 35 Suspended PLX HE 6fT/840, 1681mm RAL9016
09.001.3314.01.840.DALI	PROFILITE 35 Suspended PLX HE 6fT/840, 1681mm DALI RAL9016
09.001.3314.03.830	PROFILITE 35 Suspended PLX HE 6fT/830, 1681mm RAL9005
09.001.3314.03.830.DALI	PROFILITE 35 Suspended PLX HE 6fT/830, 1681mm DALI RAL9005
09.001.3314.03.840	PROFILITE 35 Suspended PLX HE 6fT/840, 1681mm RAL9005
09.001.3314.03.840.DALI	PROFILITE 35 Suspended PLX HE 6fT/840, 1681mm DALI RAL9005
09.001.3315.01.830	PROFILITE 35 Suspended PLX ST 6fT/830, 1681mm RAL9016
09.001.3315.01.830.DALI	PROFILITE 35 Suspended PLX ST 6fT/830, 1681mm DALI RAL9016
09.001.3315.01.840	PROFILITE 35 Suspended PLX ST 6fT/840, 1681mm RAL9016
09.001.3315.01.840.DALI	PROFILITE 35 Suspended PLX ST 6fT/840, 1681mm DALI RAL9016
09.001.3315.03.830	PROFILITE 35 Suspended PLX ST 6fT/830, 1681mm RAL9005
09.001.3315.03.830.DALI	PROFILITE 35 Suspended PLX ST 6fT/830, 1681mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3315.03.840	PROFILITE 35 Suspended PLX ST 6fT/840, 1681mm RAL9005
09.001.3315.03.840.DALI	PROFILITE 35 Suspended PLX ST 6fT/840, 1681mm DALI RAL9005
09.001.3316.01.830	PROFILITE 35 Suspended PLX HO 6fT/830, 1681mm RAL9016
09.001.3316.01.830.DALI	PROFILITE 35 Suspended PLX HO 6fT/830, 1681mm DALI RAL9016
09.001.3316.01.840	PROFILITE 35 Suspended PLX HO 6fT/840, 1681mm RAL9016
09.001.3316.01.840.DALI	PROFILITE 35 Suspended PLX HO 6fT/840, 1681mm DALI RAL9016
09.001.3316.03.830	PROFILITE 35 Suspended PLX HO 6fT/830, 1681mm RAL9005
09.001.3316.03.830.DALI	PROFILITE 35 Suspended PLX HO 6fT/830, 1681mm DALI RAL9005
09.001.3316.03.840	PROFILITE 35 Suspended PLX HO 6fT/840, 1681mm RAL9005
09.001.3316.03.840.DALI	PROFILITE 35 Suspended PLX HO 6fT/840, 1681mm DALI RAL9005
09.001.3317.01.830	PROFILITE 35 Suspended PLX HE 7fT/830, 1961mm RAL9016
09.001.3317.01.830.DALI	PROFILITE 35 Suspended PLX HE 7fT/830, 1961mm DALI RAL9016
09.001.3317.01.840	PROFILITE 35 Suspended PLX HE 7fT/840, 1961mm RAL9016
09.001.3317.01.840.DALI	PROFILITE 35 Suspended PLX HE 7fT/840, 1961mm DALI RAL9016
09.001.3317.03.830	PROFILITE 35 Suspended PLX HE 7fT/830, 1961mm RAL9005
09.001.3317.03.830.DALI	PROFILITE 35 Suspended PLX HE 7fT/830, 1961mm DALI RAL9005
09.001.3317.03.840	PROFILITE 35 Suspended PLX HE 7fT/840, 1961mm RAL9005
09.001.3317.03.840.DALI	PROFILITE 35 Suspended PLX HE 7fT/840, 1961mm DALI RAL9005
09.001.3318.01.830	PROFILITE 35 Suspended PLX ST 7fT/830, 1961mm RAL9016
09.001.3318.01.830.DALI	PROFILITE 35 Suspended PLX ST 7fT/830, 1961mm DALI RAL9016
09.001.3318.01.840	PROFILITE 35 Suspended PLX ST 7fT/840, 1961mm RAL9016
09.001.3318.01.840.DALI	PROFILITE 35 Suspended PLX ST 7fT/840, 1961mm DALI RAL9016
09.001.3318.03.830	PROFILITE 35 Suspended PLX ST 7fT/830, 1961mm RAL9005
09.001.3318.03.830.DALI	PROFILITE 35 Suspended PLX ST 7fT/830, 1961mm DALI RAL9005
09.001.3318.03.840	PROFILITE 35 Suspended PLX ST 7fT/840, 1961mm RAL9005
09.001.3318.03.840.DALI	PROFILITE 35 Suspended PLX ST 7fT/840, 1961mm DALI RAL9005
09.001.3319.01.830	PROFILITE 35 Suspended PLX HO 7fT/830, 1961mm RAL9016
09.001.3319.01.830.DALI	PROFILITE 35 Suspended PLX HO 7fT/830, 1961mm DALI RAL9016
09.001.3319.01.840	PROFILITE 35 Suspended PLX HO 7fT/840, 1961mm RAL9016
09.001.3319.01.840.DALI	PROFILITE 35 Suspended PLX HO 7fT/840, 1961mm DALI RAL9016
09.001.3319.03.830	PROFILITE 35 Suspended PLX HO 7fT/830, 1961mm RAL9005
09.001.3319.03.830.DALI	PROFILITE 35 Suspended PLX HO 7fT/830, 1961mm DALI RAL9005
09.001.3319.03.840	PROFILITE 35 Suspended PLX HO 7fT/840, 1961mm RAL9005
09.001.3319.03.840.DALI	PROFILITE 35 Suspended PLX HO 7fT/840, 1961mm DALI RAL9005
09.001.3320.01.830	PROFILITE 35 Suspended PLX HE 8fT/830, 2241mm RAL9016
09.001.3320.01.830.DALI	PROFILITE 35 Suspended PLX HE 8fT/830, 2241mm DALI RAL9016
09.001.3320.01.840	PROFILITE 35 Suspended PLX HE 8fT/840, 2241mm RAL9016
09.001.3320.01.840.DALI	PROFILITE 35 Suspended PLX HE 8fT/840, 2241mm DALI RAL9016
09.001.3320.03.830	PROFILITE 35 Suspended PLX HE 8fT/830, 2241mm RAL9005
09.001.3320.03.830.DALI	PROFILITE 35 Suspended PLX HE 8fT/830, 2241mm DALI RAL9005
09.001.3320.03.840	PROFILITE 35 Suspended PLX HE 8fT/840, 2241mm RAL9005
09.001.3320.03.840.DALI	PROFILITE 35 Suspended PLX HE 8fT/840, 2241mm DALI RAL9005
09.001.3321.01.830	PROFILITE 35 Suspended PLX ST 8fT/830, 2241mm RAL9016
09.001.3321.01.830.DALI	PROFILITE 35 Suspended PLX ST 8fT/830, 2241mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3321.01.840	PROFILITE 35 Suspended PLX ST 8fT/840, 2241mm RAL9016
09.001.3321.01.840.DALI	PROFILITE 35 Suspended PLX ST 8fT/840, 2241mm DALI RAL9016
09.001.3321.03.830	PROFILITE 35 Suspended PLX ST 8fT/830, 2241mm RAL9005
09.001.3321.03.830.DALI	PROFILITE 35 Suspended PLX ST 8fT/830, 2241mm DALI RAL9005
09.001.3321.03.840	PROFILITE 35 Suspended PLX ST 8fT/840, 2241mm RAL9005
09.001.3321.03.840.DALI	PROFILITE 35 Suspended PLX ST 8fT/840, 2241mm DALI RAL9005
09.001.3322.01.830	PROFILITE 35 Suspended PLX HO 8fT/830, 2241mm RAL9016
09.001.3322.01.830.DALI	PROFILITE 35 Suspended PLX HO 8fT/830, 2241mm DALI RAL9016
09.001.3322.01.840	PROFILITE 35 Suspended PLX HO 8fT/840, 2241mm RAL9016
09.001.3322.01.840.DALI	PROFILITE 35 Suspended PLX HO 8fT/840, 2241mm DALI RAL9016
09.001.3322.03.830	PROFILITE 35 Suspended PLX HO 8fT/830, 2241mm RAL9005
09.001.3322.03.830.DALI	PROFILITE 35 Suspended PLX HO 8fT/830, 2241mm DALI RAL9005
09.001.3322.03.840	PROFILITE 35 Suspended PLX HO 8fT/840, 2241mm RAL9005
09.001.3322.03.840.DALI	PROFILITE 35 Suspended PLX HO 8fT/840, 2241mm DALI RAL9005
09.001.3323.01.830	PROFILITE 35 Suspended PLX HE 9fT/830, 2521mm RAL9016
09.001.3323.01.830.DALI	PROFILITE 35 Suspended PLX HE 9fT/830, 2521mm DALI RAL9016
09.001.3323.01.840	PROFILITE 35 Suspended PLX HE 9fT/840, 2521mm RAL9016
09.001.3323.01.840.DALI	PROFILITE 35 Suspended PLX HE 9fT/840, 2521mm DALI RAL9016
09.001.3323.03.830	PROFILITE 35 Suspended PLX HE 9fT/830, 2521mm RAL9005
09.001.3323.03.830.DALI	PROFILITE 35 Suspended PLX HE 9fT/830, 2521mm DALI RAL9005
09.001.3323.03.840	PROFILITE 35 Suspended PLX HE 9fT/840, 2521mm RAL9005
09.001.3323.03.840.DALI	PROFILITE 35 Suspended PLX HE 9fT/840, 2521mm DALI RAL9005
09.001.3324.01.830	PROFILITE 35 Suspended PLX ST 9fT/830, 2521mm RAL9016
09.001.3324.01.830.DALI	PROFILITE 35 Suspended PLX ST 9fT/830, 2521mm DALI RAL9016
09.001.3324.01.840	PROFILITE 35 Suspended PLX ST 9fT/840, 2521mm RAL9016
09.001.3324.01.840.DALI	PROFILITE 35 Suspended PLX ST 9fT/840, 2521mm DALI RAL9016
09.001.3324.03.830	PROFILITE 35 Suspended PLX ST 9fT/830, 2521mm RAL9005
09.001.3324.03.830.DALI	PROFILITE 35 Suspended PLX ST 9fT/830, 2521mm DALI RAL9005
09.001.3324.03.840	PROFILITE 35 Suspended PLX ST 9fT/840, 2521mm RAL9005
09.001.3324.03.840.DALI	PROFILITE 35 Suspended PLX ST 9fT/840, 2521mm DALI RAL9005
09.001.3325.01.830	PROFILITE 35 Suspended PLX HO 9fT/830, 2521mm RAL9016
09.001.3325.01.830.DALI	PROFILITE 35 Suspended PLX HO 9fT/830, 2521mm DALI RAL9016
09.001.3325.01.840	PROFILITE 35 Suspended PLX HO 9fT/840, 2521mm RAL9016
09.001.3325.01.840.DALI	PROFILITE 35 Suspended PLX HO 9fT/840, 2521mm DALI RAL9016
09.001.3325.03.830	PROFILITE 35 Suspended PLX HO 9fT/830, 2521mm RAL9005
09.001.3325.03.830.DALI	PROFILITE 35 Suspended PLX HO 9fT/830, 2521mm DALI RAL9005
09.001.3325.03.840	PROFILITE 35 Suspended PLX HO 9fT/840, 2521mm RAL9005
09.001.3325.03.840.DALI	PROFILITE 35 Suspended PLX HO 9fT/840, 2521mm DALI RAL9005
09.001.3326.01.830	PROFILITE 35 Suspended PLX HE 10fT/830, 2801mm RAL9016
09.001.3326.01.830.DALI	PROFILITE 35 Suspended PLX HE 10fT/830, 2801mm DALI RAL9016
09.001.3326.01.840	PROFILITE 35 Suspended PLX HE 10fT/840, 2801mm RAL9016
09.001.3326.01.840.DALI	PROFILITE 35 Suspended PLX HE 10fT/840, 2801mm DALI RAL9016
09.001.3326.03.830	PROFILITE 35 Suspended PLX HE 10fT/830, 2801mm RAL9005
09.001.3326.03.830.DALI	PROFILITE 35 Suspended PLX HE 10fT/830, 2801mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3326.03.840	PROFILITE 35 Suspended PLX HE 10fT/840, 2801mm RAL9005
09.001.3326.03.840.DALI	PROFILITE 35 Suspended PLX HE 10fT/840, 2801mm DALI RAL9005
09.001.3327.01.830	PROFILITE 35 Suspended PLX ST 10fT/830, 2801mm RAL9016
09.001.3327.01.830.DALI	PROFILITE 35 Suspended PLX ST 10fT/830, 2801mm DALI RAL9016
09.001.3327.01.840	PROFILITE 35 Suspended PLX ST 10fT/840, 2801mm RAL9016
09.001.3327.01.840.DALI	PROFILITE 35 Suspended PLX ST 10fT/840, 2801mm DALI RAL9016
09.001.3327.03.830	PROFILITE 35 Suspended PLX ST 10fT/830, 2801mm RAL9005
09.001.3327.03.830.DALI	PROFILITE 35 Suspended PLX ST 10fT/830, 2801mm DALI RAL9005
09.001.3327.03.840	PROFILITE 35 Suspended PLX ST 10fT/840, 2801mm RAL9005
09.001.3327.03.840.DALI	PROFILITE 35 Suspended PLX ST 10fT/840, 2801mm DALI RAL9005
09.001.3328.01.830	PROFILITE 35 Suspended PLX HO 10fT/830, 2801mm RAL9016
09.001.3328.01.830.DALI	PROFILITE 35 Suspended PLX HO 10fT/830, 2801mm DALI RAL9016
09.001.3328.01.840	PROFILITE 35 Suspended PLX HO 10fT/840, 2801mm RAL9016
09.001.3328.01.840.DALI	PROFILITE 35 Suspended PLX HO 10fT/840, 2801mm DALI RAL9016
09.001.3328.03.830	PROFILITE 35 Suspended PLX HO 10fT/830, 2801mm RAL9005
09.001.3328.03.830.DALI	PROFILITE 35 Suspended PLX HO 10fT/830, 2801mm DALI RAL9005
09.001.3328.03.840	PROFILITE 35 Suspended PLX HO 10fT/840, 2801mm RAL9005
09.001.3328.03.840.DALI	PROFILITE 35 Suspended PLX HO 10fT/840, 2801mm DALI RAL9005
09.001.3329.01.830	PROFILITE 35 Suspended PLX HE 11fT/830, 3081mm RAL9016
09.001.3329.01.830.DALI	PROFILITE 35 Suspended PLX HE 11fT/830, 3081mm DALI RAL9016
09.001.3329.01.840	PROFILITE 35 Suspended PLX HE 11fT/840, 3081mm RAL9016
09.001.3329.01.840.DALI	PROFILITE 35 Suspended PLX HE 11fT/840, 3081mm DALI RAL9016
09.001.3329.03.830	PROFILITE 35 Suspended PLX HE 11fT/830, 3081mm RAL9005
09.001.3329.03.830.DALI	PROFILITE 35 Suspended PLX HE 11fT/830, 3081mm DALI RAL9005
09.001.3329.03.840	PROFILITE 35 Suspended PLX HE 11fT/840, 3081mm RAL9005
09.001.3329.03.840.DALI	PROFILITE 35 Suspended PLX HE 11fT/840, 3081mm DALI RAL9005
09.001.3330.01.830	PROFILITE 35 Suspended PLX ST 11fT/830, 3081mm RAL9016
09.001.3330.01.830.DALI	PROFILITE 35 Suspended PLX ST 11fT/830, 3081mm DALI RAL9016
09.001.3330.01.840	PROFILITE 35 Suspended PLX ST 11fT/840, 3081mm RAL9016
09.001.3330.01.840.DALI	PROFILITE 35 Suspended PLX ST 11fT/840, 3081mm DALI RAL9016
09.001.3330.03.830	PROFILITE 35 Suspended PLX ST 11fT/830, 3081mm RAL9005
09.001.3330.03.830.DALI	PROFILITE 35 Suspended PLX ST 11fT/830, 3081mm DALI RAL9005
09.001.3330.03.840	PROFILITE 35 Suspended PLX ST 11fT/840, 3081mm RAL9005
09.001.3330.03.840.DALI	PROFILITE 35 Suspended PLX ST 11fT/840, 3081mm DALI RAL9005
09.001.3331.01.830	PROFILITE 35 Suspended PLX HO 11fT/830, 3081mm RAL9016
09.001.3331.01.830.DALI	PROFILITE 35 Suspended PLX HO 11fT/830, 3081mm DALI RAL9016
09.001.3331.01.840	PROFILITE 35 Suspended PLX HO 11fT/840, 3081mm RAL9016
09.001.3331.01.840.DALI	PROFILITE 35 Suspended PLX HO 11fT/840, 3081mm DALI RAL9016
09.001.3331.03.830	PROFILITE 35 Suspended PLX HO 11fT/830, 3081mm RAL9005
09.001.3331.03.830.DALI	PROFILITE 35 Suspended PLX HO 11fT/830, 3081mm DALI RAL9005
09.001.3331.03.840	PROFILITE 35 Suspended PLX HO 11fT/840, 3081mm RAL9005
09.001.3331.03.840.DALI	PROFILITE 35 Suspended PLX HO 11fT/840, 3081mm DALI RAL9005
09.001.3332.01.830	PROFILITE 35 Suspended PLX HE 12fT/830, 3361mm RAL9016
09.001.3332.01.830.DALI	PROFILITE 35 Suspended PLX HE 12fT/830, 3361mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3332.01.840	PROFILITE 35 Suspended PLX HE 12fT/840, 3361mm RAL9016
09.001.3332.01.840.DALI	PROFILITE 35 Suspended PLX HE 12fT/840, 3361mm DALI RAL9016
09.001.3332.03.830	PROFILITE 35 Suspended PLX HE 12fT/830, 3361mm RAL9005
09.001.3332.03.830.DALI	PROFILITE 35 Suspended PLX HE 12fT/830, 3361mm DALI RAL9005
09.001.3332.03.840	PROFILITE 35 Suspended PLX HE 12fT/840, 3361mm RAL9005
09.001.3332.03.840.DALI	PROFILITE 35 Suspended PLX HE 12fT/840, 3361mm DALI RAL9005
09.001.3333.01.830	PROFILITE 35 Suspended PLX ST 12fT/830, 3361mm RAL9016
09.001.3333.01.830.DALI	PROFILITE 35 Suspended PLX ST 12fT/830, 3361mm DALI RAL9016
09.001.3333.01.840	PROFILITE 35 Suspended PLX ST 12fT/840, 3361mm RAL9016
09.001.3333.01.840.DALI	PROFILITE 35 Suspended PLX ST 12fT/840, 3361mm DALI RAL9016
09.001.3333.03.830	PROFILITE 35 Suspended PLX ST 12fT/830, 3361mm RAL9005
09.001.3333.03.830.DALI	PROFILITE 35 Suspended PLX ST 12fT/830, 3361mm DALI RAL9005
09.001.3333.03.840	PROFILITE 35 Suspended PLX ST 12fT/840, 3361mm RAL9005
09.001.3333.03.840.DALI	PROFILITE 35 Suspended PLX ST 12fT/840, 3361mm DALI RAL9005
09.001.3334.01.830	PROFILITE 35 Suspended PLX HO 12fT/830, 3361mm RAL9016
09.001.3334.01.830.DALI	PROFILITE 35 Suspended PLX HO 12fT/830, 3361mm DALI RAL9016
09.001.3334.01.840	PROFILITE 35 Suspended PLX HO 12fT/840, 3361mm RAL9016
09.001.3334.01.840.DALI	PROFILITE 35 Suspended PLX HO 12fT/840, 3361mm DALI RAL9016
09.001.3334.03.830	PROFILITE 35 Suspended PLX HO 12fT/830, 3361mm RAL9005
09.001.3334.03.830.DALI	PROFILITE 35 Suspended PLX HO 12fT/830, 3361mm DALI RAL9005
09.001.3334.03.840	PROFILITE 35 Suspended PLX HO 12fT/840, 3361mm RAL9005
09.001.3334.03.840.DALI	PROFILITE 35 Suspended PLX HO 12fT/840, 3361mm DALI RAL9005
09.001.3335.01.830	PROFILITE 35 Suspended PLX HE 13fT/830, 3641mm RAL9016
09.001.3335.01.830.DALI	PROFILITE 35 Suspended PLX HE 13fT/830, 3641mm DALI RAL9016
09.001.3335.01.840	PROFILITE 35 Suspended PLX HE 13fT/840, 3641mm RAL9016
09.001.3335.01.840.DALI	PROFILITE 35 Suspended PLX HE 13fT/840, 3641mm DALI RAL9016
09.001.3335.03.830	PROFILITE 35 Suspended PLX HE 13fT/830, 3641mm RAL9005
09.001.3335.03.830.DALI	PROFILITE 35 Suspended PLX HE 13fT/830, 3641mm DALI RAL9005
09.001.3335.03.840	PROFILITE 35 Suspended PLX HE 13fT/840, 3641mm RAL9005
09.001.3335.03.840.DALI	PROFILITE 35 Suspended PLX HE 13fT/840, 3641mm DALI RAL9005
09.001.3336.01.830	PROFILITE 35 Suspended PLX ST 13fT/830, 3641mm RAL9016
09.001.3336.01.830.DALI	PROFILITE 35 Suspended PLX ST 13fT/830, 3641mm DALI RAL9016
09.001.3336.01.840	PROFILITE 35 Suspended PLX ST 13fT/840, 3641mm RAL9016
09.001.3336.01.840.DALI	PROFILITE 35 Suspended PLX ST 13fT/840, 3641mm DALI RAL9016
09.001.3336.03.830	PROFILITE 35 Suspended PLX ST 13fT/830, 3641mm RAL9005
09.001.3336.03.830.DALI	PROFILITE 35 Suspended PLX ST 13fT/830, 3641mm DALI RAL9005
09.001.3336.03.840	PROFILITE 35 Suspended PLX ST 13fT/840, 3641mm RAL9005
09.001.3336.03.840.DALI	PROFILITE 35 Suspended PLX ST 13fT/840, 3641mm DALI RAL9005
09.001.3337.01.830	PROFILITE 35 Suspended PLX HO 13fT/830, 3641mm RAL9016
09.001.3337.01.830.DALI	PROFILITE 35 Suspended PLX HO 13fT/830, 3641mm DALI RAL9016
09.001.3337.01.840	PROFILITE 35 Suspended PLX HO 13fT/840, 3641mm RAL9016
09.001.3337.01.840.DALI	PROFILITE 35 Suspended PLX HO 13fT/840, 3641mm DALI RAL9016
09.001.3337.03.830	PROFILITE 35 Suspended PLX HO 13fT/830, 3641mm RAL9005
09.001.3337.03.830.DALI	PROFILITE 35 Suspended PLX HO 13fT/830, 3641mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3337.03.840	PROFILITE 35 Suspended PLX HO 13fT/840, 3641mm RAL9005
09.001.3337.03.840.DALI	PROFILITE 35 Suspended PLX HO 13fT/840, 3641mm DALI RAL9005
09.001.3338.01.830	PROFILITE 35 Suspended PLX HE 14fT/830, 3921mm RAL9016
09.001.3338.01.830.DALI	PROFILITE 35 Suspended PLX HE 14fT/830, 3921mm DALI RAL9016
09.001.3338.01.840	PROFILITE 35 Suspended PLX HE 14fT/840, 3921mm RAL9016
09.001.3338.01.840.DALI	PROFILITE 35 Suspended PLX HE 14fT/840, 3921mm DALI RAL9016
09.001.3338.03.830	PROFILITE 35 Suspended PLX HE 14fT/830, 3921mm RAL9005
09.001.3338.03.830.DALI	PROFILITE 35 Suspended PLX HE 14fT/830, 3921mm DALI RAL9005
09.001.3338.03.840	PROFILITE 35 Suspended PLX HE 14fT/840, 3921mm RAL9005
09.001.3338.03.840.DALI	PROFILITE 35 Suspended PLX HE 14fT/840, 3921mm DALI RAL9005
09.001.3339.01.830	PROFILITE 35 Suspended PLX ST 14fT/830, 3921mm RAL9016
09.001.3339.01.830.DALI	PROFILITE 35 Suspended PLX ST 14fT/830, 3921mm DALI RAL9016
09.001.3339.01.840	PROFILITE 35 Suspended PLX ST 14fT/840, 3921mm RAL9016
09.001.3339.01.840.DALI	PROFILITE 35 Suspended PLX ST 14fT/840, 3921mm DALI RAL9016
09.001.3339.03.830	PROFILITE 35 Suspended PLX ST 14fT/830, 3921mm RAL9005
09.001.3339.03.830.DALI	PROFILITE 35 Suspended PLX ST 14fT/830, 3921mm DALI RAL9005
09.001.3339.03.840	PROFILITE 35 Suspended PLX ST 14fT/840, 3921mm RAL9005
09.001.3339.03.840.DALI	PROFILITE 35 Suspended PLX ST 14fT/840, 3921mm DALI RAL9005
09.001.3340.01.830	PROFILITE 35 Suspended PLX HO 14fT/830, 3921mm RAL9016
09.001.3340.01.830.DALI	PROFILITE 35 Suspended PLX HO 14fT/830, 3921mm DALI RAL9016
09.001.3340.01.840	PROFILITE 35 Suspended PLX HO 14fT/840, 3921mm RAL9016
09.001.3340.01.840.DALI	PROFILITE 35 Suspended PLX HO 14fT/840, 3921mm DALI RAL9016
09.001.3340.03.830	PROFILITE 35 Suspended PLX HO 14fT/830, 3921mm RAL9005
09.001.3340.03.830.DALI	PROFILITE 35 Suspended PLX HO 14fT/830, 3921mm DALI RAL9005
09.001.3340.03.840	PROFILITE 35 Suspended PLX HO 14fT/840, 3921mm RAL9005
09.001.3340.03.840.DALI	PROFILITE 35 Suspended PLX HO 14fT/840, 3921mm DALI RAL9005
09.001.3353.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/830, 841mm RAL9016
09.001.3353.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/830, 841mm DALI RAL9016
09.001.3353.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/840, 841mm RAL9016
09.001.3353.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/840, 841mm DALI RAL9016
09.001.3353.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/830, 841mm RAL9005
09.001.3353.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/830, 841mm DALI RAL9005
09.001.3353.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/840, 841mm RAL9005
09.001.3353.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 2fT/840, 841mm DALI RAL9005
09.001.3354.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/830, 841mm RAL9016
09.001.3354.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/830, 841mm DALI RAL9016
09.001.3354.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/840, 841mm RAL9016
09.001.3354.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/840, 841mm DALI RAL9016
09.001.3354.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/830, 841mm RAL9005
09.001.3354.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/830, 841mm DALI RAL9005
09.001.3354.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/840, 841mm RAL9005
09.001.3354.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 2fT/840, 841mm DALI RAL9005
09.001.3355.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 2fT/830, 841mm RAL9016
09.001.3355.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 2fT/830, 841mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3355.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/840, 841mm RAL9016
09.001.3355.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/840, 841mm DALI RAL9016
09.001.3355.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/830, 841mm RAL9005
09.001.3355.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/830, 841mm DALI RAL9005
09.001.3355.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/840, 841mm RAL9005
09.001.3355.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 2ft/840, 841mm DALI RAL9005
09.001.3356.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/830, 1121mm RAL9016
09.001.3356.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/830, 1121mm DALI RAL9016
09.001.3356.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/840, 1121mm RAL9016
09.001.3356.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/840, 1121mm DALI RAL9016
09.001.3356.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/830, 1121mm RAL9005
09.001.3356.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/830, 1121mm DALI RAL9005
09.001.3356.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/840, 1121mm RAL9005
09.001.3356.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 3ft/840, 1121mm DALI RAL9005
09.001.3357.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/830, 1121mm RAL9016
09.001.3357.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/830, 1121mm DALI RAL9016
09.001.3357.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/840, 1121mm RAL9016
09.001.3357.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/840, 1121mm DALI RAL9016
09.001.3357.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/830, 1121mm RAL9005
09.001.3357.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/830, 1121mm DALI RAL9005
09.001.3357.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/840, 1121mm RAL9005
09.001.3357.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 3ft/840, 1121mm DALI RAL9005
09.001.3358.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/830, 1121mm RAL9016
09.001.3358.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/830, 1121mm DALI RAL9016
09.001.3358.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/840, 1121mm RAL9016
09.001.3358.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/840, 1121mm DALI RAL9016
09.001.3358.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/830, 1121mm RAL9005
09.001.3358.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/830, 1121mm DALI RAL9005
09.001.3358.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/840, 1121mm RAL9005
09.001.3358.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 3ft/840, 1121mm DALI RAL9005
09.001.3359.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/830, 1401mm RAL9016
09.001.3359.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/830, 1401mm DALI RAL9016
09.001.3359.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/840, 1401mm RAL9016
09.001.3359.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/840, 1401mm DALI RAL9016
09.001.3359.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/830, 1401mm RAL9005
09.001.3359.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/830, 1401mm DALI RAL9005
09.001.3359.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/840, 1401mm RAL9005
09.001.3359.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 4ft/840, 1401mm DALI RAL9005
09.001.3360.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/830, 1401mm RAL9016
09.001.3360.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/830, 1401mm DALI RAL9016
09.001.3360.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/840, 1401mm RAL9016
09.001.3360.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/840, 1401mm DALI RAL9016
09.001.3360.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/830, 1401mm RAL9005
09.001.3360.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/830, 1401mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3360.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/840, 1401mm RAL9005
09.001.3360.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 4ft/840, 1401mm DALI RAL9005
09.001.3361.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/830, 1401mm RAL9016
09.001.3361.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/830, 1401mm DALI RAL9016
09.001.3361.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/840, 1401mm RAL9016
09.001.3361.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/840, 1401mm DALI RAL9016
09.001.3361.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/830, 1401mm RAL9005
09.001.3361.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/830, 1401mm DALI RAL9005
09.001.3361.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/840, 1401mm RAL9005
09.001.3361.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 4ft/840, 1401mm DALI RAL9005
09.001.3362.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/830, 1681mm RAL9016
09.001.3362.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/830, 1681mm DALI RAL9016
09.001.3362.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/840, 1681mm RAL9016
09.001.3362.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/840, 1681mm DALI RAL9016
09.001.3362.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/830, 1681mm RAL9005
09.001.3362.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/830, 1681mm DALI RAL9005
09.001.3362.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/840, 1681mm RAL9005
09.001.3362.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 5ft/840, 1681mm DALI RAL9005
09.001.3363.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/830, 1681mm RAL9016
09.001.3363.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/830, 1681mm DALI RAL9016
09.001.3363.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/840, 1681mm RAL9016
09.001.3363.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/840, 1681mm DALI RAL9016
09.001.3363.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/830, 1681mm RAL9005
09.001.3363.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/830, 1681mm DALI RAL9005
09.001.3363.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/840, 1681mm RAL9005
09.001.3363.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 5ft/840, 1681mm DALI RAL9005
09.001.3364.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/830, 1681mm RAL9016
09.001.3364.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/830, 1681mm DALI RAL9016
09.001.3364.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/840, 1681mm RAL9016
09.001.3364.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/840, 1681mm DALI RAL9016
09.001.3364.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/830, 1681mm RAL9005
09.001.3364.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/830, 1681mm DALI RAL9005
09.001.3364.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/840, 1681mm RAL9005
09.001.3364.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 5ft/840, 1681mm DALI RAL9005
09.001.3365.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/830, 1961mm RAL9016
09.001.3365.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/830, 1961mm DALI RAL9016
09.001.3365.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/840, 1961mm RAL9016
09.001.3365.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/840, 1961mm DALI RAL9016
09.001.3365.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/830, 1961mm RAL9005
09.001.3365.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/830, 1961mm DALI RAL9005
09.001.3365.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/840, 1961mm RAL9005
09.001.3365.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 6ft/840, 1961mm DALI RAL9005
09.001.3366.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/830, 1961mm RAL9016
09.001.3366.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/830, 1961mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3366.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/840, 1961mm RAL9016
09.001.3366.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/840, 1961mm DALI RAL9016
09.001.3366.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/830, 1961mm RAL9005
09.001.3366.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/830, 1961mm DALI RAL9005
09.001.3366.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/840, 1961mm RAL9005
09.001.3366.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 6ft/840, 1961mm DALI RAL9005
09.001.3367.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/830, 1961mm RAL9016
09.001.3367.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/830, 1961mm DALI RAL9016
09.001.3367.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/840, 1961mm RAL9016
09.001.3367.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/840, 1961mm DALI RAL9016
09.001.3367.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/830, 1961mm RAL9005
09.001.3367.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/830, 1961mm DALI RAL9005
09.001.3367.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/840, 1961mm RAL9005
09.001.3367.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 6ft/840, 1961mm DALI RAL9005
09.001.3368.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/830, 2241mm RAL9016
09.001.3368.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/830, 2241mm DALI RAL9016
09.001.3368.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/840, 2241mm RAL9016
09.001.3368.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/840, 2241mm DALI RAL9016
09.001.3368.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/830, 2241mm RAL9005
09.001.3368.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/830, 2241mm DALI RAL9005
09.001.3368.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/840, 2241mm RAL9005
09.001.3368.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 7ft/840, 2241mm DALI RAL9005
09.001.3369.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/830, 2241mm RAL9016
09.001.3369.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/830, 2241mm DALI RAL9016
09.001.3369.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/840, 2241mm RAL9016
09.001.3369.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/840, 2241mm DALI RAL9016
09.001.3369.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/830, 2241mm RAL9005
09.001.3369.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/830, 2241mm DALI RAL9005
09.001.3369.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/840, 2241mm RAL9005
09.001.3369.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 7ft/840, 2241mm DALI RAL9005
09.001.3370.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/830, 2241mm RAL9016
09.001.3370.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/830, 2241mm DALI RAL9016
09.001.3370.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/840, 2241mm RAL9016
09.001.3370.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/840, 2241mm DALI RAL9016
09.001.3370.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/830, 2241mm RAL9005
09.001.3370.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/830, 2241mm DALI RAL9005
09.001.3370.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/840, 2241mm RAL9005
09.001.3370.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 7ft/840, 2241mm DALI RAL9005
09.001.3371.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/830, 2521mm RAL9016
09.001.3371.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/830, 2521mm DALI RAL9016
09.001.3371.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/840, 2521mm RAL9016
09.001.3371.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/840, 2521mm DALI RAL9016
09.001.3371.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/830, 2521mm RAL9005
09.001.3371.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/830, 2521mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3371.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/840, 2521mm RAL9005
09.001.3371.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 8ft/840, 2521mm DALI RAL9005
09.001.3372.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/830, 2521mm RAL9016
09.001.3372.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/830, 2521mm DALI RAL9016
09.001.3372.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/840, 2521mm RAL9016
09.001.3372.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/840, 2521mm DALI RAL9016
09.001.3372.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/830, 2521mm RAL9005
09.001.3372.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/830, 2521mm DALI RAL9005
09.001.3372.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/840, 2521mm RAL9005
09.001.3372.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 8ft/840, 2521mm DALI RAL9005
09.001.3373.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/830, 2521mm RAL9016
09.001.3373.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/830, 2521mm DALI RAL9016
09.001.3373.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/840, 2521mm RAL9016
09.001.3373.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/840, 2521mm DALI RAL9016
09.001.3373.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/830, 2521mm RAL9005
09.001.3373.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/830, 2521mm DALI RAL9005
09.001.3373.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/840, 2521mm RAL9005
09.001.3373.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 8ft/840, 2521mm DALI RAL9005
09.001.3374.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/830, 2801mm RAL9016
09.001.3374.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/830, 2801mm DALI RAL9016
09.001.3374.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/840, 2801mm RAL9016
09.001.3374.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/840, 2801mm DALI RAL9016
09.001.3374.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/830, 2801mm RAL9005
09.001.3374.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/830, 2801mm DALI RAL9005
09.001.3374.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/840, 2801mm RAL9005
09.001.3374.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 9ft/840, 2801mm DALI RAL9005
09.001.3375.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/830, 2801mm RAL9016
09.001.3375.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/830, 2801mm DALI RAL9016
09.001.3375.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/840, 2801mm RAL9016
09.001.3375.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/840, 2801mm DALI RAL9016
09.001.3375.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/830, 2801mm RAL9005
09.001.3375.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/830, 2801mm DALI RAL9005
09.001.3375.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/840, 2801mm RAL9005
09.001.3375.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 9ft/840, 2801mm DALI RAL9005
09.001.3376.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/830, 2801mm RAL9016
09.001.3376.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/830, 2801mm DALI RAL9016
09.001.3376.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/840, 2801mm RAL9016
09.001.3376.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/840, 2801mm DALI RAL9016
09.001.3376.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/830, 2801mm RAL9005
09.001.3376.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/830, 2801mm DALI RAL9005
09.001.3376.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/840, 2801mm RAL9005
09.001.3376.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 9ft/840, 2801mm DALI RAL9005
09.001.3377.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/830, 3081mm RAL9016
09.001.3377.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/830, 3081mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3377.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/840, 3081mm RAL9016
09.001.3377.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/840, 3081mm DALI RAL9016
09.001.3377.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/830, 3081mm RAL9005
09.001.3377.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/830, 3081mm DALI RAL9005
09.001.3377.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/840, 3081mm RAL9005
09.001.3377.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 10ft/840, 3081mm DALI RAL9005
09.001.3378.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/830, 3081mm RAL9016
09.001.3378.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/830, 3081mm DALI RAL9016
09.001.3378.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/840, 3081mm RAL9016
09.001.3378.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/840, 3081mm DALI RAL9016
09.001.3378.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/830, 3081mm RAL9005
09.001.3378.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/830, 3081mm DALI RAL9005
09.001.3378.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/840, 3081mm RAL9005
09.001.3378.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 10ft/840, 3081mm DALI RAL9005
09.001.3379.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/830, 3081mm RAL9016
09.001.3379.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/830, 3081mm DALI RAL9016
09.001.3379.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/840, 3081mm RAL9016
09.001.3379.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/840, 3081mm DALI RAL9016
09.001.3379.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/830, 3081mm RAL9005
09.001.3379.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/830, 3081mm DALI RAL9005
09.001.3379.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/840, 3081mm RAL9005
09.001.3379.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 10ft/840, 3081mm DALI RAL9005
09.001.3380.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/830, 3361mm RAL9016
09.001.3380.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/830, 3361mm DALI RAL9016
09.001.3380.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/840, 3361mm RAL9016
09.001.3380.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/840, 3361mm DALI RAL9016
09.001.3380.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/830, 3361mm RAL9005
09.001.3380.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/830, 3361mm DALI RAL9005
09.001.3380.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/840, 3361mm RAL9005
09.001.3380.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 11ft/840, 3361mm DALI RAL9005
09.001.3381.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/830, 3361mm RAL9016
09.001.3381.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/830, 3361mm DALI RAL9016
09.001.3381.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/840, 3361mm RAL9016
09.001.3381.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/840, 3361mm DALI RAL9016
09.001.3381.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/830, 3361mm RAL9005
09.001.3381.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/830, 3361mm DALI RAL9005
09.001.3381.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/840, 3361mm RAL9005
09.001.3381.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 11ft/840, 3361mm DALI RAL9005
09.001.3382.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/830, 3361mm RAL9016
09.001.3382.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/830, 3361mm DALI RAL9016
09.001.3382.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/840, 3361mm RAL9016
09.001.3382.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/840, 3361mm DALI RAL9016
09.001.3382.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/830, 3361mm RAL9005
09.001.3382.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 11ft/830, 3361mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3382.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 11fT/840, 3361mm RAL9005
09.001.3382.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 11fT/840, 3361mm DALI RAL9005
09.001.3383.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/830, 3641mm RAL9016
09.001.3383.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/830, 3641mm DALI RAL9016
09.001.3383.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/840, 3641mm RAL9016
09.001.3383.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/840, 3641mm DALI RAL9016
09.001.3383.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/830, 3641mm RAL9005
09.001.3383.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/830, 3641mm DALI RAL9005
09.001.3383.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/840, 3641mm RAL9005
09.001.3383.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 12fT/840, 3641mm DALI RAL9005
09.001.3384.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/830, 3641mm RAL9016
09.001.3384.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/830, 3641mm DALI RAL9016
09.001.3384.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/840, 3641mm RAL9016
09.001.3384.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/840, 3641mm DALI RAL9016
09.001.3384.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/830, 3641mm RAL9005
09.001.3384.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/830, 3641mm DALI RAL9005
09.001.3384.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/840, 3641mm RAL9005
09.001.3384.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 12fT/840, 3641mm DALI RAL9005
09.001.3385.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/830, 3641mm RAL9016
09.001.3385.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/830, 3641mm DALI RAL9016
09.001.3385.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/840, 3641mm RAL9016
09.001.3385.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/840, 3641mm DALI RAL9016
09.001.3385.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/830, 3641mm RAL9005
09.001.3385.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/830, 3641mm DALI RAL9005
09.001.3385.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/840, 3641mm RAL9005
09.001.3385.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 12fT/840, 3641mm DALI RAL9005
09.001.3386.01.830	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/830, 3921mm RAL9016
09.001.3386.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/830, 3921mm DALI RAL9016
09.001.3386.01.840	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/840, 3921mm RAL9016
09.001.3386.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/840, 3921mm DALI RAL9016
09.001.3386.03.830	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/830, 3921mm RAL9005
09.001.3386.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/830, 3921mm DALI RAL9005
09.001.3386.03.840	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/840, 3921mm RAL9005
09.001.3386.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HE 13fT/840, 3921mm DALI RAL9005
09.001.3387.01.830	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/830, 3921mm RAL9016
09.001.3387.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/830, 3921mm DALI RAL9016
09.001.3387.01.840	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/840, 3921mm RAL9016
09.001.3387.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/840, 3921mm DALI RAL9016
09.001.3387.03.830	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/830, 3921mm RAL9005
09.001.3387.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/830, 3921mm DALI RAL9005
09.001.3387.03.840	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/840, 3921mm RAL9005
09.001.3387.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX ST 13fT/840, 3921mm DALI RAL9005
09.001.3388.01.830	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/830, 3921mm RAL9016
09.001.3388.01.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/830, 3921mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
09.001.3388.01.840	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/840, 3921mm RAL9016
09.001.3388.01.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/840, 3921mm DALI RAL9016
09.001.3388.03.830	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/830, 3921mm RAL9005
09.001.3388.03.830.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/830, 3921mm DALI RAL9005
09.001.3388.03.840	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/840, 3921mm RAL9005
09.001.3388.03.840.DALI	PROFILITE 35 Suspended XTS/IN PLX HO 13fT/840, 3921mm DALI RAL9005
09.001.3902.01	PROFILITE 35 XTS Suspended 561mm RAL9016
09.001.3902.01.DALI	PROFILITE 35 XTS Suspended 561mm DALI RAL9016
09.001.3902.03	PROFILITE 35 XTS Suspended 561mm RAL9005
09.001.3902.03.DALI	PROFILITE 35 XTS Suspended 561mm DALI RAL9005
09.001.3903.01	PROFILITE 35 XTS Suspended 841mm RAL9016
09.001.3903.01.DALI	PROFILITE 35 XTS Suspended 841mm DALI RAL9016
09.001.3903.03	PROFILITE 35 XTS Suspended 841mm RAL9005
09.001.3903.03.DALI	PROFILITE 35 XTS Suspended 841mm DALI RAL9005
09.001.3904.01	PROFILITE 35 XTS Suspended 1121mm RAL9016
09.001.3904.01.DALI	PROFILITE 35 XTS Suspended 1121mm DALI RAL9016
09.001.3904.03	PROFILITE 35 XTS Suspended 1121mm RAL9005
09.001.3904.03.DALI	PROFILITE 35 XTS Suspended 1121mm DALI RAL9005
09.001.3905.01	PROFILITE 35 XTS Suspended 1401mm RAL9016
09.001.3905.01.DALI	PROFILITE 35 XTS Suspended 1401mm DALI RAL9016
09.001.3905.03	PROFILITE 35 XTS Suspended 1401mm RAL9005
09.001.3905.03.DALI	PROFILITE 35 XTS Suspended 1401mm DALI RAL9005
09.001.3906.01	PROFILITE 35 XTS Suspended 1681mm RAL9016
09.001.3906.01.DALI	PROFILITE 35 XTS Suspended 1681mm DALI RAL9016
09.001.3906.03	PROFILITE 35 XTS Suspended 1681mm RAL9005
09.001.3906.03.DALI	PROFILITE 35 XTS Suspended 1681mm DALI RAL9005
09.001.3907.01	PROFILITE 35 XTS Suspended 1961mm RAL9016
09.001.3907.01.DALI	PROFILITE 35 XTS Suspended 1961mm DALI RAL9016
09.001.3907.03	PROFILITE 35 XTS Suspended 1961mm RAL9005
09.001.3907.03.DALI	PROFILITE 35 XTS Suspended 1961mm DALI RAL9005
09.001.3908.01	PROFILITE 35 XTS Suspended 2241mm RAL9016
09.001.3908.01.DALI	PROFILITE 35 XTS Suspended 2241mm DALI RAL9016
09.001.3908.03	PROFILITE 35 XTS Suspended 2241mm RAL9005
09.001.3908.03.DALI	PROFILITE 35 XTS Suspended 2241mm DALI RAL9005
09.001.3909.01	PROFILITE 35 XTS Suspended 2521mm RAL9016
09.001.3909.01.DALI	PROFILITE 35 XTS Suspended 2521mm DALI RAL9016
09.001.3909.03	PROFILITE 35 XTS Suspended 2521mm RAL9005
09.001.3909.03.DALI	PROFILITE 35 XTS Suspended 2521mm DALI RAL9005
09.001.3910.01	PROFILITE 35 XTS Suspended 2801mm RAL9016
09.001.3910.01.DALI	PROFILITE 35 XTS Suspended 2801mm DALI RAL9016
09.001.3910.03	PROFILITE 35 XTS Suspended 2801mm RAL9005
09.001.3910.03.DALI	PROFILITE 35 XTS Suspended 2801mm DALI RAL9005
09.001.3911.01	PROFILITE 35 XTS Suspended 3081mm RAL9016
09.001.3911.01.DALI	PROFILITE 35 XTS Suspended 3081mm DALI RAL9016

Place and date of issue of the document

Warszawa, 02.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
09.001.3911.03	PROFILITE 35 XTS Suspended 3081mm RAL9005
09.001.3911.03.DALI	PROFILITE 35 XTS Suspended 3081mm DALI RAL9005
09.001.3912.01	PROFILITE 35 XTS Suspended 3361mm RAL9016
09.001.3912.01.DALI	PROFILITE 35 XTS Suspended 3361mm DALI RAL9016
09.001.3912.03	PROFILITE 35 XTS Suspended 3361mm RAL9005
09.001.3912.03.DALI	PROFILITE 35 XTS Suspended 3361mm DALI RAL9005
09.001.3913.01	PROFILITE 35 XTS Suspended 3641mm RAL9016
09.001.3913.01.DALI	PROFILITE 35 XTS Suspended 3641mm DALI RAL9016
09.001.3913.03	PROFILITE 35 XTS Suspended 3641mm RAL9005
09.001.3913.03.DALI	PROFILITE 35 XTS Suspended 3641mm DALI RAL9005
09.001.3914.01	PROFILITE 35 XTS Suspended 3921mm RAL9016
09.001.3914.01.DALI	PROFILITE 35 XTS Suspended 3921mm DALI RAL9016
09.001.3914.03	PROFILITE 35 XTS Suspended 3921mm RAL9005
09.001.3914.03.DALI	PROFILITE 35 XTS Suspended 3921mm DALI RAL9005

Place and date of issue of the document

Warszawa, 02.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES