

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **VISO 320**

Product number: **in the attachment nr 10/071**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

<b>2009/125/WE</b>	Ecodesign
<b>2011/65/UE</b>	Restriction of the use of certain hazardous substances
<b>2014/30/UE</b>	Electromagnetic Compatibility
<b>2014/35/UE</b>	Low Voltage

and the following standards:

<b>PN-EN 55015:2013</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>PN-EN 60529:2003</b>	Degrees of protection provided by enclosures (IP code)
<b>PN-EN 60598-1:2015</b>	Luminaires - Part 1: General requirements and tests
<b>PN-EN 61000-3-2:2014</b>	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>PN-EN 61000-3-3:2013</b>	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
<b>PN-EN 61547:2009</b>	Equipment for general lighting purposes - EMC immunity requirements
<b>PN-EN 62493:2015</b>	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

**2021**

Place and date of issue of the document

**Warszawa, 17.03.2022**


  
**MIROSLAW RAKOCZY**  
**V-ce PREZES**

### ATTACHMENT

Code	Name
10.071.1900.01.930.1A0	Viso 320 Suspended LED/930, 41° 1050mA RAL9016
10.071.1900.01.930.1A0.DALI	Viso 320 Suspended LED/930, 41° DALI 1050mA RAL9016
10.071.1900.01.930.1A1	Viso 320 Suspended LED/930, 41° 1150mA RAL9016
10.071.1900.01.930.1A1.DALI	Viso 320 Suspended LED/930, 41° DALI 1150mA RAL9016
10.071.1900.01.930.1A2	Viso 320 Suspended LED/930, 41° 1200mA RAL9016
10.071.1900.01.930.1A2.DALI	Viso 320 Suspended LED/930, 41° DALI 1200mA RAL9016
10.071.1900.01.930.250	Viso 320 Suspended LED/930, 41° 250mA RAL9016
10.071.1900.01.930.250.DALI	Viso 320 Suspended LED/930, 41° DALI 250mA RAL9016
10.071.1900.01.930.350	Viso 320 Suspended LED/930, 41° 350mA RAL9016
10.071.1900.01.930.350.DALI	Viso 320 Suspended LED/930, 41° DALI 350mA RAL9016
10.071.1900.01.930.450	Viso 320 Suspended LED/930, 41° 450mA RAL9016
10.071.1900.01.930.450.DALI	Viso 320 Suspended LED/930, 41° DALI 450mA RAL9016
10.071.1900.01.930.500	Viso 320 Suspended LED/930, 41° 500mA RAL9016
10.071.1900.01.930.500.DALI	Viso 320 Suspended LED/930, 41° DALI 500mA RAL9016
10.071.1900.01.930.600	Viso 320 Suspended LED/930, 41° 600mA RAL9016
10.071.1900.01.930.600.DALI	Viso 320 Suspended LED/930, 41° DALI 600mA RAL9016
10.071.1900.01.930.650	Viso 320 Suspended LED/930, 41° 650mA RAL9016
10.071.1900.01.930.650.DALI	Viso 320 Suspended LED/930, 41° DALI 650mA RAL9016
10.071.1900.01.930.700	Viso 320 Suspended LED/930, 41° 700mA RAL9016
10.071.1900.01.930.700.DALI	Viso 320 Suspended LED/930, 41° DALI 700mA RAL9016
10.071.1900.01.930.800	Viso 320 Suspended LED/930, 41° 800mA RAL9016
10.071.1900.01.930.800.DALI	Viso 320 Suspended LED/930, 41° DALI 800mA RAL9016
10.071.1900.01.930.900	Viso 320 Suspended LED/930, 41° 900mA RAL9016
10.071.1900.01.930.900.DALI	Viso 320 Suspended LED/930, 41° DALI 900mA RAL9016
10.071.1900.01.930.950	Viso 320 Suspended LED/930, 41° 950mA RAL9016
10.071.1900.01.930.950.DALI	Viso 320 Suspended LED/930, 41° DALI 950mA RAL9016
10.071.1900.01.940.1A0	Viso 320 Suspended LED/940, 41° 1050mA RAL9016
10.071.1900.01.940.1A0.DALI	Viso 320 Suspended LED/940, 41° DALI 1050mA RAL9016
10.071.1900.01.940.1A1	Viso 320 Suspended LED/940, 41° 1150mA RAL9016
10.071.1900.01.940.1A1.DALI	Viso 320 Suspended LED/940, 41° DALI 1150mA RAL9016
10.071.1900.01.940.1A2	Viso 320 Suspended LED/940, 41° 1200mA RAL9016
10.071.1900.01.940.1A2.DALI	Viso 320 Suspended LED/940, 41° DALI 1200mA RAL9016
10.071.1900.01.940.250	Viso 320 Suspended LED/940, 41° 250mA RAL9016
10.071.1900.01.940.250.DALI	Viso 320 Suspended LED/940, 41° DALI 250mA RAL9016
10.071.1900.01.940.350	Viso 320 Suspended LED/940, 41° 350mA RAL9016
10.071.1900.01.940.350.DALI	Viso 320 Suspended LED/940, 41° DALI 350mA RAL9016
10.071.1900.01.940.450	Viso 320 Suspended LED/940, 41° 450mA RAL9016
10.071.1900.01.940.450.DALI	Viso 320 Suspended LED/940, 41° DALI 450mA RAL9016
10.071.1900.01.940.500	Viso 320 Suspended LED/940, 41° 500mA RAL9016
10.071.1900.01.940.500.DALI	Viso 320 Suspended LED/940, 41° DALI 500mA RAL9016
10.071.1900.01.940.600	Viso 320 Suspended LED/940, 41° 600mA RAL9016
10.071.1900.01.940.600.DALI	Viso 320 Suspended LED/940, 41° DALI 600mA RAL9016

Place and date of issue of the document

**Warszawa, 17.03.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1900.01.940.650	Viso 320 Suspended LED/940, 41° 650mA RAL9016
10.071.1900.01.940.650.DALI	Viso 320 Suspended LED/940, 41° DALI 650mA RAL9016
10.071.1900.01.940.700	Viso 320 Suspended LED/940, 41° 700mA RAL9016
10.071.1900.01.940.700.DALI	Viso 320 Suspended LED/940, 41° DALI 700mA RAL9016
10.071.1900.01.940.800	Viso 320 Suspended LED/940, 41° 800mA RAL9016
10.071.1900.01.940.800.DALI	Viso 320 Suspended LED/940, 41° DALI 800mA RAL9016
10.071.1900.01.940.900	Viso 320 Suspended LED/940, 41° 900mA RAL9016
10.071.1900.01.940.900.DALI	Viso 320 Suspended LED/940, 41° DALI 900mA RAL9016
10.071.1900.01.940.950	Viso 320 Suspended LED/940, 41° 950mA RAL9016
10.071.1900.01.940.950.DALI	Viso 320 Suspended LED/940, 41° DALI 950mA RAL9016
10.071.1900.02.930.1A0	Viso 320 Suspended LED/930, 41° 1050mA RAL9006
10.071.1900.02.930.1A0.DALI	Viso 320 Suspended LED/930, 41° DALI 1050mA RAL9006
10.071.1900.02.930.1A1	Viso 320 Suspended LED/930, 41° 1150mA RAL9006
10.071.1900.02.930.1A1.DALI	Viso 320 Suspended LED/930, 41° DALI 1150mA RAL9006
10.071.1900.02.930.1A2	Viso 320 Suspended LED/930, 41° 1200mA RAL9006
10.071.1900.02.930.1A2.DALI	Viso 320 Suspended LED/930, 41° DALI 1200mA RAL9006
10.071.1900.02.930.250	Viso 320 Suspended LED/930, 41° 250mA RAL9006
10.071.1900.02.930.250.DALI	Viso 320 Suspended LED/930, 41° DALI 250mA RAL9006
10.071.1900.02.930.350	Viso 320 Suspended LED/930, 41° 350mA RAL9006
10.071.1900.02.930.350.DALI	Viso 320 Suspended LED/930, 41° DALI 350mA RAL9006
10.071.1900.02.930.450	Viso 320 Suspended LED/930, 41° 450mA RAL9006
10.071.1900.02.930.450.DALI	Viso 320 Suspended LED/930, 41° DALI 450mA RAL9006
10.071.1900.02.930.500	Viso 320 Suspended LED/930, 41° 500mA RAL9006
10.071.1900.02.930.500.DALI	Viso 320 Suspended LED/930, 41° DALI 500mA RAL9006
10.071.1900.02.930.600	Viso 320 Suspended LED/930, 41° 600mA RAL9006
10.071.1900.02.930.600.DALI	Viso 320 Suspended LED/930, 41° DALI 600mA RAL9006
10.071.1900.02.930.650	Viso 320 Suspended LED/930, 41° 650mA RAL9006
10.071.1900.02.930.650.DALI	Viso 320 Suspended LED/930, 41° DALI 650mA RAL9006
10.071.1900.02.930.700	Viso 320 Suspended LED/930, 41° 700mA RAL9006
10.071.1900.02.930.700.DALI	Viso 320 Suspended LED/930, 41° DALI 700mA RAL9006
10.071.1900.02.930.800	Viso 320 Suspended LED/930, 41° 800mA RAL9006
10.071.1900.02.930.800.DALI	Viso 320 Suspended LED/930, 41° DALI 800mA RAL9006
10.071.1900.02.930.900	Viso 320 Suspended LED/930, 41° 900mA RAL9006
10.071.1900.02.930.900.DALI	Viso 320 Suspended LED/930, 41° DALI 900mA RAL9006
10.071.1900.02.930.950	Viso 320 Suspended LED/930, 41° 950mA RAL9006
10.071.1900.02.930.950.DALI	Viso 320 Suspended LED/930, 41° DALI 950mA RAL9006
10.071.1900.02.940.1A0	Viso 320 Suspended LED/940, 41° 1050mA RAL9006
10.071.1900.02.940.1A0.DALI	Viso 320 Suspended LED/940, 41° DALI 1050mA RAL9006
10.071.1900.02.940.1A1	Viso 320 Suspended LED/940, 41° 1150mA RAL9006
10.071.1900.02.940.1A1.DALI	Viso 320 Suspended LED/940, 41° DALI 1150mA RAL9006
10.071.1900.02.940.1A2	Viso 320 Suspended LED/940, 41° 1200mA RAL9006
10.071.1900.02.940.1A2.DALI	Viso 320 Suspended LED/940, 41° DALI 1200mA RAL9006
10.071.1900.02.940.250	Viso 320 Suspended LED/940, 41° 250mA RAL9006
10.071.1900.02.940.250.DALI	Viso 320 Suspended LED/940, 41° DALI 250mA RAL9006

Place and date of issue of the document

**Warszawa, 17.03.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1900.02.940.350	Viso 320 Suspended LED/940, 41° 350mA RAL9006
10.071.1900.02.940.350.DALI	Viso 320 Suspended LED/940, 41° DALI 350mA RAL9006
10.071.1900.02.940.450	Viso 320 Suspended LED/940, 41° 450mA RAL9006
10.071.1900.02.940.450.DALI	Viso 320 Suspended LED/940, 41° DALI 450mA RAL9006
10.071.1900.02.940.500	Viso 320 Suspended LED/940, 41° 500mA RAL9006
10.071.1900.02.940.500.DALI	Viso 320 Suspended LED/940, 41° DALI 500mA RAL9006
10.071.1900.02.940.600	Viso 320 Suspended LED/940, 41° 600mA RAL9006
10.071.1900.02.940.600.DALI	Viso 320 Suspended LED/940, 41° DALI 600mA RAL9006
10.071.1900.02.940.650	Viso 320 Suspended LED/940, 41° 650mA RAL9006
10.071.1900.02.940.650.DALI	Viso 320 Suspended LED/940, 41° DALI 650mA RAL9006
10.071.1900.02.940.700	Viso 320 Suspended LED/940, 41° 700mA RAL9006
10.071.1900.02.940.700.DALI	Viso 320 Suspended LED/940, 41° DALI 700mA RAL9006
10.071.1900.02.940.800	Viso 320 Suspended LED/940, 41° 800mA RAL9006
10.071.1900.02.940.800.DALI	Viso 320 Suspended LED/940, 41° DALI 800mA RAL9006
10.071.1900.02.940.900	Viso 320 Suspended LED/940, 41° 900mA RAL9006
10.071.1900.02.940.900.DALI	Viso 320 Suspended LED/940, 41° DALI 900mA RAL9006
10.071.1900.02.940.950	Viso 320 Suspended LED/940, 41° 950mA RAL9006
10.071.1900.02.940.950.DALI	Viso 320 Suspended LED/940, 41° DALI 950mA RAL9006
10.071.1900.03.930.1A0	Viso 320 Suspended LED/930, 41° 1050mA RAL9005
10.071.1900.03.930.1A0.DALI	Viso 320 Suspended LED/930, 41° DALI 1050mA RAL9005
10.071.1900.03.930.1A1	Viso 320 Suspended LED/930, 41° 1150mA RAL9005
10.071.1900.03.930.1A1.DALI	Viso 320 Suspended LED/930, 41° DALI 1150mA RAL9005
10.071.1900.03.930.1A2	Viso 320 Suspended LED/930, 41° 1200mA RAL9005
10.071.1900.03.930.1A2.DALI	Viso 320 Suspended LED/930, 41° DALI 1200mA RAL9005
10.071.1900.03.930.250	Viso 320 Suspended LED/930, 41° 250mA RAL9005
10.071.1900.03.930.250.DALI	Viso 320 Suspended LED/930, 41° DALI 250mA RAL9005
10.071.1900.03.930.350	Viso 320 Suspended LED/930, 41° 350mA RAL9005
10.071.1900.03.930.350.DALI	Viso 320 Suspended LED/930, 41° DALI 350mA RAL9005
10.071.1900.03.930.450	Viso 320 Suspended LED/930, 41° 450mA RAL9005
10.071.1900.03.930.450.DALI	Viso 320 Suspended LED/930, 41° DALI 450mA RAL9005
10.071.1900.03.930.500	Viso 320 Suspended LED/930, 41° 500mA RAL9005
10.071.1900.03.930.500.DALI	Viso 320 Suspended LED/930, 41° DALI 500mA RAL9005
10.071.1900.03.930.600	Viso 320 Suspended LED/930, 41° 600mA RAL9005
10.071.1900.03.930.600.DALI	Viso 320 Suspended LED/930, 41° DALI 600mA RAL9005
10.071.1900.03.930.650	Viso 320 Suspended LED/930, 41° 650mA RAL9005
10.071.1900.03.930.650.DALI	Viso 320 Suspended LED/930, 41° DALI 650mA RAL9005
10.071.1900.03.930.700	Viso 320 Suspended LED/930, 41° 700mA RAL9005
10.071.1900.03.930.700.DALI	Viso 320 Suspended LED/930, 41° DALI 700mA RAL9005
10.071.1900.03.930.800	Viso 320 Suspended LED/930, 41° 800mA RAL9005
10.071.1900.03.930.800.DALI	Viso 320 Suspended LED/930, 41° DALI 800mA RAL9005
10.071.1900.03.930.900	Viso 320 Suspended LED/930, 41° 900mA RAL9005
10.071.1900.03.930.900.DALI	Viso 320 Suspended LED/930, 41° DALI 900mA RAL9005
10.071.1900.03.930.950	Viso 320 Suspended LED/930, 41° 950mA RAL9005
10.071.1900.03.930.950.DALI	Viso 320 Suspended LED/930, 41° DALI 950mA RAL9005

Place and date of issue of the document

**Warszawa, 17.03.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
10.071.1900.03.940.1A0	Viso 320 Suspended LED/940, 41° 1050mA RAL9005
10.071.1900.03.940.1A0.DALI	Viso 320 Suspended LED/940, 41° DALI 1050mA RAL9005
10.071.1900.03.940.1A1	Viso 320 Suspended LED/940, 41° 1150mA RAL9005
10.071.1900.03.940.1A1.DALI	Viso 320 Suspended LED/940, 41° DALI 1150mA RAL9005
10.071.1900.03.940.1A2	Viso 320 Suspended LED/940, 41° 1200mA RAL9005
10.071.1900.03.940.1A2.DALI	Viso 320 Suspended LED/940, 41° DALI 1200mA RAL9005
10.071.1900.03.940.250	Viso 320 Suspended LED/940, 41° 250mA RAL9005
10.071.1900.03.940.250.DALI	Viso 320 Suspended LED/940, 41° DALI 250mA RAL9005
10.071.1900.03.940.350	Viso 320 Suspended LED/940, 41° 350mA RAL9005
10.071.1900.03.940.350.DALI	Viso 320 Suspended LED/940, 41° DALI 350mA RAL9005
10.071.1900.03.940.450	Viso 320 Suspended LED/940, 41° 450mA RAL9005
10.071.1900.03.940.450.DALI	Viso 320 Suspended LED/940, 41° DALI 450mA RAL9005
10.071.1900.03.940.500	Viso 320 Suspended LED/940, 41° 500mA RAL9005
10.071.1900.03.940.500.DALI	Viso 320 Suspended LED/940, 41° DALI 500mA RAL9005
10.071.1900.03.940.600	Viso 320 Suspended LED/940, 41° 600mA RAL9005
10.071.1900.03.940.600.DALI	Viso 320 Suspended LED/940, 41° DALI 600mA RAL9005
10.071.1900.03.940.650	Viso 320 Suspended LED/940, 41° 650mA RAL9005
10.071.1900.03.940.650.DALI	Viso 320 Suspended LED/940, 41° DALI 650mA RAL9005
10.071.1900.03.940.700	Viso 320 Suspended LED/940, 41° 700mA RAL9005
10.071.1900.03.940.700.DALI	Viso 320 Suspended LED/940, 41° DALI 700mA RAL9005
10.071.1900.03.940.800	Viso 320 Suspended LED/940, 41° 800mA RAL9005
10.071.1900.03.940.800.DALI	Viso 320 Suspended LED/940, 41° DALI 800mA RAL9005
10.071.1900.03.940.900	Viso 320 Suspended LED/940, 41° 900mA RAL9005
10.071.1900.03.940.900.DALI	Viso 320 Suspended LED/940, 41° DALI 900mA RAL9005
10.071.1900.03.940.950	Viso 320 Suspended LED/940, 41° 950mA RAL9005
10.071.1900.03.940.950.DALI	Viso 320 Suspended LED/940, 41° DALI 950mA RAL9005
10.071.1911.01.930.1A0	Viso 320 Suspended LED/930, 48° 1050mA RAL9016
10.071.1911.01.930.1A0.DALI	Viso 320 Suspended LED/930, 48° DALI 1050mA RAL9016
10.071.1911.01.930.1A1	Viso 320 Suspended LED/930, 48° 1150mA RAL9016
10.071.1911.01.930.1A1.DALI	Viso 320 Suspended LED/930, 48° DALI 1150mA RAL9016
10.071.1911.01.930.1A2	Viso 320 Suspended LED/930, 48° 1200mA RAL9016
10.071.1911.01.930.1A2.DALI	Viso 320 Suspended LED/930, 48° DALI 1200mA RAL9016
10.071.1911.01.930.250	Viso 320 Suspended LED/930, 48° 250mA RAL9016
10.071.1911.01.930.250.DALI	Viso 320 Suspended LED/930, 48° DALI 250mA RAL9016
10.071.1911.01.930.350	Viso 320 Suspended LED/930, 48° 350mA RAL9016
10.071.1911.01.930.350.DALI	Viso 320 Suspended LED/930, 48° DALI 350mA RAL9016
10.071.1911.01.930.450	Viso 320 Suspended LED/930, 48° 450mA RAL9016
10.071.1911.01.930.450.DALI	Viso 320 Suspended LED/930, 48° DALI 450mA RAL9016
10.071.1911.01.930.500	Viso 320 Suspended LED/930, 48° 500mA RAL9016
10.071.1911.01.930.500.DALI	Viso 320 Suspended LED/930, 48° DALI 500mA RAL9016
10.071.1911.01.930.600	Viso 320 Suspended LED/930, 48° 600mA RAL9016
10.071.1911.01.930.600.DALI	Viso 320 Suspended LED/930, 48° DALI 600mA RAL9016
10.071.1911.01.930.650	Viso 320 Suspended LED/930, 48° 650mA RAL9016
10.071.1911.01.930.650.DALI	Viso 320 Suspended LED/930, 48° DALI 650mA RAL9016

Place and date of issue of the document

**Warszawa, 17.03.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1911.01.930.700	Viso 320 Suspended LED/930, 48° 700mA RAL9016
10.071.1911.01.930.700.DALI	Viso 320 Suspended LED/930, 48° DALI 700mA RAL9016
10.071.1911.01.930.800	Viso 320 Suspended LED/930, 48° 800mA RAL9016
10.071.1911.01.930.800.DALI	Viso 320 Suspended LED/930, 48° DALI 800mA RAL9016
10.071.1911.01.930.900	Viso 320 Suspended LED/930, 48° 900mA RAL9016
10.071.1911.01.930.900.DALI	Viso 320 Suspended LED/930, 48° DALI 900mA RAL9016
10.071.1911.01.930.950	Viso 320 Suspended LED/930, 48° 950mA RAL9016
10.071.1911.01.930.950.DALI	Viso 320 Suspended LED/930, 48° DALI 950mA RAL9016
10.071.1911.01.940.1A0	Viso 320 Suspended LED/940, 48° 1050mA RAL9016
10.071.1911.01.940.1A0.DALI	Viso 320 Suspended LED/940, 48° DALI 1050mA RAL9016
10.071.1911.01.940.1A1	Viso 320 Suspended LED/940, 48° 1150mA RAL9016
10.071.1911.01.940.1A1.DALI	Viso 320 Suspended LED/940, 48° DALI 1150mA RAL9016
10.071.1911.01.940.1A2	Viso 320 Suspended LED/940, 48° 1200mA RAL9016
10.071.1911.01.940.1A2.DALI	Viso 320 Suspended LED/940, 48° DALI 1200mA RAL9016
10.071.1911.01.940.250	Viso 320 Suspended LED/940, 48° 250mA RAL9016
10.071.1911.01.940.250.DALI	Viso 320 Suspended LED/940, 48° DALI 250mA RAL9016
10.071.1911.01.940.350	Viso 320 Suspended LED/940, 48° 350mA RAL9016
10.071.1911.01.940.350.DALI	Viso 320 Suspended LED/940, 48° DALI 350mA RAL9016
10.071.1911.01.940.450	Viso 320 Suspended LED/940, 48° 450mA RAL9016
10.071.1911.01.940.450.DALI	Viso 320 Suspended LED/940, 48° DALI 450mA RAL9016
10.071.1911.01.940.500	Viso 320 Suspended LED/940, 48° 500mA RAL9016
10.071.1911.01.940.500.DALI	Viso 320 Suspended LED/940, 48° DALI 500mA RAL9016
10.071.1911.01.940.600	Viso 320 Suspended LED/940, 48° 600mA RAL9016
10.071.1911.01.940.600.DALI	Viso 320 Suspended LED/940, 48° DALI 600mA RAL9016
10.071.1911.01.940.650	Viso 320 Suspended LED/940, 48° 650mA RAL9016
10.071.1911.01.940.650.DALI	Viso 320 Suspended LED/940, 48° DALI 650mA RAL9016
10.071.1911.01.940.700	Viso 320 Suspended LED/940, 48° 700mA RAL9016
10.071.1911.01.940.700.DALI	Viso 320 Suspended LED/940, 48° DALI 700mA RAL9016
10.071.1911.01.940.800	Viso 320 Suspended LED/940, 48° 800mA RAL9016
10.071.1911.01.940.800.DALI	Viso 320 Suspended LED/940, 48° DALI 800mA RAL9016
10.071.1911.01.940.900	Viso 320 Suspended LED/940, 48° 900mA RAL9016
10.071.1911.01.940.900.DALI	Viso 320 Suspended LED/940, 48° DALI 900mA RAL9016
10.071.1911.01.940.950	Viso 320 Suspended LED/940, 48° 950mA RAL9016
10.071.1911.01.940.950.DALI	Viso 320 Suspended LED/940, 48° DALI 950mA RAL9016
10.071.1911.02.930.1A0	Viso 320 Suspended LED/930, 48° 1050mA RAL9006
10.071.1911.02.930.1A0.DALI	Viso 320 Suspended LED/930, 48° DALI 1050mA RAL9006
10.071.1911.02.930.1A1	Viso 320 Suspended LED/930, 48° 1150mA RAL9006
10.071.1911.02.930.1A1.DALI	Viso 320 Suspended LED/930, 48° DALI 1150mA RAL9006
10.071.1911.02.930.1A2	Viso 320 Suspended LED/930, 48° 1200mA RAL9006
10.071.1911.02.930.1A2.DALI	Viso 320 Suspended LED/930, 48° DALI 1200mA RAL9006
10.071.1911.02.930.250	Viso 320 Suspended LED/930, 48° 250mA RAL9006
10.071.1911.02.930.250.DALI	Viso 320 Suspended LED/930, 48° DALI 250mA RAL9006
10.071.1911.02.930.350	Viso 320 Suspended LED/930, 48° 350mA RAL9006
10.071.1911.02.930.350.DALI	Viso 320 Suspended LED/930, 48° DALI 350mA RAL9006

Place and date of issue of the document

**Warszawa, 17.03.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1911.02.930.450	Viso 320 Suspended LED/930, 48° 450mA RAL9006
10.071.1911.02.930.450.DALI	Viso 320 Suspended LED/930, 48° DALI 450mA RAL9006
10.071.1911.02.930.500	Viso 320 Suspended LED/930, 48° 500mA RAL9006
10.071.1911.02.930.500.DALI	Viso 320 Suspended LED/930, 48° DALI 500mA RAL9006
10.071.1911.02.930.600	Viso 320 Suspended LED/930, 48° 600mA RAL9006
10.071.1911.02.930.600.DALI	Viso 320 Suspended LED/930, 48° DALI 600mA RAL9006
10.071.1911.02.930.650	Viso 320 Suspended LED/930, 48° 650mA RAL9006
10.071.1911.02.930.650.DALI	Viso 320 Suspended LED/930, 48° DALI 650mA RAL9006
10.071.1911.02.930.700	Viso 320 Suspended LED/930, 48° 700mA RAL9006
10.071.1911.02.930.700.DALI	Viso 320 Suspended LED/930, 48° DALI 700mA RAL9006
10.071.1911.02.930.800	Viso 320 Suspended LED/930, 48° 800mA RAL9006
10.071.1911.02.930.800.DALI	Viso 320 Suspended LED/930, 48° DALI 800mA RAL9006
10.071.1911.02.930.900	Viso 320 Suspended LED/930, 48° 900mA RAL9006
10.071.1911.02.930.900.DALI	Viso 320 Suspended LED/930, 48° DALI 900mA RAL9006
10.071.1911.02.930.950	Viso 320 Suspended LED/930, 48° 950mA RAL9006
10.071.1911.02.930.950.DALI	Viso 320 Suspended LED/930, 48° DALI 950mA RAL9006
10.071.1911.02.940.1A0	Viso 320 Suspended LED/940, 48° 1050mA RAL9006
10.071.1911.02.940.1A0.DALI	Viso 320 Suspended LED/940, 48° DALI 1050mA RAL9006
10.071.1911.02.940.1A1	Viso 320 Suspended LED/940, 48° 1150mA RAL9006
10.071.1911.02.940.1A1.DALI	Viso 320 Suspended LED/940, 48° DALI 1150mA RAL9006
10.071.1911.02.940.1A2	Viso 320 Suspended LED/940, 48° 1200mA RAL9006
10.071.1911.02.940.1A2.DALI	Viso 320 Suspended LED/940, 48° DALI 1200mA RAL9006
10.071.1911.02.940.250	Viso 320 Suspended LED/940, 48° 250mA RAL9006
10.071.1911.02.940.250.DALI	Viso 320 Suspended LED/940, 48° DALI 250mA RAL9006
10.071.1911.02.940.350	Viso 320 Suspended LED/940, 48° 350mA RAL9006
10.071.1911.02.940.350.DALI	Viso 320 Suspended LED/940, 48° DALI 350mA RAL9006
10.071.1911.02.940.450	Viso 320 Suspended LED/940, 48° 450mA RAL9006
10.071.1911.02.940.450.DALI	Viso 320 Suspended LED/940, 48° DALI 450mA RAL9006
10.071.1911.02.940.500	Viso 320 Suspended LED/940, 48° 500mA RAL9006
10.071.1911.02.940.500.DALI	Viso 320 Suspended LED/940, 48° DALI 500mA RAL9006
10.071.1911.02.940.600	Viso 320 Suspended LED/940, 48° 600mA RAL9006
10.071.1911.02.940.600.DALI	Viso 320 Suspended LED/940, 48° DALI 600mA RAL9006
10.071.1911.02.940.650	Viso 320 Suspended LED/940, 48° 650mA RAL9006
10.071.1911.02.940.650.DALI	Viso 320 Suspended LED/940, 48° DALI 650mA RAL9006
10.071.1911.02.940.700	Viso 320 Suspended LED/940, 48° 700mA RAL9006
10.071.1911.02.940.700.DALI	Viso 320 Suspended LED/940, 48° DALI 700mA RAL9006
10.071.1911.02.940.800	Viso 320 Suspended LED/940, 48° 800mA RAL9006
10.071.1911.02.940.800.DALI	Viso 320 Suspended LED/940, 48° DALI 800mA RAL9006
10.071.1911.02.940.900	Viso 320 Suspended LED/940, 48° 900mA RAL9006
10.071.1911.02.940.900.DALI	Viso 320 Suspended LED/940, 48° DALI 900mA RAL9006
10.071.1911.02.940.950	Viso 320 Suspended LED/940, 48° 950mA RAL9006
10.071.1911.02.940.950.DALI	Viso 320 Suspended LED/940, 48° DALI 950mA RAL9006
10.071.1911.03.930.1A0	Viso 320 Suspended LED/930, 48° 1050mA RAL9005
10.071.1911.03.930.1A0.DALI	Viso 320 Suspended LED/930, 48° DALI 1050mA RAL9005

Place and date of issue of the document

**Warszawa, 17.03.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1911.03.930.1A1	Viso 320 Suspended LED/930, 48° 1150mA RAL9005
10.071.1911.03.930.1A1.DALI	Viso 320 Suspended LED/930, 48° DALI 1150mA RAL9005
10.071.1911.03.930.1A2	Viso 320 Suspended LED/930, 48° 1200mA RAL9005
10.071.1911.03.930.1A2.DALI	Viso 320 Suspended LED/930, 48° DALI 1200mA RAL9005
10.071.1911.03.930.250	Viso 320 Suspended LED/930, 48° 250mA RAL9005
10.071.1911.03.930.250.DALI	Viso 320 Suspended LED/930, 48° DALI 250mA RAL9005
10.071.1911.03.930.350	Viso 320 Suspended LED/930, 48° 350mA RAL9005
10.071.1911.03.930.350.DALI	Viso 320 Suspended LED/930, 48° DALI 350mA RAL9005
10.071.1911.03.930.450	Viso 320 Suspended LED/930, 48° 450mA RAL9005
10.071.1911.03.930.450.DALI	Viso 320 Suspended LED/930, 48° DALI 450mA RAL9005
10.071.1911.03.930.500	Viso 320 Suspended LED/930, 48° 500mA RAL9005
10.071.1911.03.930.500.DALI	Viso 320 Suspended LED/930, 48° DALI 500mA RAL9005
10.071.1911.03.930.600	Viso 320 Suspended LED/930, 48° 600mA RAL9005
10.071.1911.03.930.600.DALI	Viso 320 Suspended LED/930, 48° DALI 600mA RAL9005
10.071.1911.03.930.650	Viso 320 Suspended LED/930, 48° 650mA RAL9005
10.071.1911.03.930.650.DALI	Viso 320 Suspended LED/930, 48° DALI 650mA RAL9005
10.071.1911.03.930.700	Viso 320 Suspended LED/930, 48° 700mA RAL9005
10.071.1911.03.930.700.DALI	Viso 320 Suspended LED/930, 48° DALI 700mA RAL9005
10.071.1911.03.930.800	Viso 320 Suspended LED/930, 48° 800mA RAL9005
10.071.1911.03.930.800.DALI	Viso 320 Suspended LED/930, 48° DALI 800mA RAL9005
10.071.1911.03.930.900	Viso 320 Suspended LED/930, 48° 900mA RAL9005
10.071.1911.03.930.900.DALI	Viso 320 Suspended LED/930, 48° DALI 900mA RAL9005
10.071.1911.03.930.950	Viso 320 Suspended LED/930, 48° 950mA RAL9005
10.071.1911.03.930.950.DALI	Viso 320 Suspended LED/930, 48° DALI 950mA RAL9005
10.071.1911.03.940.1A0	Viso 320 Suspended LED/940, 48° 1050mA RAL9005
10.071.1911.03.940.1A0.DALI	Viso 320 Suspended LED/940, 48° DALI 1050mA RAL9005
10.071.1911.03.940.1A1	Viso 320 Suspended LED/940, 48° 1150mA RAL9005
10.071.1911.03.940.1A1.DALI	Viso 320 Suspended LED/940, 48° DALI 1150mA RAL9005
10.071.1911.03.940.1A2	Viso 320 Suspended LED/940, 48° 1200mA RAL9005
10.071.1911.03.940.1A2.DALI	Viso 320 Suspended LED/940, 48° DALI 1200mA RAL9005
10.071.1911.03.940.250	Viso 320 Suspended LED/940, 48° 250mA RAL9005
10.071.1911.03.940.250.DALI	Viso 320 Suspended LED/940, 48° DALI 250mA RAL9005
10.071.1911.03.940.350	Viso 320 Suspended LED/940, 48° 350mA RAL9005
10.071.1911.03.940.350.DALI	Viso 320 Suspended LED/940, 48° DALI 350mA RAL9005
10.071.1911.03.940.450	Viso 320 Suspended LED/940, 48° 450mA RAL9005
10.071.1911.03.940.450.DALI	Viso 320 Suspended LED/940, 48° DALI 450mA RAL9005
10.071.1911.03.940.500	Viso 320 Suspended LED/940, 48° 500mA RAL9005
10.071.1911.03.940.500.DALI	Viso 320 Suspended LED/940, 48° DALI 500mA RAL9005
10.071.1911.03.940.600	Viso 320 Suspended LED/940, 48° 600mA RAL9005
10.071.1911.03.940.600.DALI	Viso 320 Suspended LED/940, 48° DALI 600mA RAL9005
10.071.1911.03.940.650	Viso 320 Suspended LED/940, 48° 650mA RAL9005
10.071.1911.03.940.650.DALI	Viso 320 Suspended LED/940, 48° DALI 650mA RAL9005
10.071.1911.03.940.700	Viso 320 Suspended LED/940, 48° 700mA RAL9005
10.071.1911.03.940.700.DALI	Viso 320 Suspended LED/940, 48° DALI 700mA RAL9005

Place and date of issue of the document

**Warszawa, 17.03.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
10.071.1911.03.940.800	Viso 320 Suspended LED/940, 48° 800mA RAL9005
10.071.1911.03.940.800.DALI	Viso 320 Suspended LED/940, 48° DALI 800mA RAL9005
10.071.1911.03.940.900	Viso 320 Suspended LED/940, 48° 900mA RAL9005
10.071.1911.03.940.900.DALI	Viso 320 Suspended LED/940, 48° DALI 900mA RAL9005
10.071.1911.03.940.950	Viso 320 Suspended LED/940, 48° 950mA RAL9005
10.071.1911.03.940.950.DALI	Viso 320 Suspended LED/940, 48° DALI 950mA RAL9005

Place and date of issue of the document

**Warszawa, 17.03.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES