

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **LADY 100**

Product number: **in the attachment nr 04/028**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2019

Place and date of issue of the document

Warszawa, 20.01.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
5.79810.01.930.250	Lady 100 3-phase track LED/930 22° 250mA RAL9016
5.79810.01.930.250.DALI	Lady 100 3-phase track LED/930 22° DALI 250mA RAL9016
5.79810.01.930.350	Lady 100 3-phase track LED/930 22° 350mA RAL9016
5.79810.01.930.350.DALI	Lady 100 3-phase track LED/930 22° DALI 350mA RAL9016
5.79810.01.930.450	Lady 100 3-phase track LED/930 22° 450mA RAL9016
5.79810.01.930.450.DALI	Lady 100 3-phase track LED/930 22° DALI 450mA RAL9016
5.79810.01.930.500	Lady 100 3-phase track LED/930 22° 500mA RAL9016
5.79810.01.930.500.DALI	Lady 100 3-phase track LED/930 22° DALI 500mA RAL9016
5.79810.01.930.600	Lady 100 3-phase track LED/930 22° 600mA RAL9016
5.79810.01.930.600.DALI	Lady 100 3-phase track LED/930 22° DALI 600mA RAL9016
5.79810.01.930.650	Lady 100 3-phase track LED/930 22° 650mA RAL9016
5.79810.01.930.650.DALI	Lady 100 3-phase track LED/930 22° DALI 650mA RAL9016
5.79810.01.930.700	Lady 100 3-phase track LED/930 22° 700mA RAL9016
5.79810.01.930.700.DALI	Lady 100 3-phase track LED/930 22° DALI 700mA RAL9016
5.79810.01.930.800	Lady 100 3-phase track LED/930 22° 800mA RAL9016
5.79810.01.930.800.DALI	Lady 100 3-phase track LED/930 22° DALI 800mA RAL9016
5.79810.01.940.250	Lady 100 3-phase track LED/940 22° 250mA RAL9016
5.79810.01.940.250.DALI	Lady 100 3-phase track LED/940 22° DALI 250mA RAL9016
5.79810.01.940.350	Lady 100 3-phase track LED/940 22° 350mA RAL9016
5.79810.01.940.350.DALI	Lady 100 3-phase track LED/940 22° DALI 350mA RAL9016
5.79810.01.940.450	Lady 100 3-phase track LED/940 22° 450mA RAL9016
5.79810.01.940.450.DALI	Lady 100 3-phase track LED/940 22° DALI 450mA RAL9016
5.79810.01.940.500	Lady 100 3-phase track LED/940 22° 500mA RAL9016
5.79810.01.940.500.DALI	Lady 100 3-phase track LED/940 22° DALI 500mA RAL9016
5.79810.01.940.600	Lady 100 3-phase track LED/940 22° 600mA RAL9016
5.79810.01.940.600.DALI	Lady 100 3-phase track LED/940 22° DALI 600mA RAL9016
5.79810.01.940.650	Lady 100 3-phase track LED/940 22° 650mA RAL9016
5.79810.01.940.650.DALI	Lady 100 3-phase track LED/940 22° DALI 650mA RAL9016
5.79810.01.940.700	Lady 100 3-phase track LED/940 22° 700mA RAL9016
5.79810.01.940.700.DALI	Lady 100 3-phase track LED/940 22° DALI 700mA RAL9016
5.79810.01.940.800	Lady 100 3-phase track LED/940 22° 800mA RAL9016
5.79810.01.940.800.DALI	Lady 100 3-phase track LED/940 22° DALI 800mA RAL9016
5.79810.02.930.250	Lady 100 3-phase track LED/930 22° 250mA RAL9006
5.79810.02.930.250.DALI	Lady 100 3-phase track LED/930 22° DALI 250mA RAL9006
5.79810.02.930.350	Lady 100 3-phase track LED/930 22° 350mA RAL9006
5.79810.02.930.350.DALI	Lady 100 3-phase track LED/930 22° DALI 350mA RAL9006
5.79810.02.930.450	Lady 100 3-phase track LED/930 22° 450mA RAL9006
5.79810.02.930.450.DALI	Lady 100 3-phase track LED/930 22° DALI 450mA RAL9006
5.79810.02.930.500	Lady 100 3-phase track LED/930 22° 500mA RAL9006
5.79810.02.930.500.DALI	Lady 100 3-phase track LED/930 22° DALI 500mA RAL9006
5.79810.02.930.600	Lady 100 3-phase track LED/930 22° 600mA RAL9006
5.79810.02.930.600.DALI	Lady 100 3-phase track LED/930 22° DALI 600mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
5.79810.02.930.650	Lady 100 3-phase track LED/930 22° 650mA RAL9006
5.79810.02.930.650.DALI	Lady 100 3-phase track LED/930 22° DALI 650mA RAL9006
5.79810.02.930.700	Lady 100 3-phase track LED/930 22° 700mA RAL9006
5.79810.02.930.700.DALI	Lady 100 3-phase track LED/930 22° DALI 700mA RAL9006
5.79810.02.930.800	Lady 100 3-phase track LED/930 22° 800mA RAL9006
5.79810.02.930.800.DALI	Lady 100 3-phase track LED/930 22° DALI 800mA RAL9006
5.79810.02.940.250	Lady 100 3-phase track LED/940 22° 250mA RAL9006
5.79810.02.940.250.DALI	Lady 100 3-phase track LED/940 22° DALI 250mA RAL9006
5.79810.02.940.350	Lady 100 3-phase track LED/940 22° 350mA RAL9006
5.79810.02.940.350.DALI	Lady 100 3-phase track LED/940 22° DALI 350mA RAL9006
5.79810.02.940.450	Lady 100 3-phase track LED/940 22° 450mA RAL9006
5.79810.02.940.450.DALI	Lady 100 3-phase track LED/940 22° DALI 450mA RAL9006
5.79810.02.940.500	Lady 100 3-phase track LED/940 22° 500mA RAL9006
5.79810.02.940.500.DALI	Lady 100 3-phase track LED/940 22° DALI 500mA RAL9006
5.79810.02.940.600	Lady 100 3-phase track LED/940 22° 600mA RAL9006
5.79810.02.940.600.DALI	Lady 100 3-phase track LED/940 22° DALI 600mA RAL9006
5.79810.02.940.650	Lady 100 3-phase track LED/940 22° 650mA RAL9006
5.79810.02.940.650.DALI	Lady 100 3-phase track LED/940 22° DALI 650mA RAL9006
5.79810.02.940.700	Lady 100 3-phase track LED/940 22° 700mA RAL9006
5.79810.02.940.700.DALI	Lady 100 3-phase track LED/940 22° DALI 700mA RAL9006
5.79810.02.940.800	Lady 100 3-phase track LED/940 22° 800mA RAL9006
5.79810.02.940.800.DALI	Lady 100 3-phase track LED/940 22° DALI 800mA RAL9006
5.79810.03.930.250	Lady 100 3-phase track LED/930 22° 250mA RAL9005
5.79810.03.930.250.DALI	Lady 100 3-phase track LED/930 22° DALI 250mA RAL9005
5.79810.03.930.350	Lady 100 3-phase track LED/930 22° 350mA RAL9005
5.79810.03.930.350.DALI	Lady 100 3-phase track LED/930 22° DALI 350mA RAL9005
5.79810.03.930.450	Lady 100 3-phase track LED/930 22° 450mA RAL9005
5.79810.03.930.450.DALI	Lady 100 3-phase track LED/930 22° DALI 450mA RAL9005
5.79810.03.930.500	Lady 100 3-phase track LED/930 22° 500mA RAL9005
5.79810.03.930.500.DALI	Lady 100 3-phase track LED/930 22° DALI 500mA RAL9005
5.79810.03.930.600	Lady 100 3-phase track LED/930 22° 600mA RAL9005
5.79810.03.930.600.DALI	Lady 100 3-phase track LED/930 22° DALI 600mA RAL9005
5.79810.03.930.650	Lady 100 3-phase track LED/930 22° 650mA RAL9005
5.79810.03.930.650.DALI	Lady 100 3-phase track LED/930 22° DALI 650mA RAL9005
5.79810.03.930.700	Lady 100 3-phase track LED/930 22° 700mA RAL9005
5.79810.03.930.700.DALI	Lady 100 3-phase track LED/930 22° DALI 700mA RAL9005
5.79810.03.930.800	Lady 100 3-phase track LED/930 22° 800mA RAL9005
5.79810.03.930.800.DALI	Lady 100 3-phase track LED/930 22° DALI 800mA RAL9005
5.79810.03.940.250	Lady 100 3-phase track LED/940 22° 250mA RAL9005
5.79810.03.940.250.DALI	Lady 100 3-phase track LED/940 22° DALI 250mA RAL9005
5.79810.03.940.350	Lady 100 3-phase track LED/940 22° 350mA RAL9005
5.79810.03.940.350.DALI	Lady 100 3-phase track LED/940 22° DALI 350mA RAL9005
5.79810.03.940.450	Lady 100 3-phase track LED/940 22° 450mA RAL9005
5.79810.03.940.450.DALI	Lady 100 3-phase track LED/940 22° DALI 450mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
5.79810.03.940.500	Lady 100 3-phase track LED/940 22° 500mA RAL9005
5.79810.03.940.500.DALI	Lady 100 3-phase track LED/940 22° DALI 500mA RAL9005
5.79810.03.940.600	Lady 100 3-phase track LED/940 22° 600mA RAL9005
5.79810.03.940.600.DALI	Lady 100 3-phase track LED/940 22° DALI 600mA RAL9005
5.79810.03.940.650	Lady 100 3-phase track LED/940 22° 650mA RAL9005
5.79810.03.940.650.DALI	Lady 100 3-phase track LED/940 22° DALI 650mA RAL9005
5.79810.03.940.700	Lady 100 3-phase track LED/940 22° 700mA RAL9005
5.79810.03.940.700.DALI	Lady 100 3-phase track LED/940 22° DALI 700mA RAL9005
5.79810.03.940.800	Lady 100 3-phase track LED/940 22° 800mA RAL9005
5.79810.03.940.800.DALI	Lady 100 3-phase track LED/940 22° DALI 800mA RAL9005
5.79820.01.930.250	Lady 100 3-phase track LED/930 35° 250mA RAL9016
5.79820.01.930.250.DALI	Lady 100 3-phase track LED/930 35° DALI 250mA RAL9016
5.79820.01.930.350	Lady 100 3-phase track LED/930 35° 350mA RAL9016
5.79820.01.930.350.DALI	Lady 100 3-phase track LED/930 35° DALI 350mA RAL9016
5.79820.01.930.450	Lady 100 3-phase track LED/930 35° 450mA RAL9016
5.79820.01.930.450.DALI	Lady 100 3-phase track LED/930 35° DALI 450mA RAL9016
5.79820.01.930.500	Lady 100 3-phase track LED/930 35° 500mA RAL9016
5.79820.01.930.500.DALI	Lady 100 3-phase track LED/930 35° DALI 500mA RAL9016
5.79820.01.930.600	Lady 100 3-phase track LED/930 35° 600mA RAL9016
5.79820.01.930.600.DALI	Lady 100 3-phase track LED/930 35° DALI 600mA RAL9016
5.79820.01.930.650	Lady 100 3-phase track LED/930 35° 650mA RAL9016
5.79820.01.930.650.DALI	Lady 100 3-phase track LED/930 35° DALI 650mA RAL9016
5.79820.01.930.700	Lady 100 3-phase track LED/930 35° 700mA RAL9016
5.79820.01.930.700.DALI	Lady 100 3-phase track LED/930 35° DALI 700mA RAL9016
5.79820.01.930.800	Lady 100 3-phase track LED/930 35° 800mA RAL9016
5.79820.01.930.800.DALI	Lady 100 3-phase track LED/930 35° DALI 800mA RAL9016
5.79820.01.940.250	Lady 100 3-phase track LED/940 35° 250mA RAL9016
5.79820.01.940.250.DALI	Lady 100 3-phase track LED/940 35° DALI 250mA RAL9016
5.79820.01.940.350	Lady 100 3-phase track LED/940 35° 350mA RAL9016
5.79820.01.940.350.DALI	Lady 100 3-phase track LED/940 35° DALI 350mA RAL9016
5.79820.01.940.450	Lady 100 3-phase track LED/940 35° 450mA RAL9016
5.79820.01.940.450.DALI	Lady 100 3-phase track LED/940 35° DALI 450mA RAL9016
5.79820.01.940.500	Lady 100 3-phase track LED/940 35° 500mA RAL9016
5.79820.01.940.500.DALI	Lady 100 3-phase track LED/940 35° DALI 500mA RAL9016
5.79820.01.940.600	Lady 100 3-phase track LED/940 35° 600mA RAL9016
5.79820.01.940.600.DALI	Lady 100 3-phase track LED/940 35° DALI 600mA RAL9016
5.79820.01.940.650	Lady 100 3-phase track LED/940 35° 650mA RAL9016
5.79820.01.940.650.DALI	Lady 100 3-phase track LED/940 35° DALI 650mA RAL9016
5.79820.01.940.700	Lady 100 3-phase track LED/940 35° 700mA RAL9016
5.79820.01.940.700.DALI	Lady 100 3-phase track LED/940 35° DALI 700mA RAL9016
5.79820.01.940.800	Lady 100 3-phase track LED/940 35° 800mA RAL9016
5.79820.01.940.800.DALI	Lady 100 3-phase track LED/940 35° DALI 800mA RAL9016
5.79820.02.930.250	Lady 100 3-phase track LED/930 35° 250mA RAL9006
5.79820.02.930.250.DALI	Lady 100 3-phase track LED/930 35° DALI 250mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
5.79820.02.930.350	Lady 100 3-phase track LED/930 35° 350mA RAL9006
5.79820.02.930.350.DALI	Lady 100 3-phase track LED/930 35° DALI 350mA RAL9006
5.79820.02.930.450	Lady 100 3-phase track LED/930 35° 450mA RAL9006
5.79820.02.930.450.DALI	Lady 100 3-phase track LED/930 35° DALI 450mA RAL9006
5.79820.02.930.500	Lady 100 3-phase track LED/930 35° 500mA RAL9006
5.79820.02.930.500.DALI	Lady 100 3-phase track LED/930 35° DALI 500mA RAL9006
5.79820.02.930.600	Lady 100 3-phase track LED/930 35° 600mA RAL9006
5.79820.02.930.600.DALI	Lady 100 3-phase track LED/930 35° DALI 600mA RAL9006
5.79820.02.930.650	Lady 100 3-phase track LED/930 35° 650mA RAL9006
5.79820.02.930.650.DALI	Lady 100 3-phase track LED/930 35° DALI 650mA RAL9006
5.79820.02.930.700	Lady 100 3-phase track LED/930 35° 700mA RAL9006
5.79820.02.930.700.DALI	Lady 100 3-phase track LED/930 35° DALI 700mA RAL9006
5.79820.02.930.800	Lady 100 3-phase track LED/930 35° 800mA RAL9006
5.79820.02.930.800.DALI	Lady 100 3-phase track LED/930 35° DALI 800mA RAL9006
5.79820.02.940.250	Lady 100 3-phase track LED/940 35° 250mA RAL9006
5.79820.02.940.250.DALI	Lady 100 3-phase track LED/940 35° DALI 250mA RAL9006
5.79820.02.940.350	Lady 100 3-phase track LED/940 35° 350mA RAL9006
5.79820.02.940.350.DALI	Lady 100 3-phase track LED/940 35° DALI 350mA RAL9006
5.79820.02.940.450	Lady 100 3-phase track LED/940 35° 450mA RAL9006
5.79820.02.940.450.DALI	Lady 100 3-phase track LED/940 35° DALI 450mA RAL9006
5.79820.02.940.500	Lady 100 3-phase track LED/940 35° 500mA RAL9006
5.79820.02.940.500.DALI	Lady 100 3-phase track LED/940 35° DALI 500mA RAL9006
5.79820.02.940.600	Lady 100 3-phase track LED/940 35° 600mA RAL9006
5.79820.02.940.600.DALI	Lady 100 3-phase track LED/940 35° DALI 600mA RAL9006
5.79820.02.940.650	Lady 100 3-phase track LED/940 35° 650mA RAL9006
5.79820.02.940.650.DALI	Lady 100 3-phase track LED/940 35° DALI 650mA RAL9006
5.79820.02.940.700	Lady 100 3-phase track LED/940 35° 700mA RAL9006
5.79820.02.940.700.DALI	Lady 100 3-phase track LED/940 35° DALI 700mA RAL9006
5.79820.02.940.800	Lady 100 3-phase track LED/940 35° 800mA RAL9006
5.79820.02.940.800.DALI	Lady 100 3-phase track LED/940 35° DALI 800mA RAL9006
5.79820.03.930.250	Lady 100 3-phase track LED/930 35° 250mA RAL9005
5.79820.03.930.250.DALI	Lady 100 3-phase track LED/930 35° DALI 250mA RAL9005
5.79820.03.930.350	Lady 100 3-phase track LED/930 35° 350mA RAL9005
5.79820.03.930.350.DALI	Lady 100 3-phase track LED/930 35° DALI 350mA RAL9005
5.79820.03.930.450	Lady 100 3-phase track LED/930 35° 450mA RAL9005
5.79820.03.930.450.DALI	Lady 100 3-phase track LED/930 35° DALI 450mA RAL9005
5.79820.03.930.500	Lady 100 3-phase track LED/930 35° 500mA RAL9005
5.79820.03.930.500.DALI	Lady 100 3-phase track LED/930 35° DALI 500mA RAL9005
5.79820.03.930.600	Lady 100 3-phase track LED/930 35° 600mA RAL9005
5.79820.03.930.600.DALI	Lady 100 3-phase track LED/930 35° DALI 600mA RAL9005
5.79820.03.930.650	Lady 100 3-phase track LED/930 35° 650mA RAL9005
5.79820.03.930.650.DALI	Lady 100 3-phase track LED/930 35° DALI 650mA RAL9005
5.79820.03.930.700	Lady 100 3-phase track LED/930 35° 700mA RAL9005
5.79820.03.930.700.DALI	Lady 100 3-phase track LED/930 35° DALI 700mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
5.79820.03.930.800	Lady 100 3-phase track LED/930 35° 800mA RAL9005
5.79820.03.930.800.DALI	Lady 100 3-phase track LED/930 35° DALI 800mA RAL9005
5.79820.03.940.250	Lady 100 3-phase track LED/940 35° 250mA RAL9005
5.79820.03.940.250.DALI	Lady 100 3-phase track LED/940 35° DALI 250mA RAL9005
5.79820.03.940.350	Lady 100 3-phase track LED/940 35° 350mA RAL9005
5.79820.03.940.350.DALI	Lady 100 3-phase track LED/940 35° DALI 350mA RAL9005
5.79820.03.940.450	Lady 100 3-phase track LED/940 35° 450mA RAL9005
5.79820.03.940.450.DALI	Lady 100 3-phase track LED/940 35° DALI 450mA RAL9005
5.79820.03.940.500	Lady 100 3-phase track LED/940 35° 500mA RAL9005
5.79820.03.940.500.DALI	Lady 100 3-phase track LED/940 35° DALI 500mA RAL9005
5.79820.03.940.600	Lady 100 3-phase track LED/940 35° 600mA RAL9005
5.79820.03.940.600.DALI	Lady 100 3-phase track LED/940 35° DALI 600mA RAL9005
5.79820.03.940.650	Lady 100 3-phase track LED/940 35° 650mA RAL9005
5.79820.03.940.650.DALI	Lady 100 3-phase track LED/940 35° DALI 650mA RAL9005
5.79820.03.940.700	Lady 100 3-phase track LED/940 35° 700mA RAL9005
5.79820.03.940.700.DALI	Lady 100 3-phase track LED/940 35° DALI 700mA RAL9005
5.79820.03.940.800	Lady 100 3-phase track LED/940 35° 800mA RAL9005
5.79820.03.940.800.DALI	Lady 100 3-phase track LED/940 35° DALI 800mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES