

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **TWIST 120**

Product number: **in the attachment nr 02/046 120**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

|                    |  |
|--------------------|--|
| <b>2009/125/WE</b> | Ecodesign  |
| <b>2011/65/UE</b>  | Restriction of the use of certain hazardous substances |
| <b>2014/30/UE</b>  | Electromagnetic Compatibility                          |
| <b>2014/35/UE</b>  | Low Voltage  |

and the following standards:

|                             |   |
|-----------------------------|---|
| <b>PN-EN 55015:2013</b>     | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment   |
| <b>PN-EN 60529:2003</b>     | Degrees of protection provided by enclosures (IP code)  |
| <b>PN-EN 60598-1:2015</b>   | Luminaires - Part 1: General requirements and tests   |
| <b>PN-EN 60598-2-2:2012</b> | Luminaires - Part 2-2: Particular requirements - Recessed luminaires  |
| <b>PN-EN 61000-3-2:2014</b> | Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)  |
| <b>PN-EN 61000-3-3:2013</b> | Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection |
| <b>PN-EN 61547:2009</b>     | Equipment for general lighting purposes - EMC immunity requirements   |
| <b>PN-EN 62493:2015</b>     | Assessment of lighting equipment related to human exposure to electromagnetic fields  |

The product has been CE marked for the first time in the year:

**2019**

Place and date of issue of the document

**Warszawa, 24.01.2022**

  
**MIROSLAW RAKOCZY**  
**V-ce PREZES**

### ATTACHMENT

| Code                    | Name  |
|-------------------------|---|
| 25.0050.01.930.1A0      | Twist 120 Recessed LED/930, 19° 1050mA RAL9016      |
| 25.0050.01.930.1A0.DALI | Twist 120 Recessed LED/930, 19° DALI 1050mA RAL9016 |
| 25.0050.01.930.250      | Twist 120 Recessed LED/930, 19° 250mA RAL9016       |
| 25.0050.01.930.250.DALI | Twist 120 Recessed LED/930, 19° DALI 250mA RAL9016  |
| 25.0050.01.930.350      | Twist 120 Recessed LED/930, 19° 350mA RAL9016       |
| 25.0050.01.930.350.DALI | Twist 120 Recessed LED/930, 19° DALI 350mA RAL9016  |
| 25.0050.01.930.450      | Twist 120 Recessed LED/930, 19° 450mA RAL9016       |
| 25.0050.01.930.450.DALI | Twist 120 Recessed LED/930, 19° DALI 450mA RAL9016  |
| 25.0050.01.930.500      | Twist 120 Recessed LED/930, 19° 500mA RAL9016       |
| 25.0050.01.930.500.DALI | Twist 120 Recessed LED/930, 19° DALI 500mA RAL9016  |
| 25.0050.01.930.600      | Twist 120 Recessed LED/930, 19° 600mA RAL9016       |
| 25.0050.01.930.600.DALI | Twist 120 Recessed LED/930, 19° DALI 600mA RAL9016  |
| 25.0050.01.930.650      | Twist 120 Recessed LED/930, 19° 650mA RAL9016       |
| 25.0050.01.930.650.DALI | Twist 120 Recessed LED/930, 19° DALI 650mA RAL9016  |
| 25.0050.01.930.700      | Twist 120 Recessed LED/930, 19° 700mA RAL9016       |
| 25.0050.01.930.700.DALI | Twist 120 Recessed LED/930, 19° DALI 700mA RAL9016  |
| 25.0050.01.930.800      | Twist 120 Recessed LED/930, 19° 800mA RAL9016       |
| 25.0050.01.930.800.DALI | Twist 120 Recessed LED/930, 19° DALI 800mA RAL9016  |
| 25.0050.01.930.900      | Twist 120 Recessed LED/930, 19° 900mA RAL9016       |
| 25.0050.01.930.900.DALI | Twist 120 Recessed LED/930, 19° DALI 900mA RAL9016  |
| 25.0050.01.930.950      | Twist 120 Recessed LED/930, 19° 950mA RAL9016       |
| 25.0050.01.930.950.DALI | Twist 120 Recessed LED/930, 19° DALI 950mA RAL9016  |
| 25.0050.01.940.1A0      | Twist 120 Recessed LED/940, 19° 1050mA RAL9016      |
| 25.0050.01.940.1A0.DALI | Twist 120 Recessed LED/940, 19° DALI 1050mA RAL9016 |
| 25.0050.01.940.250      | Twist 120 Recessed LED/940, 19° 250mA RAL9016       |
| 25.0050.01.940.250.DALI | Twist 120 Recessed LED/940, 19° DALI 250mA RAL9016  |
| 25.0050.01.940.350      | Twist 120 Recessed LED/940, 19° 350mA RAL9016       |
| 25.0050.01.940.350.DALI | Twist 120 Recessed LED/940, 19° DALI 350mA RAL9016  |
| 25.0050.01.940.450      | Twist 120 Recessed LED/940, 19° 450mA RAL9016       |
| 25.0050.01.940.450.DALI | Twist 120 Recessed LED/940, 19° DALI 450mA RAL9016  |
| 25.0050.01.940.500      | Twist 120 Recessed LED/940, 19° 500mA RAL9016       |
| 25.0050.01.940.500.DALI | Twist 120 Recessed LED/940, 19° DALI 500mA RAL9016  |
| 25.0050.01.940.600      | Twist 120 Recessed LED/940, 19° 600mA RAL9016       |
| 25.0050.01.940.600.DALI | Twist 120 Recessed LED/940, 19° DALI 600mA RAL9016  |
| 25.0050.01.940.650      | Twist 120 Recessed LED/940, 19° 650mA RAL9016       |
| 25.0050.01.940.650.DALI | Twist 120 Recessed LED/940, 19° DALI 650mA RAL9016  |
| 25.0050.01.940.700      | Twist 120 Recessed LED/940, 19° 700mA RAL9016       |
| 25.0050.01.940.700.DALI | Twist 120 Recessed LED/940, 19° DALI 700mA RAL9016  |
| 25.0050.01.940.800      | Twist 120 Recessed LED/940, 19° 800mA RAL9016       |
| 25.0050.01.940.800.DALI | Twist 120 Recessed LED/940, 19° DALI 800mA RAL9016  |
| 25.0050.01.940.900      | Twist 120 Recessed LED/940, 19° 900mA RAL9016       |
| 25.0050.01.940.900.DALI | Twist 120 Recessed LED/940, 19° DALI 900mA RAL9016  |

Place and date of issue of the document

**Warszawa, 24.01.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0050.01.940.950      | Twist 120 Recessed LED/940, 19° 950mA RAL9016       |
| 25.0050.01.940.950.DALI | Twist 120 Recessed LED/940, 19° DALI 950mA RAL9016  |
| 25.0050.02.930.1A0      | Twist 120 Recessed LED/930, 19° 1050mA RAL9006      |
| 25.0050.02.930.1A0.DALI | Twist 120 Recessed LED/930, 19° DALI 1050mA RAL9006 |
| 25.0050.02.930.250      | Twist 120 Recessed LED/930, 19° 250mA RAL9006       |
| 25.0050.02.930.250.DALI | Twist 120 Recessed LED/930, 19° DALI 250mA RAL9006  |
| 25.0050.02.930.350      | Twist 120 Recessed LED/930, 19° 350mA RAL9006       |
| 25.0050.02.930.350.DALI | Twist 120 Recessed LED/930, 19° DALI 350mA RAL9006  |
| 25.0050.02.930.450      | Twist 120 Recessed LED/930, 19° 450mA RAL9006       |
| 25.0050.02.930.450.DALI | Twist 120 Recessed LED/930, 19° DALI 450mA RAL9006  |
| 25.0050.02.930.500      | Twist 120 Recessed LED/930, 19° 500mA RAL9006       |
| 25.0050.02.930.500.DALI | Twist 120 Recessed LED/930, 19° DALI 500mA RAL9006  |
| 25.0050.02.930.600      | Twist 120 Recessed LED/930, 19° 600mA RAL9006       |
| 25.0050.02.930.600.DALI | Twist 120 Recessed LED/930, 19° DALI 600mA RAL9006  |
| 25.0050.02.930.650      | Twist 120 Recessed LED/930, 19° 650mA RAL9006       |
| 25.0050.02.930.650.DALI | Twist 120 Recessed LED/930, 19° DALI 650mA RAL9006  |
| 25.0050.02.930.700      | Twist 120 Recessed LED/930, 19° 700mA RAL9006       |
| 25.0050.02.930.700.DALI | Twist 120 Recessed LED/930, 19° DALI 700mA RAL9006  |
| 25.0050.02.930.800      | Twist 120 Recessed LED/930, 19° 800mA RAL9006       |
| 25.0050.02.930.800.DALI | Twist 120 Recessed LED/930, 19° DALI 800mA RAL9006  |
| 25.0050.02.930.900      | Twist 120 Recessed LED/930, 19° 900mA RAL9006       |
| 25.0050.02.930.900.DALI | Twist 120 Recessed LED/930, 19° DALI 900mA RAL9006  |
| 25.0050.02.930.950      | Twist 120 Recessed LED/930, 19° 950mA RAL9006       |
| 25.0050.02.930.950.DALI | Twist 120 Recessed LED/930, 19° DALI 950mA RAL9006  |
| 25.0050.02.940.1A0      | Twist 120 Recessed LED/940, 19° 1050mA RAL9006      |
| 25.0050.02.940.1A0.DALI | Twist 120 Recessed LED/940, 19° DALI 1050mA RAL9006 |
| 25.0050.02.940.250      | Twist 120 Recessed LED/940, 19° 250mA RAL9006       |
| 25.0050.02.940.250.DALI | Twist 120 Recessed LED/940, 19° DALI 250mA RAL9006  |
| 25.0050.02.940.350      | Twist 120 Recessed LED/940, 19° 350mA RAL9006       |
| 25.0050.02.940.350.DALI | Twist 120 Recessed LED/940, 19° DALI 350mA RAL9006  |
| 25.0050.02.940.450      | Twist 120 Recessed LED/940, 19° 450mA RAL9006       |
| 25.0050.02.940.450.DALI | Twist 120 Recessed LED/940, 19° DALI 450mA RAL9006  |
| 25.0050.02.940.500      | Twist 120 Recessed LED/940, 19° 500mA RAL9006       |
| 25.0050.02.940.500.DALI | Twist 120 Recessed LED/940, 19° DALI 500mA RAL9006  |
| 25.0050.02.940.600      | Twist 120 Recessed LED/940, 19° 600mA RAL9006       |
| 25.0050.02.940.600.DALI | Twist 120 Recessed LED/940, 19° DALI 600mA RAL9006  |
| 25.0050.02.940.650      | Twist 120 Recessed LED/940, 19° 650mA RAL9006       |
| 25.0050.02.940.650.DALI | Twist 120 Recessed LED/940, 19° DALI 650mA RAL9006  |
| 25.0050.02.940.700      | Twist 120 Recessed LED/940, 19° 700mA RAL9006       |
| 25.0050.02.940.700.DALI | Twist 120 Recessed LED/940, 19° DALI 700mA RAL9006  |
| 25.0050.02.940.800      | Twist 120 Recessed LED/940, 19° 800mA RAL9006       |
| 25.0050.02.940.800.DALI | Twist 120 Recessed LED/940, 19° DALI 800mA RAL9006  |
| 25.0050.02.940.900      | Twist 120 Recessed LED/940, 19° 900mA RAL9006       |
| 25.0050.02.940.900.DALI | Twist 120 Recessed LED/940, 19° DALI 900mA RAL9006  |

Place and date of issue of the document

**Warszawa, 24.01.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0050.02.940.950      | Twist 120 Recessed LED/940, 19° 950mA RAL9006       |
| 25.0050.02.940.950.DALI | Twist 120 Recessed LED/940, 19° DALI 950mA RAL9006  |
| 25.0050.03.930.1A0      | Twist 120 Recessed LED/930, 19° 1050mA RAL9005      |
| 25.0050.03.930.1A0.DALI | Twist 120 Recessed LED/930, 19° DALI 1050mA RAL9005 |
| 25.0050.03.930.250      | Twist 120 Recessed LED/930, 19° 250mA RAL9005       |
| 25.0050.03.930.250.DALI | Twist 120 Recessed LED/930, 19° DALI 250mA RAL9005  |
| 25.0050.03.930.350      | Twist 120 Recessed LED/930, 19° 350mA RAL9005       |
| 25.0050.03.930.350.DALI | Twist 120 Recessed LED/930, 19° DALI 350mA RAL9005  |
| 25.0050.03.930.450      | Twist 120 Recessed LED/930, 19° 450mA RAL9005       |
| 25.0050.03.930.450.DALI | Twist 120 Recessed LED/930, 19° DALI 450mA RAL9005  |
| 25.0050.03.930.500      | Twist 120 Recessed LED/930, 19° 500mA RAL9005       |
| 25.0050.03.930.500.DALI | Twist 120 Recessed LED/930, 19° DALI 500mA RAL9005  |
| 25.0050.03.930.600      | Twist 120 Recessed LED/930, 19° 600mA RAL9005       |
| 25.0050.03.930.600.DALI | Twist 120 Recessed LED/930, 19° DALI 600mA RAL9005  |
| 25.0050.03.930.650      | Twist 120 Recessed LED/930, 19° 650mA RAL9005       |
| 25.0050.03.930.650.DALI | Twist 120 Recessed LED/930, 19° DALI 650mA RAL9005  |
| 25.0050.03.930.700      | Twist 120 Recessed LED/930, 19° 700mA RAL9005       |
| 25.0050.03.930.700.DALI | Twist 120 Recessed LED/930, 19° DALI 700mA RAL9005  |
| 25.0050.03.930.800      | Twist 120 Recessed LED/930, 19° 800mA RAL9005       |
| 25.0050.03.930.800.DALI | Twist 120 Recessed LED/930, 19° DALI 800mA RAL9005  |
| 25.0050.03.930.900      | Twist 120 Recessed LED/930, 19° 900mA RAL9005       |
| 25.0050.03.930.900.DALI | Twist 120 Recessed LED/930, 19° DALI 900mA RAL9005  |
| 25.0050.03.930.950      | Twist 120 Recessed LED/930, 19° 950mA RAL9005       |
| 25.0050.03.930.950.DALI | Twist 120 Recessed LED/930, 19° DALI 950mA RAL9005  |
| 25.0050.03.940.1A0      | Twist 120 Recessed LED/940, 19° 1050mA RAL9005      |
| 25.0050.03.940.1A0.DALI | Twist 120 Recessed LED/940, 19° DALI 1050mA RAL9005 |
| 25.0050.03.940.250      | Twist 120 Recessed LED/940, 19° 250mA RAL9005       |
| 25.0050.03.940.250.DALI | Twist 120 Recessed LED/940, 19° DALI 250mA RAL9005  |
| 25.0050.03.940.350      | Twist 120 Recessed LED/940, 19° 350mA RAL9005       |
| 25.0050.03.940.350.DALI | Twist 120 Recessed LED/940, 19° DALI 350mA RAL9005  |
| 25.0050.03.940.450      | Twist 120 Recessed LED/940, 19° 450mA RAL9005       |
| 25.0050.03.940.450.DALI | Twist 120 Recessed LED/940, 19° DALI 450mA RAL9005  |
| 25.0050.03.940.500      | Twist 120 Recessed LED/940, 19° 500mA RAL9005       |
| 25.0050.03.940.500.DALI | Twist 120 Recessed LED/940, 19° DALI 500mA RAL9005  |
| 25.0050.03.940.600      | Twist 120 Recessed LED/940, 19° 600mA RAL9005       |
| 25.0050.03.940.600.DALI | Twist 120 Recessed LED/940, 19° DALI 600mA RAL9005  |
| 25.0050.03.940.650      | Twist 120 Recessed LED/940, 19° 650mA RAL9005       |
| 25.0050.03.940.650.DALI | Twist 120 Recessed LED/940, 19° DALI 650mA RAL9005  |
| 25.0050.03.940.700      | Twist 120 Recessed LED/940, 19° 700mA RAL9005       |
| 25.0050.03.940.700.DALI | Twist 120 Recessed LED/940, 19° DALI 700mA RAL9005  |
| 25.0050.03.940.800      | Twist 120 Recessed LED/940, 19° 800mA RAL9005       |
| 25.0050.03.940.800.DALI | Twist 120 Recessed LED/940, 19° DALI 800mA RAL9005  |
| 25.0050.03.940.900      | Twist 120 Recessed LED/940, 19° 900mA RAL9005       |
| 25.0050.03.940.900.DALI | Twist 120 Recessed LED/940, 19° DALI 900mA RAL9005  |

Place and date of issue of the document

**Warszawa, 24.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0050.03.940.950      | Twist 120 Recessed LED/940, 19° 950mA RAL9005       |
| 25.0050.03.940.950.DALI | Twist 120 Recessed LED/940, 19° DALI 950mA RAL9005  |
| 25.0051.01.840          | Twist 120 Recessed 19° 1100lm/840, RAL9016          |
| 25.0052.01.840          | Twist 120 Recessed 19° 2000lm/840, RAL9016          |
| 25.0053.01.840          | Twist 120 Recessed 19° 3000lm/840, RAL9016          |
| 25.0054.01.840          | Twist 120 Recessed 19° 4000lm/840, RAL9016          |
| 25.0055.01.840          | Twist 120 Recessed 19° 5000lm/840, RAL9016          |
| 25.0060.01.930.1A0      | Twist 120 Recessed LED/930, 26° 1050mA RAL9016      |
| 25.0060.01.930.1A0.DALI | Twist 120 Recessed LED/930, 26° DALI 1050mA RAL9016 |
| 25.0060.01.930.250      | Twist 120 Recessed LED/930, 26° 250mA RAL9016       |
| 25.0060.01.930.250.DALI | Twist 120 Recessed LED/930, 26° DALI 250mA RAL9016  |
| 25.0060.01.930.350      | Twist 120 Recessed LED/930, 26° 350mA RAL9016       |
| 25.0060.01.930.350.DALI | Twist 120 Recessed LED/930, 26° DALI 350mA RAL9016  |
| 25.0060.01.930.450      | Twist 120 Recessed LED/930, 26° 450mA RAL9016       |
| 25.0060.01.930.450.DALI | Twist 120 Recessed LED/930, 26° DALI 450mA RAL9016  |
| 25.0060.01.930.500      | Twist 120 Recessed LED/930, 26° 500mA RAL9016       |
| 25.0060.01.930.500.DALI | Twist 120 Recessed LED/930, 26° DALI 500mA RAL9016  |
| 25.0060.01.930.600      | Twist 120 Recessed LED/930, 26° 600mA RAL9016       |
| 25.0060.01.930.600.DALI | Twist 120 Recessed LED/930, 26° DALI 600mA RAL9016  |
| 25.0060.01.930.650      | Twist 120 Recessed LED/930, 26° 650mA RAL9016       |
| 25.0060.01.930.650.DALI | Twist 120 Recessed LED/930, 26° DALI 650mA RAL9016  |
| 25.0060.01.930.700      | Twist 120 Recessed LED/930, 26° 700mA RAL9016       |
| 25.0060.01.930.700.DALI | Twist 120 Recessed LED/930, 26° DALI 700mA RAL9016  |
| 25.0060.01.930.800      | Twist 120 Recessed LED/930, 26° 800mA RAL9016       |
| 25.0060.01.930.800.DALI | Twist 120 Recessed LED/930, 26° DALI 800mA RAL9016  |
| 25.0060.01.930.900      | Twist 120 Recessed LED/930, 26° 900mA RAL9016       |
| 25.0060.01.930.900.DALI | Twist 120 Recessed LED/930, 26° DALI 900mA RAL9016  |
| 25.0060.01.930.950      | Twist 120 Recessed LED/930, 26° 950mA RAL9016       |
| 25.0060.01.930.950.DALI | Twist 120 Recessed LED/930, 26° DALI 950mA RAL9016  |
| 25.0060.01.940.1A0      | Twist 120 Recessed LED/940, 26° 1050mA RAL9016      |
| 25.0060.01.940.1A0.DALI | Twist 120 Recessed LED/940, 26° DALI 1050mA RAL9016 |
| 25.0060.01.940.250      | Twist 120 Recessed LED/940, 26° 250mA RAL9016       |
| 25.0060.01.940.250.DALI | Twist 120 Recessed LED/940, 26° DALI 250mA RAL9016  |
| 25.0060.01.940.350      | Twist 120 Recessed LED/940, 26° 350mA RAL9016       |
| 25.0060.01.940.350.DALI | Twist 120 Recessed LED/940, 26° DALI 350mA RAL9016  |
| 25.0060.01.940.450      | Twist 120 Recessed LED/940, 26° 450mA RAL9016       |
| 25.0060.01.940.450.DALI | Twist 120 Recessed LED/940, 26° DALI 450mA RAL9016  |
| 25.0060.01.940.500      | Twist 120 Recessed LED/940, 26° 500mA RAL9016       |
| 25.0060.01.940.500.DALI | Twist 120 Recessed LED/940, 26° DALI 500mA RAL9016  |
| 25.0060.01.940.600      | Twist 120 Recessed LED/940, 26° 600mA RAL9016       |
| 25.0060.01.940.600.DALI | Twist 120 Recessed LED/940, 26° DALI 600mA RAL9016  |
| 25.0060.01.940.650      | Twist 120 Recessed LED/940, 26° 650mA RAL9016       |
| 25.0060.01.940.650.DALI | Twist 120 Recessed LED/940, 26° DALI 650mA RAL9016  |
| 25.0060.01.940.700      | Twist 120 Recessed LED/940, 26° 700mA RAL9016       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0060.01.940.700.DALI | Twist 120 Recessed LED/940, 26° DALI 700mA RAL9016  |
| 25.0060.01.940.800      | Twist 120 Recessed LED/940, 26° 800mA RAL9016       |
| 25.0060.01.940.800.DALI | Twist 120 Recessed LED/940, 26° DALI 800mA RAL9016  |
| 25.0060.01.940.900      | Twist 120 Recessed LED/940, 26° 900mA RAL9016       |
| 25.0060.01.940.900.DALI | Twist 120 Recessed LED/940, 26° DALI 900mA RAL9016  |
| 25.0060.01.940.950      | Twist 120 Recessed LED/940, 26° 950mA RAL9016       |
| 25.0060.01.940.950.DALI | Twist 120 Recessed LED/940, 26° DALI 950mA RAL9016  |
| 25.0060.02.930.1A0      | Twist 120 Recessed LED/930, 26° 1050mA RAL9006      |
| 25.0060.02.930.1A0.DALI | Twist 120 Recessed LED/930, 26° DALI 1050mA RAL9006 |
| 25.0060.02.930.250      | Twist 120 Recessed LED/930, 26° 250mA RAL9006       |
| 25.0060.02.930.250.DALI | Twist 120 Recessed LED/930, 26° DALI 250mA RAL9006  |
| 25.0060.02.930.350      | Twist 120 Recessed LED/930, 26° 350mA RAL9006       |
| 25.0060.02.930.350.DALI | Twist 120 Recessed LED/930, 26° DALI 350mA RAL9006  |
| 25.0060.02.930.450      | Twist 120 Recessed LED/930, 26° 450mA RAL9006       |
| 25.0060.02.930.450.DALI | Twist 120 Recessed LED/930, 26° DALI 450mA RAL9006  |
| 25.0060.02.930.500      | Twist 120 Recessed LED/930, 26° 500mA RAL9006       |
| 25.0060.02.930.500.DALI | Twist 120 Recessed LED/930, 26° DALI 500mA RAL9006  |
| 25.0060.02.930.600      | Twist 120 Recessed LED/930, 26° 600mA RAL9006       |
| 25.0060.02.930.600.DALI | Twist 120 Recessed LED/930, 26° DALI 600mA RAL9006  |
| 25.0060.02.930.650      | Twist 120 Recessed LED/930, 26° 650mA RAL9006       |
| 25.0060.02.930.650.DALI | Twist 120 Recessed LED/930, 26° DALI 650mA RAL9006  |
| 25.0060.02.930.700      | Twist 120 Recessed LED/930, 26° 700mA RAL9006       |
| 25.0060.02.930.700.DALI | Twist 120 Recessed LED/930, 26° DALI 700mA RAL9006  |
| 25.0060.02.930.800      | Twist 120 Recessed LED/930, 26° 800mA RAL9006       |
| 25.0060.02.930.800.DALI | Twist 120 Recessed LED/930, 26° DALI 800mA RAL9006  |
| 25.0060.02.930.900      | Twist 120 Recessed LED/930, 26° 900mA RAL9006       |
| 25.0060.02.930.900.DALI | Twist 120 Recessed LED/930, 26° DALI 900mA RAL9006  |
| 25.0060.02.930.950      | Twist 120 Recessed LED/930, 26° 950mA RAL9006       |
| 25.0060.02.930.950.DALI | Twist 120 Recessed LED/930, 26° DALI 950mA RAL9006  |
| 25.0060.02.940.1A0      | Twist 120 Recessed LED/940, 26° 1050mA RAL9006      |
| 25.0060.02.940.1A0.DALI | Twist 120 Recessed LED/940, 26° DALI 1050mA RAL9006 |
| 25.0060.02.940.250      | Twist 120 Recessed LED/940, 26° 250mA RAL9006       |
| 25.0060.02.940.250.DALI | Twist 120 Recessed LED/940, 26° DALI 250mA RAL9006  |
| 25.0060.02.940.350      | Twist 120 Recessed LED/940, 26° 350mA RAL9006       |
| 25.0060.02.940.350.DALI | Twist 120 Recessed LED/940, 26° DALI 350mA RAL9006  |
| 25.0060.02.940.450      | Twist 120 Recessed LED/940, 26° 450mA RAL9006       |
| 25.0060.02.940.450.DALI | Twist 120 Recessed LED/940, 26° DALI 450mA RAL9006  |
| 25.0060.02.940.500      | Twist 120 Recessed LED/940, 26° 500mA RAL9006       |
| 25.0060.02.940.500.DALI | Twist 120 Recessed LED/940, 26° DALI 500mA RAL9006  |
| 25.0060.02.940.600      | Twist 120 Recessed LED/940, 26° 600mA RAL9006       |
| 25.0060.02.940.600.DALI | Twist 120 Recessed LED/940, 26° DALI 600mA RAL9006  |
| 25.0060.02.940.650      | Twist 120 Recessed LED/940, 26° 650mA RAL9006       |
| 25.0060.02.940.650.DALI | Twist 120 Recessed LED/940, 26° DALI 650mA RAL9006  |
| 25.0060.02.940.700      | Twist 120 Recessed LED/940, 26° 700mA RAL9006       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0060.02.940.700.DALI | Twist 120 Recessed LED/940, 26° DALI 700mA RAL9006  |
| 25.0060.02.940.800      | Twist 120 Recessed LED/940, 26° 800mA RAL9006       |
| 25.0060.02.940.800.DALI | Twist 120 Recessed LED/940, 26° DALI 800mA RAL9006  |
| 25.0060.02.940.900      | Twist 120 Recessed LED/940, 26° 900mA RAL9006       |
| 25.0060.02.940.900.DALI | Twist 120 Recessed LED/940, 26° DALI 900mA RAL9006  |
| 25.0060.02.940.950      | Twist 120 Recessed LED/940, 26° 950mA RAL9006       |
| 25.0060.02.940.950.DALI | Twist 120 Recessed LED/940, 26° DALI 950mA RAL9006  |
| 25.0060.03.930.1A0      | Twist 120 Recessed LED/930, 26° 1050mA RAL9005      |
| 25.0060.03.930.1A0.DALI | Twist 120 Recessed LED/930, 26° DALI 1050mA RAL9005 |
| 25.0060.03.930.250      | Twist 120 Recessed LED/930, 26° 250mA RAL9005       |
| 25.0060.03.930.250.DALI | Twist 120 Recessed LED/930, 26° DALI 250mA RAL9005  |
| 25.0060.03.930.350      | Twist 120 Recessed LED/930, 26° 350mA RAL9005       |
| 25.0060.03.930.350.DALI | Twist 120 Recessed LED/930, 26° DALI 350mA RAL9005  |
| 25.0060.03.930.450      | Twist 120 Recessed LED/930, 26° 450mA RAL9005       |
| 25.0060.03.930.450.DALI | Twist 120 Recessed LED/930, 26° DALI 450mA RAL9005  |
| 25.0060.03.930.500      | Twist 120 Recessed LED/930, 26° 500mA RAL9005       |
| 25.0060.03.930.500.DALI | Twist 120 Recessed LED/930, 26° DALI 500mA RAL9005  |
| 25.0060.03.930.600      | Twist 120 Recessed LED/930, 26° 600mA RAL9005       |
| 25.0060.03.930.600.DALI | Twist 120 Recessed LED/930, 26° DALI 600mA RAL9005  |
| 25.0060.03.930.650      | Twist 120 Recessed LED/930, 26° 650mA RAL9005       |
| 25.0060.03.930.650.DALI | Twist 120 Recessed LED/930, 26° DALI 650mA RAL9005  |
| 25.0060.03.930.700      | Twist 120 Recessed LED/930, 26° 700mA RAL9005       |
| 25.0060.03.930.700.DALI | Twist 120 Recessed LED/930, 26° DALI 700mA RAL9005  |
| 25.0060.03.930.800      | Twist 120 Recessed LED/930, 26° 800mA RAL9005       |
| 25.0060.03.930.800.DALI | Twist 120 Recessed LED/930, 26° DALI 800mA RAL9005  |
| 25.0060.03.930.900      | Twist 120 Recessed LED/930, 26° 900mA RAL9005       |
| 25.0060.03.930.900.DALI | Twist 120 Recessed LED/930, 26° DALI 900mA RAL9005  |
| 25.0060.03.930.950      | Twist 120 Recessed LED/930, 26° 950mA RAL9005       |
| 25.0060.03.930.950.DALI | Twist 120 Recessed LED/930, 26° DALI 950mA RAL9005  |
| 25.0060.03.940.1A0      | Twist 120 Recessed LED/940, 26° 1050mA RAL9005      |
| 25.0060.03.940.1A0.DALI | Twist 120 Recessed LED/940, 26° DALI 1050mA RAL9005 |
| 25.0060.03.940.250      | Twist 120 Recessed LED/940, 26° 250mA RAL9005       |
| 25.0060.03.940.250.DALI | Twist 120 Recessed LED/940, 26° DALI 250mA RAL9005  |
| 25.0060.03.940.350      | Twist 120 Recessed LED/940, 26° 350mA RAL9005       |
| 25.0060.03.940.350.DALI | Twist 120 Recessed LED/940, 26° DALI 350mA RAL9005  |
| 25.0060.03.940.450      | Twist 120 Recessed LED/940, 26° 450mA RAL9005       |
| 25.0060.03.940.450.DALI | Twist 120 Recessed LED/940, 26° DALI 450mA RAL9005  |
| 25.0060.03.940.500      | Twist 120 Recessed LED/940, 26° 500mA RAL9005       |
| 25.0060.03.940.500.DALI | Twist 120 Recessed LED/940, 26° DALI 500mA RAL9005  |
| 25.0060.03.940.600      | Twist 120 Recessed LED/940, 26° 600mA RAL9005       |
| 25.0060.03.940.600.DALI | Twist 120 Recessed LED/940, 26° DALI 600mA RAL9005  |
| 25.0060.03.940.650      | Twist 120 Recessed LED/940, 26° 650mA RAL9005       |
| 25.0060.03.940.650.DALI | Twist 120 Recessed LED/940, 26° DALI 650mA RAL9005  |
| 25.0060.03.940.700      | Twist 120 Recessed LED/940, 26° 700mA RAL9005       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0060.03.940.700.DALI | Twist 120 Recessed LED/940, 26° DALI 700mA RAL9005  |
| 25.0060.03.940.800      | Twist 120 Recessed LED/940, 26° 800mA RAL9005       |
| 25.0060.03.940.800.DALI | Twist 120 Recessed LED/940, 26° DALI 800mA RAL9005  |
| 25.0060.03.940.900      | Twist 120 Recessed LED/940, 26° 900mA RAL9005       |
| 25.0060.03.940.900.DALI | Twist 120 Recessed LED/940, 26° DALI 900mA RAL9005  |
| 25.0060.03.940.950      | Twist 120 Recessed LED/940, 26° 950mA RAL9005       |
| 25.0060.03.940.950.DALI | Twist 120 Recessed LED/940, 26° DALI 950mA RAL9005  |
| 25.0061.01.840          | Twist 120 Recessed 26° 1100lm/840, RAL9016          |
| 25.0062.01.840          | Twist 120 Recessed 26° 2000lm/840, RAL9016          |
| 25.0063.01.840          | Twist 120 Recessed 26° 3000lm/840, RAL9016          |
| 25.0064.01.840          | Twist 120 Recessed 26° 4000lm/840, RAL9016          |
| 25.0065.01.840          | Twist 120 Recessed 26° 5000lm/840, RAL9016          |
| 25.0070.01.930.1A0      | Twist 120 Recessed LED/930, 34° 1050mA RAL9016      |
| 25.0070.01.930.1A0.DALI | Twist 120 Recessed LED/930, 34° DALI 1050mA RAL9016 |
| 25.0070.01.930.250      | Twist 120 Recessed LED/930, 34° 250mA RAL9016       |
| 25.0070.01.930.250.DALI | Twist 120 Recessed LED/930, 34° DALI 250mA RAL9016  |
| 25.0070.01.930.350      | Twist 120 Recessed LED/930, 34° 350mA RAL9016       |
| 25.0070.01.930.350.DALI | Twist 120 Recessed LED/930, 34° DALI 350mA RAL9016  |
| 25.0070.01.930.450      | Twist 120 Recessed LED/930, 34° 450mA RAL9016       |
| 25.0070.01.930.450.DALI | Twist 120 Recessed LED/930, 34° DALI 450mA RAL9016  |
| 25.0070.01.930.500      | Twist 120 Recessed LED/930, 34° 500mA RAL9016       |
| 25.0070.01.930.500.DALI | Twist 120 Recessed LED/930, 34° DALI 500mA RAL9016  |
| 25.0070.01.930.600      | Twist 120 Recessed LED/930, 34° 600mA RAL9016       |
| 25.0070.01.930.600.DALI | Twist 120 Recessed LED/930, 34° DALI 600mA RAL9016  |
| 25.0070.01.930.650      | Twist 120 Recessed LED/930, 34° 650mA RAL9016       |
| 25.0070.01.930.650.DALI | Twist 120 Recessed LED/930, 34° DALI 650mA RAL9016  |
| 25.0070.01.930.700      | Twist 120 Recessed LED/930, 34° 700mA RAL9016       |
| 25.0070.01.930.700.DALI | Twist 120 Recessed LED/930, 34° DALI 700mA RAL9016  |
| 25.0070.01.930.800      | Twist 120 Recessed LED/930, 34° 800mA RAL9016       |
| 25.0070.01.930.800.DALI | Twist 120 Recessed LED/930, 34° DALI 800mA RAL9016  |
| 25.0070.01.930.900      | Twist 120 Recessed LED/930, 34° 900mA RAL9016       |
| 25.0070.01.930.900.DALI | Twist 120 Recessed LED/930, 34° DALI 900mA RAL9016  |
| 25.0070.01.930.950      | Twist 120 Recessed LED/930, 34° 950mA RAL9016       |
| 25.0070.01.930.950.DALI | Twist 120 Recessed LED/930, 34° DALI 950mA RAL9016  |
| 25.0070.01.940.1A0      | Twist 120 Recessed LED/940, 34° 1050mA RAL9016      |
| 25.0070.01.940.1A0.DALI | Twist 120 Recessed LED/940, 34° DALI 1050mA RAL9016 |
| 25.0070.01.940.250      | Twist 120 Recessed LED/940, 34° 250mA RAL9016       |
| 25.0070.01.940.250.DALI | Twist 120 Recessed LED/940, 34° DALI 250mA RAL9016  |
| 25.0070.01.940.350      | Twist 120 Recessed LED/940, 34° 350mA RAL9016       |
| 25.0070.01.940.350.DALI | Twist 120 Recessed LED/940, 34° DALI 350mA RAL9016  |
| 25.0070.01.940.450      | Twist 120 Recessed LED/940, 34° 450mA RAL9016       |
| 25.0070.01.940.450.DALI | Twist 120 Recessed LED/940, 34° DALI 450mA RAL9016  |
| 25.0070.01.940.500      | Twist 120 Recessed LED/940, 34° 500mA RAL9016       |
| 25.0070.01.940.500.DALI | Twist 120 Recessed LED/940, 34° DALI 500mA RAL9016  |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0070.01.940.600      | Twist 120 Recessed LED/940, 34° 600mA RAL9016       |
| 25.0070.01.940.600.DALI | Twist 120 Recessed LED/940, 34° DALI 600mA RAL9016  |
| 25.0070.01.940.650      | Twist 120 Recessed LED/940, 34° 650mA RAL9016       |
| 25.0070.01.940.650.DALI | Twist 120 Recessed LED/940, 34° DALI 650mA RAL9016  |
| 25.0070.01.940.700      | Twist 120 Recessed LED/940, 34° 700mA RAL9016       |
| 25.0070.01.940.700.DALI | Twist 120 Recessed LED/940, 34° DALI 700mA RAL9016  |
| 25.0070.01.940.800      | Twist 120 Recessed LED/940, 34° 800mA RAL9016       |
| 25.0070.01.940.800.DALI | Twist 120 Recessed LED/940, 34° DALI 800mA RAL9016  |
| 25.0070.01.940.900      | Twist 120 Recessed LED/940, 34° 900mA RAL9016       |
| 25.0070.01.940.900.DALI | Twist 120 Recessed LED/940, 34° DALI 900mA RAL9016  |
| 25.0070.01.940.950      | Twist 120 Recessed LED/940, 34° 950mA RAL9016       |
| 25.0070.01.940.950.DALI | Twist 120 Recessed LED/940, 34° DALI 950mA RAL9016  |
| 25.0070.02.930.1A0      | Twist 120 Recessed LED/930, 34° 1050mA RAL9006      |
| 25.0070.02.930.1A0.DALI | Twist 120 Recessed LED/930, 34° DALI 1050mA RAL9006 |
| 25.0070.02.930.250      | Twist 120 Recessed LED/930, 34° 250mA RAL9006       |
| 25.0070.02.930.250.DALI | Twist 120 Recessed LED/930, 34° DALI 250mA RAL9006  |
| 25.0070.02.930.350      | Twist 120 Recessed LED/930, 34° 350mA RAL9006       |
| 25.0070.02.930.350.DALI | Twist 120 Recessed LED/930, 34° DALI 350mA RAL9006  |
| 25.0070.02.930.450      | Twist 120 Recessed LED/930, 34° 450mA RAL9006       |
| 25.0070.02.930.450.DALI | Twist 120 Recessed LED/930, 34° DALI 450mA RAL9006  |
| 25.0070.02.930.500      | Twist 120 Recessed LED/930, 34° 500mA RAL9006       |
| 25.0070.02.930.500.DALI | Twist 120 Recessed LED/930, 34° DALI 500mA RAL9006  |
| 25.0070.02.930.600      | Twist 120 Recessed LED/930, 34° 600mA RAL9006       |
| 25.0070.02.930.600.DALI | Twist 120 Recessed LED/930, 34° DALI 600mA RAL9006  |
| 25.0070.02.930.650      | Twist 120 Recessed LED/930, 34° 650mA RAL9006       |
| 25.0070.02.930.650.DALI | Twist 120 Recessed LED/930, 34° DALI 650mA RAL9006  |
| 25.0070.02.930.700      | Twist 120 Recessed LED/930, 34° 700mA RAL9006       |
| 25.0070.02.930.700.DALI | Twist 120 Recessed LED/930, 34° DALI 700mA RAL9006  |
| 25.0070.02.930.800      | Twist 120 Recessed LED/930, 34° 800mA RAL9006       |
| 25.0070.02.930.800.DALI | Twist 120 Recessed LED/930, 34° DALI 800mA RAL9006  |
| 25.0070.02.930.900      | Twist 120 Recessed LED/930, 34° 900mA RAL9006       |
| 25.0070.02.930.900.DALI | Twist 120 Recessed LED/930, 34° DALI 900mA RAL9006  |
| 25.0070.02.930.950      | Twist 120 Recessed LED/930, 34° 950mA RAL9006       |
| 25.0070.02.930.950.DALI | Twist 120 Recessed LED/930, 34° DALI 950mA RAL9006  |
| 25.0070.02.940.1A0      | Twist 120 Recessed LED/940, 34° 1050mA RAL9006      |
| 25.0070.02.940.1A0.DALI | Twist 120 Recessed LED/940, 34° DALI 1050mA RAL9006 |
| 25.0070.02.940.250      | Twist 120 Recessed LED/940, 34° 250mA RAL9006       |
| 25.0070.02.940.250.DALI | Twist 120 Recessed LED/940, 34° DALI 250mA RAL9006  |
| 25.0070.02.940.350      | Twist 120 Recessed LED/940, 34° 350mA RAL9006       |
| 25.0070.02.940.350.DALI | Twist 120 Recessed LED/940, 34° DALI 350mA RAL9006  |
| 25.0070.02.940.450      | Twist 120 Recessed LED/940, 34° 450mA RAL9006       |
| 25.0070.02.940.450.DALI | Twist 120 Recessed LED/940, 34° DALI 450mA RAL9006  |
| 25.0070.02.940.500      | Twist 120 Recessed LED/940, 34° 500mA RAL9006       |
| 25.0070.02.940.500.DALI | Twist 120 Recessed LED/940, 34° DALI 500mA RAL9006  |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0070.02.940.600      | Twist 120 Recessed LED/940, 34° 600mA RAL9006       |
| 25.0070.02.940.600.DALI | Twist 120 Recessed LED/940, 34° DALI 600mA RAL9006  |
| 25.0070.02.940.650      | Twist 120 Recessed LED/940, 34° 650mA RAL9006       |
| 25.0070.02.940.650.DALI | Twist 120 Recessed LED/940, 34° DALI 650mA RAL9006  |
| 25.0070.02.940.700      | Twist 120 Recessed LED/940, 34° 700mA RAL9006       |
| 25.0070.02.940.700.DALI | Twist 120 Recessed LED/940, 34° DALI 700mA RAL9006  |
| 25.0070.02.940.800      | Twist 120 Recessed LED/940, 34° 800mA RAL9006       |
| 25.0070.02.940.800.DALI | Twist 120 Recessed LED/940, 34° DALI 800mA RAL9006  |
| 25.0070.02.940.900      | Twist 120 Recessed LED/940, 34° 900mA RAL9006       |
| 25.0070.02.940.900.DALI | Twist 120 Recessed LED/940, 34° DALI 900mA RAL9006  |
| 25.0070.02.940.950      | Twist 120 Recessed LED/940, 34° 950mA RAL9006       |
| 25.0070.02.940.950.DALI | Twist 120 Recessed LED/940, 34° DALI 950mA RAL9006  |
| 25.0070.03.930.1A0      | Twist 120 Recessed LED/930, 34° 1050mA RAL9005      |
| 25.0070.03.930.1A0.DALI | Twist 120 Recessed LED/930, 34° DALI 1050mA RAL9005 |
| 25.0070.03.930.250      | Twist 120 Recessed LED/930, 34° 250mA RAL9005       |
| 25.0070.03.930.250.DALI | Twist 120 Recessed LED/930, 34° DALI 250mA RAL9005  |
| 25.0070.03.930.350      | Twist 120 Recessed LED/930, 34° 350mA RAL9005       |
| 25.0070.03.930.350.DALI | Twist 120 Recessed LED/930, 34° DALI 350mA RAL9005  |
| 25.0070.03.930.450      | Twist 120 Recessed LED/930, 34° 450mA RAL9005       |
| 25.0070.03.930.450.DALI | Twist 120 Recessed LED/930, 34° DALI 450mA RAL9005  |
| 25.0070.03.930.500      | Twist 120 Recessed LED/930, 34° 500mA RAL9005       |
| 25.0070.03.930.500.DALI | Twist 120 Recessed LED/930, 34° DALI 500mA RAL9005  |
| 25.0070.03.930.600      | Twist 120 Recessed LED/930, 34° 600mA RAL9005       |
| 25.0070.03.930.600.DALI | Twist 120 Recessed LED/930, 34° DALI 600mA RAL9005  |
| 25.0070.03.930.650      | Twist 120 Recessed LED/930, 34° 650mA RAL9005       |
| 25.0070.03.930.650.DALI | Twist 120 Recessed LED/930, 34° DALI 650mA RAL9005  |
| 25.0070.03.930.700      | Twist 120 Recessed LED/930, 34° 700mA RAL9005       |
| 25.0070.03.930.700.DALI | Twist 120 Recessed LED/930, 34° DALI 700mA RAL9005  |
| 25.0070.03.930.800      | Twist 120 Recessed LED/930, 34° 800mA RAL9005       |
| 25.0070.03.930.800.DALI | Twist 120 Recessed LED/930, 34° DALI 800mA RAL9005  |
| 25.0070.03.930.900      | Twist 120 Recessed LED/930, 34° 900mA RAL9005       |
| 25.0070.03.930.900.DALI | Twist 120 Recessed LED/930, 34° DALI 900mA RAL9005  |
| 25.0070.03.930.950      | Twist 120 Recessed LED/930, 34° 950mA RAL9005       |
| 25.0070.03.930.950.DALI | Twist 120 Recessed LED/930, 34° DALI 950mA RAL9005  |
| 25.0070.03.940.1A0      | Twist 120 Recessed LED/940, 34° 1050mA RAL9005      |
| 25.0070.03.940.1A0.DALI | Twist 120 Recessed LED/940, 34° DALI 1050mA RAL9005 |
| 25.0070.03.940.250      | Twist 120 Recessed LED/940, 34° 250mA RAL9005       |
| 25.0070.03.940.250.DALI | Twist 120 Recessed LED/940, 34° DALI 250mA RAL9005  |
| 25.0070.03.940.350      | Twist 120 Recessed LED/940, 34° 350mA RAL9005       |
| 25.0070.03.940.350.DALI | Twist 120 Recessed LED/940, 34° DALI 350mA RAL9005  |
| 25.0070.03.940.450      | Twist 120 Recessed LED/940, 34° 450mA RAL9005       |
| 25.0070.03.940.450.DALI | Twist 120 Recessed LED/940, 34° DALI 450mA RAL9005  |
| 25.0070.03.940.500      | Twist 120 Recessed LED/940, 34° 500mA RAL9005       |
| 25.0070.03.940.500.DALI | Twist 120 Recessed LED/940, 34° DALI 500mA RAL9005  |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0070.03.940.600      | Twist 120 Recessed LED/940, 34° 600mA RAL9005       |
| 25.0070.03.940.600.DALI | Twist 120 Recessed LED/940, 34° DALI 600mA RAL9005  |
| 25.0070.03.940.650      | Twist 120 Recessed LED/940, 34° 650mA RAL9005       |
| 25.0070.03.940.650.DALI | Twist 120 Recessed LED/940, 34° DALI 650mA RAL9005  |
| 25.0070.03.940.700      | Twist 120 Recessed LED/940, 34° 700mA RAL9005       |
| 25.0070.03.940.700.DALI | Twist 120 Recessed LED/940, 34° DALI 700mA RAL9005  |
| 25.0070.03.940.800      | Twist 120 Recessed LED/940, 34° 800mA RAL9005       |
| 25.0070.03.940.800.DALI | Twist 120 Recessed LED/940, 34° DALI 800mA RAL9005  |
| 25.0070.03.940.900      | Twist 120 Recessed LED/940, 34° 900mA RAL9005       |
| 25.0070.03.940.900.DALI | Twist 120 Recessed LED/940, 34° DALI 900mA RAL9005  |
| 25.0070.03.940.950      | Twist 120 Recessed LED/940, 34° 950mA RAL9005       |
| 25.0070.03.940.950.DALI | Twist 120 Recessed LED/940, 34° DALI 950mA RAL9005  |
| 25.0071.01.840          | Twist 120 Recessed 34° 1100lm/840, RAL9016          |
| 25.0072.01.840          | Twist 120 Recessed 34° 2000lm/840, RAL9016          |
| 25.0073.01.840          | Twist 120 Recessed 34° 3000lm/840, RAL9016          |
| 25.0074.01.840          | Twist 120 Recessed 34° 4000lm/840, RAL9016          |
| 25.0075.01.840          | Twist 120 Recessed 34° 5000lm/840, RAL9016          |
| 25.0080.01.930.1A0      | Twist 120 Recessed LED/930, 59° 1050mA RAL9016      |
| 25.0080.01.930.1A0.DALI | Twist 120 Recessed LED/930, 59° DALI 1050mA RAL9016 |
| 25.0080.01.930.250      | Twist 120 Recessed LED/930, 59° 250mA RAL9016       |
| 25.0080.01.930.250.DALI | Twist 120 Recessed LED/930, 59° DALI 250mA RAL9016  |
| 25.0080.01.930.350      | Twist 120 Recessed LED/930, 59° 350mA RAL9016       |
| 25.0080.01.930.350.DALI | Twist 120 Recessed LED/930, 59° DALI 350mA RAL9016  |
| 25.0080.01.930.450      | Twist 120 Recessed LED/930, 59° 450mA RAL9016       |
| 25.0080.01.930.450.DALI | Twist 120 Recessed LED/930, 59° DALI 450mA RAL9016  |
| 25.0080.01.930.500      | Twist 120 Recessed LED/930, 59° 500mA RAL9016       |
| 25.0080.01.930.500.DALI | Twist 120 Recessed LED/930, 59° DALI 500mA RAL9016  |
| 25.0080.01.930.600      | Twist 120 Recessed LED/930, 59° 600mA RAL9016       |
| 25.0080.01.930.600.DALI | Twist 120 Recessed LED/930, 59° DALI 600mA RAL9016  |
| 25.0080.01.930.650      | Twist 120 Recessed LED/930, 59° 650mA RAL9016       |
| 25.0080.01.930.650.DALI | Twist 120 Recessed LED/930, 59° DALI 650mA RAL9016  |
| 25.0080.01.930.700      | Twist 120 Recessed LED/930, 59° 700mA RAL9016       |
| 25.0080.01.930.700.DALI | Twist 120 Recessed LED/930, 59° DALI 700mA RAL9016  |
| 25.0080.01.930.800      | Twist 120 Recessed LED/930, 59° 800mA RAL9016       |
| 25.0080.01.930.800.DALI | Twist 120 Recessed LED/930, 59° DALI 800mA RAL9016  |
| 25.0080.01.930.900      | Twist 120 Recessed LED/930, 59° 900mA RAL9016       |
| 25.0080.01.930.900.DALI | Twist 120 Recessed LED/930, 59° DALI 900mA RAL9016  |
| 25.0080.01.930.950      | Twist 120 Recessed LED/930, 59° 950mA RAL9016       |
| 25.0080.01.930.950.DALI | Twist 120 Recessed LED/930, 59° DALI 950mA RAL9016  |
| 25.0080.01.940.1A0      | Twist 120 Recessed LED/940, 59° 1050mA RAL9016      |
| 25.0080.01.940.1A0.DALI | Twist 120 Recessed LED/940, 59° DALI 1050mA RAL9016 |
| 25.0080.01.940.250      | Twist 120 Recessed LED/940, 59° 250mA RAL9016       |
| 25.0080.01.940.250.DALI | Twist 120 Recessed LED/940, 59° DALI 250mA RAL9016  |
| 25.0080.01.940.350      | Twist 120 Recessed LED/940, 59° 350mA RAL9016       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW-RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0080.01.940.350.DALI | Twist 120 Recessed LED/940, 59° DALI 350mA RAL9016  |
| 25.0080.01.940.450      | Twist 120 Recessed LED/940, 59° 450mA RAL9016       |
| 25.0080.01.940.450.DALI | Twist 120 Recessed LED/940, 59° DALI 450mA RAL9016  |
| 25.0080.01.940.500      | Twist 120 Recessed LED/940, 59° 500mA RAL9016       |
| 25.0080.01.940.500.DALI | Twist 120 Recessed LED/940, 59° DALI 500mA RAL9016  |
| 25.0080.01.940.600      | Twist 120 Recessed LED/940, 59° 600mA RAL9016       |
| 25.0080.01.940.600.DALI | Twist 120 Recessed LED/940, 59° DALI 600mA RAL9016  |
| 25.0080.01.940.650      | Twist 120 Recessed LED/940, 59° 650mA RAL9016       |
| 25.0080.01.940.650.DALI | Twist 120 Recessed LED/940, 59° DALI 650mA RAL9016  |
| 25.0080.01.940.700      | Twist 120 Recessed LED/940, 59° 700mA RAL9016       |
| 25.0080.01.940.700.DALI | Twist 120 Recessed LED/940, 59° DALI 700mA RAL9016  |
| 25.0080.01.940.800      | Twist 120 Recessed LED/940, 59° 800mA RAL9016       |
| 25.0080.01.940.800.DALI | Twist 120 Recessed LED/940, 59° DALI 800mA RAL9016  |
| 25.0080.01.940.900      | Twist 120 Recessed LED/940, 59° 900mA RAL9016       |
| 25.0080.01.940.900.DALI | Twist 120 Recessed LED/940, 59° DALI 900mA RAL9016  |
| 25.0080.01.940.950      | Twist 120 Recessed LED/940, 59° 950mA RAL9016       |
| 25.0080.01.940.950.DALI | Twist 120 Recessed LED/940, 59° DALI 950mA RAL9016  |
| 25.0080.02.930.1A0      | Twist 120 Recessed LED/930, 59° 1050mA RAL9006      |
| 25.0080.02.930.1A0.DALI | Twist 120 Recessed LED/930, 59° DALI 1050mA RAL9006 |
| 25.0080.02.930.250      | Twist 120 Recessed LED/930, 59° 250mA RAL9006       |
| 25.0080.02.930.250.DALI | Twist 120 Recessed LED/930, 59° DALI 250mA RAL9006  |
| 25.0080.02.930.350      | Twist 120 Recessed LED/930, 59° 350mA RAL9006       |
| 25.0080.02.930.350.DALI | Twist 120 Recessed LED/930, 59° DALI 350mA RAL9006  |
| 25.0080.02.930.450      | Twist 120 Recessed LED/930, 59° 450mA RAL9006       |
| 25.0080.02.930.450.DALI | Twist 120 Recessed LED/930, 59° DALI 450mA RAL9006  |
| 25.0080.02.930.500      | Twist 120 Recessed LED/930, 59° 500mA RAL9006       |
| 25.0080.02.930.500.DALI | Twist 120 Recessed LED/930, 59° DALI 500mA RAL9006  |
| 25.0080.02.930.600      | Twist 120 Recessed LED/930, 59° 600mA RAL9006       |
| 25.0080.02.930.600.DALI | Twist 120 Recessed LED/930, 59° DALI 600mA RAL9006  |
| 25.0080.02.930.650      | Twist 120 Recessed LED/930, 59° 650mA RAL9006       |
| 25.0080.02.930.650.DALI | Twist 120 Recessed LED/930, 59° DALI 650mA RAL9006  |
| 25.0080.02.930.700      | Twist 120 Recessed LED/930, 59° 700mA RAL9006       |
| 25.0080.02.930.700.DALI | Twist 120 Recessed LED/930, 59° DALI 700mA RAL9006  |
| 25.0080.02.930.800      | Twist 120 Recessed LED/930, 59° 800mA RAL9006       |
| 25.0080.02.930.800.DALI | Twist 120 Recessed LED/930, 59° DALI 800mA RAL9006  |
| 25.0080.02.930.900      | Twist 120 Recessed LED/930, 59° 900mA RAL9006       |
| 25.0080.02.930.900.DALI | Twist 120 Recessed LED/930, 59° DALI 900mA RAL9006  |
| 25.0080.02.930.950      | Twist 120 Recessed LED/930, 59° 950mA RAL9006       |
| 25.0080.02.930.950.DALI | Twist 120 Recessed LED/930, 59° DALI 950mA RAL9006  |
| 25.0080.02.940.1A0      | Twist 120 Recessed LED/940, 59° 1050mA RAL9006      |
| 25.0080.02.940.1A0.DALI | Twist 120 Recessed LED/940, 59° DALI 1050mA RAL9006 |
| 25.0080.02.940.250      | Twist 120 Recessed LED/940, 59° 250mA RAL9006       |
| 25.0080.02.940.250.DALI | Twist 120 Recessed LED/940, 59° DALI 250mA RAL9006  |
| 25.0080.02.940.350      | Twist 120 Recessed LED/940, 59° 350mA RAL9006       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW-RAKOCZY  
V-ce PREZES

| Code                    | Name  |
|-------------------------|---|
| 25.0080.02.940.350.DALI | Twist 120 Recessed LED/940, 59° DALI 350mA RAL9006  |
| 25.0080.02.940.450      | Twist 120 Recessed LED/940, 59° 450mA RAL9006       |
| 25.0080.02.940.450.DALI | Twist 120 Recessed LED/940, 59° DALI 450mA RAL9006  |
| 25.0080.02.940.500      | Twist 120 Recessed LED/940, 59° 500mA RAL9006       |
| 25.0080.02.940.500.DALI | Twist 120 Recessed LED/940, 59° DALI 500mA RAL9006  |
| 25.0080.02.940.600      | Twist 120 Recessed LED/940, 59° 600mA RAL9006       |
| 25.0080.02.940.600.DALI | Twist 120 Recessed LED/940, 59° DALI 600mA RAL9006  |
| 25.0080.02.940.650      | Twist 120 Recessed LED/940, 59° 650mA RAL9006       |
| 25.0080.02.940.650.DALI | Twist 120 Recessed LED/940, 59° DALI 650mA RAL9006  |
| 25.0080.02.940.700      | Twist 120 Recessed LED/940, 59° 700mA RAL9006       |
| 25.0080.02.940.700.DALI | Twist 120 Recessed LED/940, 59° DALI 700mA RAL9006  |
| 25.0080.02.940.800      | Twist 120 Recessed LED/940, 59° 800mA RAL9006       |
| 25.0080.02.940.800.DALI | Twist 120 Recessed LED/940, 59° DALI 800mA RAL9006  |
| 25.0080.02.940.900      | Twist 120 Recessed LED/940, 59° 900mA RAL9006       |
| 25.0080.02.940.900.DALI | Twist 120 Recessed LED/940, 59° DALI 900mA RAL9006  |
| 25.0080.02.940.950      | Twist 120 Recessed LED/940, 59° 950mA RAL9006       |
| 25.0080.02.940.950.DALI | Twist 120 Recessed LED/940, 59° DALI 950mA RAL9006  |
| 25.0080.03.930.1A0      | Twist 120 Recessed LED/930, 59° 1050mA RAL9005      |
| 25.0080.03.930.1A0.DALI | Twist 120 Recessed LED/930, 59° DALI 1050mA RAL9005 |
| 25.0080.03.930.250      | Twist 120 Recessed LED/930, 59° 250mA RAL9005       |
| 25.0080.03.930.250.DALI | Twist 120 Recessed LED/930, 59° DALI 250mA RAL9005  |
| 25.0080.03.930.350      | Twist 120 Recessed LED/930, 59° 350mA RAL9005       |
| 25.0080.03.930.350.DALI | Twist 120 Recessed LED/930, 59° DALI 350mA RAL9005  |
| 25.0080.03.930.450      | Twist 120 Recessed LED/930, 59° 450mA RAL9005       |
| 25.0080.03.930.450.DALI | Twist 120 Recessed LED/930, 59° DALI 450mA RAL9005  |
| 25.0080.03.930.500      | Twist 120 Recessed LED/930, 59° 500mA RAL9005       |
| 25.0080.03.930.500.DALI | Twist 120 Recessed LED/930, 59° DALI 500mA RAL9005  |
| 25.0080.03.930.600      | Twist 120 Recessed LED/930, 59° 600mA RAL9005       |
| 25.0080.03.930.600.DALI | Twist 120 Recessed LED/930, 59° DALI 600mA RAL9005  |
| 25.0080.03.930.650      | Twist 120 Recessed LED/930, 59° 650mA RAL9005       |
| 25.0080.03.930.650.DALI | Twist 120 Recessed LED/930, 59° DALI 650mA RAL9005  |
| 25.0080.03.930.700      | Twist 120 Recessed LED/930, 59° 700mA RAL9005       |
| 25.0080.03.930.700.DALI | Twist 120 Recessed LED/930, 59° DALI 700mA RAL9005  |
| 25.0080.03.930.800      | Twist 120 Recessed LED/930, 59° 800mA RAL9005       |
| 25.0080.03.930.800.DALI | Twist 120 Recessed LED/930, 59° DALI 800mA RAL9005  |
| 25.0080.03.930.900      | Twist 120 Recessed LED/930, 59° 900mA RAL9005       |
| 25.0080.03.930.900.DALI | Twist 120 Recessed LED/930, 59° DALI 900mA RAL9005  |
| 25.0080.03.930.950      | Twist 120 Recessed LED/930, 59° 950mA RAL9005       |
| 25.0080.03.930.950.DALI | Twist 120 Recessed LED/930, 59° DALI 950mA RAL9005  |
| 25.0080.03.940.1A0      | Twist 120 Recessed LED/940, 59° 1050mA RAL9005      |
| 25.0080.03.940.1A0.DALI | Twist 120 Recessed LED/940, 59° DALI 1050mA RAL9005 |
| 25.0080.03.940.250      | Twist 120 Recessed LED/940, 59° 250mA RAL9005       |
| 25.0080.03.940.250.DALI | Twist 120 Recessed LED/940, 59° DALI 250mA RAL9005  |
| 25.0080.03.940.350      | Twist 120 Recessed LED/940, 59° 350mA RAL9005       |

Place and date of issue of the document

**Warszawa, 24.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

| Code                    | Name   |
|-------------------------|--|
| 25.0080.03.940.350.DALI | Twist 120 Recessed LED/940, 59° DALI 350mA RAL9005 |
| 25.0080.03.940.450      | Twist 120 Recessed LED/940, 59° 450mA RAL9005      |
| 25.0080.03.940.450.DALI | Twist 120 Recessed LED/940, 59° DALI 450mA RAL9005 |
| 25.0080.03.940.500      | Twist 120 Recessed LED/940, 59° 500mA RAL9005      |
| 25.0080.03.940.500.DALI | Twist 120 Recessed LED/940, 59° DALI 500mA RAL9005 |
| 25.0080.03.940.600      | Twist 120 Recessed LED/940, 59° 600mA RAL9005      |
| 25.0080.03.940.600.DALI | Twist 120 Recessed LED/940, 59° DALI 600mA RAL9005 |
| 25.0080.03.940.650      | Twist 120 Recessed LED/940, 59° 650mA RAL9005      |
| 25.0080.03.940.650.DALI | Twist 120 Recessed LED/940, 59° DALI 650mA RAL9005 |
| 25.0080.03.940.700      | Twist 120 Recessed LED/940, 59° 700mA RAL9005      |
| 25.0080.03.940.700.DALI | Twist 120 Recessed LED/940, 59° DALI 700mA RAL9005 |
| 25.0080.03.940.800      | Twist 120 Recessed LED/940, 59° 800mA RAL9005      |
| 25.0080.03.940.800.DALI | Twist 120 Recessed LED/940, 59° DALI 800mA RAL9005 |
| 25.0080.03.940.900      | Twist 120 Recessed LED/940, 59° 900mA RAL9005      |
| 25.0080.03.940.900.DALI | Twist 120 Recessed LED/940, 59° DALI 900mA RAL9005 |
| 25.0080.03.940.950      | Twist 120 Recessed LED/940, 59° 950mA RAL9005      |
| 25.0080.03.940.950.DALI | Twist 120 Recessed LED/940, 59° DALI 950mA RAL9005 |
| 25.0081.01.840          | Twist 120 Recessed 59° 1100lm/840, RAL9016         |
| 25.0082.01.840          | Twist 120 Recessed 59° 2000lm/840, RAL9016         |
| 25.0083.01.840          | Twist 120 Recessed 59° 3000lm/840, RAL9016         |
| 25.0084.01.840          | Twist 120 Recessed 59° 4000lm/840, RAL9016         |
| 25.0085.01.840          | Twist 120 Recessed 59° 5000lm/840, RAL9016         |

Place and date of issue of the document

**Warszawa, 24.01.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES