

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **POLA 80**

Product number: **in the attachment nr 02/132 80**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

<b>2009/125/WE</b>	Ecodesign
<b>2011/65/UE</b>	Restriction of the use of certain hazardous substances
<b>2014/30/UE</b>	Electromagnetic Compatibility
<b>2014/35/UE</b>	Low Voltage

and the following standards:

<b>PN-EN 55015:2013</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>PN-EN 60529:2003</b>	Degrees of protection provided by enclosures (IP code)
<b>PN-EN 60598-1:2015</b>	Luminaires - Part 1: General requirements and tests
<b>PN-EN 61000-3-2:2014</b>	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>PN-EN 61000-3-3:2013</b>	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
<b>PN-EN 61547:2009</b>	Equipment for general lighting purposes - EMC immunity requirements
<b>PN-EN 62493:2015</b>	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

**2021**

Place and date of issue of the document

**Warszawa, 31.01.2022**

  
MIROSLAW RAKOCZY  
V-ce PREZES

### ATTACHMENT

Code	Name
02.132.2011.01.930	Pola 80 Surface LED HE/930, 27° IP54 RAL9016
02.132.2011.01.940	Pola 80 Surface LED HE/940, 27° IP54 RAL9016
02.132.2011.02.930	Pola 80 Surface LED HE/930, 27° IP54 RAL9006
02.132.2011.02.940	Pola 80 Surface LED HE/940, 27° IP54 RAL9006
02.132.2011.03.930	Pola 80 Surface LED HE/930, 27° IP54 RAL9005
02.132.2011.03.940	Pola 80 Surface LED HE/940, 27° IP54 RAL9005
02.132.2012.01.930	Pola 80 Surface LED ST/930, 27° IP54 RAL9016
02.132.2012.01.940	Pola 80 Surface LED ST/940, 27° IP54 RAL9016
02.132.2012.02.930	Pola 80 Surface LED ST/930, 27° IP54 RAL9006
02.132.2012.02.940	Pola 80 Surface LED ST/940, 27° IP54 RAL9006
02.132.2012.03.930	Pola 80 Surface LED ST/930, 27° IP54 RAL9005
02.132.2012.03.940	Pola 80 Surface LED ST/940, 27° IP54 RAL9005
02.132.2013.01.930	Pola 80 Surface LED HE/930, 60° IP54 RAL9016
02.132.2013.01.940	Pola 80 Surface LED HE/940, 60° IP54 RAL9016
02.132.2013.02.930	Pola 80 Surface LED HE/930, 60° IP54 RAL9006
02.132.2013.02.940	Pola 80 Surface LED HE/940, 60° IP54 RAL9006
02.132.2013.03.930	Pola 80 Surface LED HE/930, 60° IP54 RAL9005
02.132.2013.03.940	Pola 80 Surface LED HE/940, 60° IP54 RAL9005
02.132.2014.01.930	Pola 80 Surface LED ST/930, 60° IP54 RAL9016
02.132.2014.01.940	Pola 80 Surface LED ST/940, 60° IP54 RAL9016
02.132.2014.02.930	Pola 80 Surface LED ST/930, 60° IP54 RAL9006
02.132.2014.02.940	Pola 80 Surface LED ST/940, 60° IP54 RAL9006
02.132.2014.03.930	Pola 80 Surface LED ST/930, 60° IP54 RAL9005
02.132.2014.03.940	Pola 80 Surface LED ST/940, 60° IP54 RAL9005
02.132.2021.01.930	Pola 80 Surface LED HE/930, 38°/58° IP54 RAL9016
02.132.2021.01.940	Pola 80 Surface LED HE/940, 38°/58° IP54 RAL9016
02.132.2021.02.930	Pola 80 Surface LED HE/930, 38°/58° IP54 RAL9006
02.132.2021.02.940	Pola 80 Surface LED HE/940, 38°/58° IP54 RAL9006
02.132.2021.03.930	Pola 80 Surface LED HE/930, 38°/58° IP54 RAL9005
02.132.2021.03.940	Pola 80 Surface LED HE/940, 38°/58° IP54 RAL9005
02.132.2022.01.930	Pola 80 Surface LED ST/930, 38°/58° IP54 RAL9016
02.132.2022.01.940	Pola 80 Surface LED ST/940, 38°/58° IP54 RAL9016
02.132.2022.02.930	Pola 80 Surface LED ST/930, 38°/58° IP54 RAL9006
02.132.2022.02.940	Pola 80 Surface LED ST/940, 38°/58° IP54 RAL9006
02.132.2022.03.930	Pola 80 Surface LED ST/930, 38°/58° IP54 RAL9005
02.132.2022.03.940	Pola 80 Surface LED ST/940, 38°/58° IP54 RAL9005
02.132.2023.01.930	Pola 80 Surface LED HE/930, 51°/116° IP54 RAL9016
02.132.2023.01.940	Pola 80 Surface LED HE/940, 51°/116° IP54 RAL9016
02.132.2023.02.930	Pola 80 Surface LED HE/930, 51°/116° IP54 RAL9006
02.132.2023.02.940	Pola 80 Surface LED HE/940, 51°/116° IP54 RAL9006
02.132.2023.03.930	Pola 80 Surface LED HE/930, 51°/116° IP54 RAL9005
02.132.2023.03.940	Pola 80 Surface LED HE/940, 51°/116° IP54 RAL9005

Place and date of issue of the document

**Warszawa, 31.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.132.2024.01.930	Pola 80 Surface LED ST/930, 51°/116° IP54 RAL9016
02.132.2024.01.940	Pola 80 Surface LED ST/940, 51°/116° IP54 RAL9016
02.132.2024.02.930	Pola 80 Surface LED ST/930, 51°/116° IP54 RAL9006
02.132.2024.02.940	Pola 80 Surface LED ST/940, 51°/116° IP54 RAL9006
02.132.2024.03.930	Pola 80 Surface LED ST/930, 51°/116° IP54 RAL9005
02.132.2024.03.940	Pola 80 Surface LED ST/940, 51°/116° IP54 RAL9005
02.132.2041.01.930	Pola 80 Surface LED HE/930, ASYM IP54 RAL9016
02.132.2041.01.940	Pola 80 Surface LED HE/940, ASYM IP54 RAL9016
02.132.2041.02.930	Pola 80 Surface LED HE/930, ASYM IP54 RAL9006
02.132.2041.02.940	Pola 80 Surface LED HE/940, ASYM IP54 RAL9006
02.132.2041.03.930	Pola 80 Surface LED HE/930, ASYM IP54 RAL9005
02.132.2041.03.940	Pola 80 Surface LED HE/940, ASYM IP54 RAL9005
02.132.2042.01.930	Pola 80 Surface LED ST/930, ASYM IP54 RAL9016
02.132.2042.01.940	Pola 80 Surface LED ST/940, ASYM IP54 RAL9016
02.132.2042.02.930	Pola 80 Surface LED ST/930, ASYM IP54 RAL9006
02.132.2042.02.940	Pola 80 Surface LED ST/940, ASYM IP54 RAL9006
02.132.2042.03.930	Pola 80 Surface LED ST/930, ASYM IP54 RAL9005
02.132.2042.03.940	Pola 80 Surface LED ST/940, ASYM IP54 RAL9005
02.132.4011.01.930	Pola 80 Wall-mounted LED HE/930, 27° IP54 RAL9016
02.132.4011.01.940	Pola 80 Wall-mounted LED HE/940, 27° IP54 RAL9016
02.132.4011.02.930	Pola 80 Wall-mounted LED HE/930, 27° IP54 RAL9006
02.132.4011.02.940	Pola 80 Wall-mounted LED HE/940, 27° IP54 RAL9006
02.132.4011.03.930	Pola 80 Wall-mounted LED HE/930, 27° IP54 RAL9005
02.132.4011.03.940	Pola 80 Wall-mounted LED HE/940, 27° IP54 RAL9005
02.132.4012.01.930	Pola 80 Wall-mounted LED ST/930, 27° IP54 RAL9016
02.132.4012.01.940	Pola 80 Wall-mounted LED ST/940, 27° IP54 RAL9016
02.132.4012.02.930	Pola 80 Wall-mounted LED ST/930, 27° IP54 RAL9006
02.132.4012.02.940	Pola 80 Wall-mounted LED ST/940, 27° IP54 RAL9006
02.132.4012.03.930	Pola 80 Wall-mounted LED ST/930, 27° IP54 RAL9005
02.132.4012.03.940	Pola 80 Wall-mounted LED ST/940, 27° IP54 RAL9005
02.132.4013.01.930	Pola 80 Wall-mounted LED HE/930, 60° IP54 RAL9016
02.132.4013.01.940	Pola 80 Wall-mounted LED HE/940, 60° IP54 RAL9016
02.132.4013.02.930	Pola 80 Wall-mounted LED HE/930, 60° IP54 RAL9006
02.132.4013.02.940	Pola 80 Wall-mounted LED HE/940, 60° IP54 RAL9006
02.132.4013.03.930	Pola 80 Wall-mounted LED HE/930, 60° IP54 RAL9005
02.132.4013.03.940	Pola 80 Wall-mounted LED HE/940, 60° IP54 RAL9005
02.132.4014.01.930	Pola 80 Wall-mounted LED ST/930, 60° IP54 RAL9016
02.132.4014.01.940	Pola 80 Wall-mounted LED ST/940, 60° IP54 RAL9016
02.132.4014.02.930	Pola 80 Wall-mounted LED ST/930, 60° IP54 RAL9006
02.132.4014.02.940	Pola 80 Wall-mounted LED ST/940, 60° IP54 RAL9006
02.132.4014.03.930	Pola 80 Wall-mounted LED ST/930, 60° IP54 RAL9005
02.132.4014.03.940	Pola 80 Wall-mounted LED ST/940, 60° IP54 RAL9005
02.132.4021.01.930	Pola 80 Wall-mounted LED HE/930, 38°/58° IP54 RAL9016
02.132.4021.01.940	Pola 80 Wall-mounted LED HE/940, 38°/58° IP54 RAL9016

Place and date of issue of the document

**Warszawa, 31.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.132.4021.02.930	Pola 80 Wall-mounted LED HE/930, 38°/58° IP54 RAL9006
02.132.4021.02.940	Pola 80 Wall-mounted LED HE/940, 38°/58° IP54 RAL9006
02.132.4021.03.930	Pola 80 Wall-mounted LED HE/930, 38°/58° IP54 RAL9005
02.132.4021.03.940	Pola 80 Wall-mounted LED HE/940, 38°/58° IP54 RAL9005
02.132.4022.01.930	Pola 80 Wall-mounted LED ST/930, 38°/58° IP54 RAL9016
02.132.4022.01.940	Pola 80 Wall-mounted LED ST/940, 38°/58° IP54 RAL9016
02.132.4022.02.930	Pola 80 Wall-mounted LED ST/930, 38°/58° IP54 RAL9006
02.132.4022.02.940	Pola 80 Wall-mounted LED ST/940, 38°/58° IP54 RAL9006
02.132.4022.03.930	Pola 80 Wall-mounted LED ST/930, 38°/58° IP54 RAL9005
02.132.4022.03.940	Pola 80 Wall-mounted LED ST/940, 38°/58° IP54 RAL9005
02.132.4023.01.930	Pola 80 Wall-mounted LED HE/930, 51°/116° IP54 RAL9016
02.132.4023.01.940	Pola 80 Wall-mounted LED HE/940, 51°/116° IP54 RAL9016
02.132.4023.02.930	Pola 80 Wall-mounted LED HE/930, 51°/116° IP54 RAL9006
02.132.4023.02.940	Pola 80 Wall-mounted LED HE/940, 51°/116° IP54 RAL9006
02.132.4023.03.930	Pola 80 Wall-mounted LED HE/930, 51°/116° IP54 RAL9005
02.132.4023.03.940	Pola 80 Wall-mounted LED HE/940, 51°/116° IP54 RAL9005
02.132.4024.01.930	Pola 80 Wall-mounted LED ST/930, 51°/116° IP54 RAL9016
02.132.4024.01.940	Pola 80 Wall-mounted LED ST/940, 51°/116° IP54 RAL9016
02.132.4024.02.930	Pola 80 Wall-mounted LED ST/930, 51°/116° IP54 RAL9006
02.132.4024.02.940	Pola 80 Wall-mounted LED ST/940, 51°/116° IP54 RAL9006
02.132.4024.03.930	Pola 80 Wall-mounted LED ST/930, 51°/116° IP54 RAL9005
02.132.4024.03.940	Pola 80 Wall-mounted LED ST/940, 51°/116° IP54 RAL9005

Place and date of issue of the document

**Warszawa, 31.01.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES