

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **MIKA 600**

Product number: **in the attachment nr 04/042 600**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

| | |
|--------------------|--|
| 2009/125/WE | Ecodesign |
| 2011/65/UE | Restriction of the use of certain hazardous substances |
| 2014/30/UE | Electromagnetic Compatibility |
| 2014/35/UE | Low Voltage |

and the following standards:

| | |
|-----------------------------|---|
| PN-EN 55015:2013 | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment |
| PN-EN 60529:2003 | Degrees of protection provided by enclosures (IP code) |
| PN-EN 60598-1:2015 | Luminaires - Part 1: General requirements and tests |
| PN-EN 60598-2-2:2012 | Luminaires - Part 2-2: Particular requirements - Recessed luminaires |
| PN-EN 61000-3-2:2014 | Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase) |
| PN-EN 61000-3-3:2013 | Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection |
| PN-EN 61547:2009 | Equipment for general lighting purposes - EMC immunity requirements |
| PN-EN 62493:2015 | Assessment of lighting equipment related to human exposure to electromagnetic fields |

The product has been CE marked for the first time in the year:

2020

Place and date of issue of the document

Warszawa, 08.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

| Code | Name |
|--------------------|---|
| 02.042.0541.01.930 | MIKA Recessed PLX 595x595x11 LED/930 500mA |
| 02.042.0541.01.940 | MIKA Recessed PLX 595x595x11 LED/940 500mA |
| 02.042.0542.01.930 | MIKA Recessed PLX 595x595x11 LED/930 600mA |
| 02.042.0542.01.940 | MIKA Recessed PLX 595x595x11 LED/940 600mA |
| 02.042.0543.01.930 | MIKA Recessed PLX 595x595x11 LED/930 700mA |
| 02.042.0543.01.940 | MIKA Recessed PLX 595x595x11 LED/940 700mA |
| 02.042.0544.01.930 | MIKA Recessed PLX 595x595x11 LED/930 800mA |
| 02.042.0544.01.940 | MIKA Recessed PLX 595x595x11 LED/940 800mA |
| 02.042.0545.01.930 | MIKA Recessed PLX 595x595x11 LED/930 900mA |
| 02.042.0545.01.940 | MIKA Recessed PLX 595x595x11 LED/940 900mA |
| 02.042.0546.01.930 | MIKA Recessed PLX 595x595x11 LED/930 1050mA |
| 02.042.0546.01.940 | MIKA Recessed PLX 595x595x11 LED/940 1050mA |
| 02.042.0547.01.930 | MIKA Recessed PLX 595x595x11 LED/930 1200mA |
| 02.042.0547.01.940 | MIKA Recessed PLX 595x595x11 LED/940 1200mA |
| 02.042.0548.01.930 | MIKA Recessed PLX 595x595x11 LED/930 1400mA |
| 02.042.0548.01.940 | MIKA Recessed PLX 595x595x11 LED/940 1400mA |
| 02.042.0561.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 500mA |
| 02.042.0561.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 500mA |
| 02.042.0562.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 600mA |
| 02.042.0562.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 600mA |
| 02.042.0563.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 700mA |
| 02.042.0563.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 700mA |
| 02.042.0564.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 800mA |
| 02.042.0564.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 800mA |
| 02.042.0565.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 900mA |
| 02.042.0565.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 900mA |
| 02.042.0566.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 1050mA |
| 02.042.0566.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 1050mA |
| 02.042.0567.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 1200mA |
| 02.042.0567.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 1200mA |
| 02.042.0568.01.930 | MIKA Recessed Micro-p 595x595x11 LED/930 1400mA |
| 02.042.0568.01.940 | MIKA Recessed Micro-p 595x595x11 LED/940 1400mA |
| 02.042.1541.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 500mA |
| 02.042.1541.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 500mA |
| 02.042.1542.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 600mA |
| 02.042.1542.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 600mA |
| 02.042.1543.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 700mA |
| 02.042.1543.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 700mA |
| 02.042.1544.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 800mA |
| 02.042.1544.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 800mA |
| 02.042.1545.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 900mA |
| 02.042.1545.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 900mA |

Place and date of issue of the document

Warszawa, 08.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code**Name**

| | |
|--------------------|---|
| 02.042.1546.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 1050mA |
| 02.042.1546.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 1050mA |
| 02.042.1547.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 1200mA |
| 02.042.1547.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 1200mA |
| 02.042.1548.01.930 | MIKA Surface-mounted PLX 605x605x50 LED/930 1400mA |
| 02.042.1548.01.940 | MIKA Surface-mounted PLX 605x605x50 LED/940 1400mA |
| 02.042.1561.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 500mA |
| 02.042.1561.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 500mA |
| 02.042.1562.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 600mA |
| 02.042.1562.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 600mA |
| 02.042.1563.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 700mA |
| 02.042.1563.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 700mA |
| 02.042.1564.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 800mA |
| 02.042.1564.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 800mA |
| 02.042.1565.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 900mA |
| 02.042.1565.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 900mA |
| 02.042.1566.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 1050mA |
| 02.042.1566.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 1050mA |
| 02.042.1567.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 1200mA |
| 02.042.1567.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 1200mA |
| 02.042.1568.01.930 | MIKA Surface-mounted Micro-p 605x605x50 LED/930 1400mA |
| 02.042.1568.01.940 | MIKA Surface-mounted Micro-p 605x605x50 LED/940 1400mA |
| 02.042.2001.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 500mA IP65 |
| 02.042.2001.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 500mA IP65 |
| 02.042.2002.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 600mA IP65 |
| 02.042.2002.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 600mA IP65 |
| 02.042.2003.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 700mA IP65 |
| 02.042.2003.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 700mA IP65 |
| 02.042.2005.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 900mA IP65 |
| 02.042.2005.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 900mA IP65 |
| 02.042.2006.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 1050mA IP65 |
| 02.042.2006.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 1050mA IP65 |
| 02.042.2007.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 1200mA IP65 |
| 02.042.2007.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 1200mA IP65 |
| 02.042.2008.01.930 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/930, 1400mA IP65 |
| 02.042.2008.01.940 | Mika 600 IP Surface-mounted PLX 605x605x18 LED/940, 1400mA IP65 |
| 02.042.3001.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 500mA IP65/IP66 |
| 02.042.3001.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 500mA IP65/IP66 |
| 02.042.3002.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 600mA IP65/IP66 |
| 02.042.3002.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 600mA IP65/IP66 |
| 02.042.3003.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 700mA IP65/IP66 |
| 02.042.3003.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 700mA IP65/IP66 |
| 02.042.3004.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 800mA IP65/IP66 |
| 02.042.3004.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 800mA IP65/IP66 |

Place and date of issue of the document

Warszawa, 08.02.2022
MIROSLAW-RAKOCZY
V-ce PREZES

| Code | Name |
|--------------------|---|
| 02.042.3005.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 900mA IP65/IP66 |
| 02.042.3005.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 900mA IP65/IP66 |
| 02.042.3006.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1050mA IP65/IP66 |
| 02.042.3006.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1050mA IP65/IP66 |
| 02.042.3007.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1200mA IP65/IP66 |
| 02.042.3007.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1200mA IP65/IP66 |
| 02.042.3008.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1400mA IP65/IP66 |
| 02.042.3008.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1400mA IP65/IP66 |
| 02.042.3251.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 500mA IP65/IP20 |
| 02.042.3251.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 500mA IP65/IP20 |
| 02.042.3252.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 600mA IP65/IP20 |
| 02.042.3252.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 600mA IP65/IP20 |
| 02.042.3253.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 700mA IP65/IP20 |
| 02.042.3253.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 700mA IP65/IP20 |
| 02.042.3254.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 800mA IP65/IP20 |
| 02.042.3254.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 800mA IP65/IP20 |
| 02.042.3255.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 900mA IP65/IP20 |
| 02.042.3255.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 900mA IP65/IP20 |
| 02.042.3256.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1050mA IP65/IP20 |
| 02.042.3256.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1050mA IP65/IP20 |
| 02.042.3257.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1200mA IP65/IP20 |
| 02.042.3257.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1200mA IP65/IP20 |
| 02.042.3258.01.930 | Mika 600 IP Recessed PLX 595x595x18 LED/930, 1400mA IP65/IP20 |
| 02.042.3258.01.940 | Mika 600 IP Recessed PLX 595x595x18 LED/940, 1400mA IP65/IP20 |

Place and date of issue of the document

Warszawa, 08.02.2022



MIROSLAW RAKOCZY
V-ce PREZES