

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **MIKA Ø580**

Product number: **in the attachment nr 02/042 Ø580**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2020

Place and date of issue of the document

Warszawa, 08.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.042.4001.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4001.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4002.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4002.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4003.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4003.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4004.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4004.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4005.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4005.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4006.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4006.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4007.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4007.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4008.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4008.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4009.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4009.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4010.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4010.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4011.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4011.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4012.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4012.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4013.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4013.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4014.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4014.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4015.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4015.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4016.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4016.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4017.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4017.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4018.01.930	Mika Suspended PLX Ø580x1200 930 RAL9016
02.042.4018.01.940	Mika Suspended Micro-p Ø580x1200 940 RAL9016
02.042.4019.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4019.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4020.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4020.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4021.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4021.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016

Place and date of issue of the document

Warszawa, 08.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.042.4022.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4022.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4023.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4023.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4024.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4024.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4025.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4025.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4026.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4026.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4027.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4027.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4028.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4028.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4029.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4029.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4030.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4030.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4031.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4031.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4032.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4032.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4033.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4033.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4034.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4034.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4035.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4035.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016
02.042.4036.01.930	Mika Suspended Micro-p Ø580x1200 930 RAL9016
02.042.4036.01.940	Mika Suspended PLX Ø580x1200 940 RAL9016

Place and date of issue of the document

Warszawa, 08.02.2022



MIROSLAW RAKOCZY
V-ce PREZES