

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **LADY TUBE**

Product number: **in the attachment nr 04/062**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2019

Place and date of issue of the document

Warszawa, 20.01.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
04.062.2001.01.930.1A0	Lady Tube Surface-mounted LED/930 16° 1050mA RAL9016
04.062.2001.01.930.1A0.DALI	Lady Tube Surface-mounted LED/930 16° DALI 1050mA RAL9016
04.062.2001.01.930.250	Lady Tube Surface-mounted LED/930 16° 250mA RAL9016
04.062.2001.01.930.250.DALI	Lady Tube Surface-mounted LED/930 16° DALI 250mA RAL9016
04.062.2001.01.930.350	Lady Tube Surface-mounted LED/930 16° 350mA RAL9016
04.062.2001.01.930.350.DALI	Lady Tube Surface-mounted LED/930 16° DALI 350mA RAL9016
04.062.2001.01.930.450	Lady Tube Surface-mounted LED/930 16° 450mA RAL9016
04.062.2001.01.930.450.DALI	Lady Tube Surface-mounted LED/930 16° DALI 450mA RAL9016
04.062.2001.01.930.500	Lady Tube Surface-mounted LED/930 16° 500mA RAL9016
04.062.2001.01.930.500.DALI	Lady Tube Surface-mounted LED/930 16° DALI 500mA RAL9016
04.062.2001.01.930.600	Lady Tube Surface-mounted LED/930 16° 600mA RAL9016
04.062.2001.01.930.600.DALI	Lady Tube Surface-mounted LED/930 16° DALI 600mA RAL9016
04.062.2001.01.930.650	Lady Tube Surface-mounted LED/930 16° 650mA RAL9016
04.062.2001.01.930.650.DALI	Lady Tube Surface-mounted LED/930 16° DALI 650mA RAL9016
04.062.2001.01.930.700	Lady Tube Surface-mounted LED/930 16° 700mA RAL9016
04.062.2001.01.930.700.DALI	Lady Tube Surface-mounted LED/930 16° DALI 700mA RAL9016
04.062.2001.01.930.800	Lady Tube Surface-mounted LED/930 16° 800mA RAL9016
04.062.2001.01.930.800.DALI	Lady Tube Surface-mounted LED/930 16° DALI 800mA RAL9016
04.062.2001.01.930.900	Lady Tube Surface-mounted LED/930 16° 900mA RAL9016
04.062.2001.01.930.900.DALI	Lady Tube Surface-mounted LED/930 16° DALI 900mA RAL9016
04.062.2001.01.930.950	Lady Tube Surface-mounted LED/930 16° 950mA RAL9016
04.062.2001.01.930.950.DALI	Lady Tube Surface-mounted LED/930 16° DALI 950mA RAL9016
04.062.2001.01.930.PWW.1050	LADY TUBE SPOT LED/930.PWW 1050mA, White RAL9016
04.062.2001.01.930.PWW.250	LADY TUBE SPOT LED/930.PWW 250mA, White RAL9016
04.062.2001.01.940.1A0	Lady Tube Surface-mounted LED/940 16° 1050mA RAL9016
04.062.2001.01.940.1A0.DALI	Lady Tube Surface-mounted LED/940 16° DALI 1050mA RAL9016
04.062.2001.01.940.250	Lady Tube Surface-mounted LED/940 16° 250mA RAL9016
04.062.2001.01.940.250.DALI	Lady Tube Surface-mounted LED/940 16° DALI 250mA RAL9016
04.062.2001.01.940.350	Lady Tube Surface-mounted LED/940 16° 350mA RAL9016
04.062.2001.01.940.350.DALI	Lady Tube Surface-mounted LED/940 16° DALI 350mA RAL9016
04.062.2001.01.940.450	Lady Tube Surface-mounted LED/940 16° 450mA RAL9016
04.062.2001.01.940.450.DALI	Lady Tube Surface-mounted LED/940 16° DALI 450mA RAL9016
04.062.2001.01.940.500	Lady Tube Surface-mounted LED/940 16° 500mA RAL9016
04.062.2001.01.940.500.DALI	Lady Tube Surface-mounted LED/940 16° DALI 500mA RAL9016
04.062.2001.01.940.600	Lady Tube Surface-mounted LED/940 16° 600mA RAL9016
04.062.2001.01.940.600.DALI	Lady Tube Surface-mounted LED/940 16° DALI 600mA RAL9016
04.062.2001.01.940.650	Lady Tube Surface-mounted LED/940 16° 650mA RAL9016
04.062.2001.01.940.650.DALI	Lady Tube Surface-mounted LED/940 16° DALI 650mA RAL9016
04.062.2001.01.940.700	Lady Tube Surface-mounted LED/940 16° 700mA RAL9016
04.062.2001.01.940.700.DALI	Lady Tube Surface-mounted LED/940 16° DALI 700mA RAL9016
04.062.2001.01.940.800	Lady Tube Surface-mounted LED/940 16° 800mA RAL9016
04.062.2001.01.940.800.DALI	Lady Tube Surface-mounted LED/940 16° DALI 800mA RAL9016

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
04.062.2001.01.940.900	Lady Tube Surface-mounted LED/940 16° 900mA RAL9016
04.062.2001.01.940.900.DALI	Lady Tube Surface-mounted LED/940 16° DALI 900mA RAL9016
04.062.2001.01.940.950	Lady Tube Surface-mounted LED/940 16° 950mA RAL9016
04.062.2001.01.940.950.DALI	Lady Tube Surface-mounted LED/940 16° DALI 950mA RAL9016
04.062.2001.01.940.PWW.1050	LADY TUBE SPOT LED/940.PWW 1050mA, White RAL9016
04.062.2001.01.940.PWW.250	LADY TUBE SPOT LED/940.PWW 250mA, White RAL9016
04.062.2001.02.930.1A0	Lady Tube Surface-mounted LED/930 16° 1050mA RAL9006
04.062.2001.02.930.1A0.DALI	Lady Tube Surface-mounted LED/930 16° DALI 1050mA RAL9006
04.062.2001.02.930.250	Lady Tube Surface-mounted LED/930 16° 250mA RAL9006
04.062.2001.02.930.250.DALI	Lady Tube Surface-mounted LED/930 16° DALI 250mA RAL9006
04.062.2001.02.930.350	Lady Tube Surface-mounted LED/930 16° 350mA RAL9006
04.062.2001.02.930.350.DALI	Lady Tube Surface-mounted LED/930 16° DALI 350mA RAL9006
04.062.2001.02.930.450	Lady Tube Surface-mounted LED/930 16° 450mA RAL9006
04.062.2001.02.930.450.DALI	Lady Tube Surface-mounted LED/930 16° DALI 450mA RAL9006
04.062.2001.02.930.500	Lady Tube Surface-mounted LED/930 16° 500mA RAL9006
04.062.2001.02.930.500.DALI	Lady Tube Surface-mounted LED/930 16° DALI 500mA RAL9006
04.062.2001.02.930.600	Lady Tube Surface-mounted LED/930 16° 600mA RAL9006
04.062.2001.02.930.600.DALI	Lady Tube Surface-mounted LED/930 16° DALI 600mA RAL9006
04.062.2001.02.930.650	Lady Tube Surface-mounted LED/930 16° 650mA RAL9006
04.062.2001.02.930.650.DALI	Lady Tube Surface-mounted LED/930 16° DALI 650mA RAL9006
04.062.2001.02.930.700	Lady Tube Surface-mounted LED/930 16° 700mA RAL9006
04.062.2001.02.930.700.DALI	Lady Tube Surface-mounted LED/930 16° DALI 700mA RAL9006
04.062.2001.02.930.800	Lady Tube Surface-mounted LED/930 16° 800mA RAL9006
04.062.2001.02.930.800.DALI	Lady Tube Surface-mounted LED/930 16° DALI 800mA RAL9006
04.062.2001.02.930.900	Lady Tube Surface-mounted LED/930 16° 900mA RAL9006
04.062.2001.02.930.900.DALI	Lady Tube Surface-mounted LED/930 16° DALI 900mA RAL9006
04.062.2001.02.930.950	Lady Tube Surface-mounted LED/930 16° 950mA RAL9006
04.062.2001.02.930.950.DALI	Lady Tube Surface-mounted LED/930 16° DALI 950mA RAL9006
04.062.2001.02.940.1A0	Lady Tube Surface-mounted LED/940 16° 1050mA RAL9006
04.062.2001.02.940.1A0.DALI	Lady Tube Surface-mounted LED/940 16° DALI 1050mA RAL9006
04.062.2001.02.940.250	Lady Tube Surface-mounted LED/940 16° 250mA RAL9006
04.062.2001.02.940.250.DALI	Lady Tube Surface-mounted LED/940 16° DALI 250mA RAL9006
04.062.2001.02.940.350	Lady Tube Surface-mounted LED/940 16° 350mA RAL9006
04.062.2001.02.940.350.DALI	Lady Tube Surface-mounted LED/940 16° DALI 350mA RAL9006
04.062.2001.02.940.450	Lady Tube Surface-mounted LED/940 16° 450mA RAL9006
04.062.2001.02.940.450.DALI	Lady Tube Surface-mounted LED/940 16° DALI 450mA RAL9006
04.062.2001.02.940.500	Lady Tube Surface-mounted LED/940 16° 500mA RAL9006
04.062.2001.02.940.500.DALI	Lady Tube Surface-mounted LED/940 16° DALI 500mA RAL9006
04.062.2001.02.940.600	Lady Tube Surface-mounted LED/940 16° 600mA RAL9006
04.062.2001.02.940.600.DALI	Lady Tube Surface-mounted LED/940 16° DALI 600mA RAL9006
04.062.2001.02.940.650	Lady Tube Surface-mounted LED/940 16° 650mA RAL9006
04.062.2001.02.940.650.DALI	Lady Tube Surface-mounted LED/940 16° DALI 650mA RAL9006
04.062.2001.02.940.700	Lady Tube Surface-mounted LED/940 16° 700mA RAL9006
04.062.2001.02.940.700.DALI	Lady Tube Surface-mounted LED/940 16° DALI 700mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
04.062.2001.02.940.800	Lady Tube Surface-mounted LED/940 16° 800mA RAL9006
04.062.2001.02.940.800.DALI	Lady Tube Surface-mounted LED/940 16° DALI 800mA RAL9006
04.062.2001.02.940.900	Lady Tube Surface-mounted LED/940 16° 900mA RAL9006
04.062.2001.02.940.900.DALI	Lady Tube Surface-mounted LED/940 16° DALI 900mA RAL9006
04.062.2001.02.940.950	Lady Tube Surface-mounted LED/940 16° 950mA RAL9006
04.062.2001.02.940.950.DALI	Lady Tube Surface-mounted LED/940 16° DALI 950mA RAL9006
04.062.2001.03.930.1A0	Lady Tube Surface-mounted LED/930 16° 1050mA RAL9005
04.062.2001.03.930.1A0.DALI	Lady Tube Surface-mounted LED/930 16° DALI 1050mA RAL9005
04.062.2001.03.930.250	Lady Tube Surface-mounted LED/930 16° 250mA RAL9005
04.062.2001.03.930.250.DALI	Lady Tube Surface-mounted LED/930 16° DALI 250mA RAL9005
04.062.2001.03.930.350	Lady Tube Surface-mounted LED/930 16° 350mA RAL9005
04.062.2001.03.930.350.DALI	Lady Tube Surface-mounted LED/930 16° DALI 350mA RAL9005
04.062.2001.03.930.450	Lady Tube Surface-mounted LED/930 16° 450mA RAL9005
04.062.2001.03.930.450.DALI	Lady Tube Surface-mounted LED/930 16° DALI 450mA RAL9005
04.062.2001.03.930.500	Lady Tube Surface-mounted LED/930 16° 500mA RAL9005
04.062.2001.03.930.500.DALI	Lady Tube Surface-mounted LED/930 16° DALI 500mA RAL9005
04.062.2001.03.930.600	Lady Tube Surface-mounted LED/930 16° 600mA RAL9005
04.062.2001.03.930.600.DALI	Lady Tube Surface-mounted LED/930 16° DALI 600mA RAL9005
04.062.2001.03.930.650	Lady Tube Surface-mounted LED/930 16° 650mA RAL9005
04.062.2001.03.930.650.DALI	Lady Tube Surface-mounted LED/930 16° DALI 650mA RAL9005
04.062.2001.03.930.700	Lady Tube Surface-mounted LED/930 16° 700mA RAL9005
04.062.2001.03.930.700.DALI	Lady Tube Surface-mounted LED/930 16° DALI 700mA RAL9005
04.062.2001.03.930.800	Lady Tube Surface-mounted LED/930 16° 800mA RAL9005
04.062.2001.03.930.800.DALI	Lady Tube Surface-mounted LED/930 16° DALI 800mA RAL9005
04.062.2001.03.930.900	Lady Tube Surface-mounted LED/930 16° 900mA RAL9005
04.062.2001.03.930.900.DALI	Lady Tube Surface-mounted LED/930 16° DALI 900mA RAL9005
04.062.2001.03.930.950	Lady Tube Surface-mounted LED/930 16° 950mA RAL9005
04.062.2001.03.930.950.DALI	Lady Tube Surface-mounted LED/930 16° DALI 950mA RAL9005
04.062.2001.03.940.1A0	Lady Tube Surface-mounted LED/940 16° 1050mA RAL9005
04.062.2001.03.940.1A0.DALI	Lady Tube Surface-mounted LED/940 16° DALI 1050mA RAL9005
04.062.2001.03.940.250	Lady Tube Surface-mounted LED/940 16° 250mA RAL9005
04.062.2001.03.940.250.DALI	Lady Tube Surface-mounted LED/940 16° DALI 250mA RAL9005
04.062.2001.03.940.350	Lady Tube Surface-mounted LED/940 16° 350mA RAL9005
04.062.2001.03.940.350.DALI	Lady Tube Surface-mounted LED/940 16° DALI 350mA RAL9005
04.062.2001.03.940.450	Lady Tube Surface-mounted LED/940 16° 450mA RAL9005
04.062.2001.03.940.450.DALI	Lady Tube Surface-mounted LED/940 16° DALI 450mA RAL9005
04.062.2001.03.940.500	Lady Tube Surface-mounted LED/940 16° 500mA RAL9005
04.062.2001.03.940.500.DALI	Lady Tube Surface-mounted LED/940 16° DALI 500mA RAL9005
04.062.2001.03.940.600	Lady Tube Surface-mounted LED/940 16° 600mA RAL9005
04.062.2001.03.940.600.DALI	Lady Tube Surface-mounted LED/940 16° DALI 600mA RAL9005
04.062.2001.03.940.650	Lady Tube Surface-mounted LED/940 16° 650mA RAL9005
04.062.2001.03.940.650.DALI	Lady Tube Surface-mounted LED/940 16° DALI 650mA RAL9005
04.062.2001.03.940.700	Lady Tube Surface-mounted LED/940 16° 700mA RAL9005
04.062.2001.03.940.700.DALI	Lady Tube Surface-mounted LED/940 16° DALI 700mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
04.062.2001.03.940.800	Lady Tube Surface-mounted LED/940 16° 800mA RAL9005
04.062.2001.03.940.800.DALI	Lady Tube Surface-mounted LED/940 16° DALI 800mA RAL9005
04.062.2001.03.940.900	Lady Tube Surface-mounted LED/940 16° 900mA RAL9005
04.062.2001.03.940.900.DALI	Lady Tube Surface-mounted LED/940 16° DALI 900mA RAL9005
04.062.2001.03.940.950	Lady Tube Surface-mounted LED/940 16° 950mA RAL9005
04.062.2001.03.940.950.DALI	Lady Tube Surface-mounted LED/940 16° DALI 950mA RAL9005
04.062.2011.01.930.1A0	Lady Tube Surface-mounted LED/930 24° 1050mA RAL9016
04.062.2011.01.930.1A0.DALI	Lady Tube Surface-mounted LED/930 24° DALI 1050mA RAL9016
04.062.2011.01.930.250	Lady Tube Surface-mounted LED/930 24° 250mA RAL9016
04.062.2011.01.930.250.DALI	Lady Tube Surface-mounted LED/930 24° DALI 250mA RAL9016
04.062.2011.01.930.350	Lady Tube Surface-mounted LED/930 24° 350mA RAL9016
04.062.2011.01.930.350.DALI	Lady Tube Surface-mounted LED/930 24° DALI 350mA RAL9016
04.062.2011.01.930.450	Lady Tube Surface-mounted LED/930 24° 450mA RAL9016
04.062.2011.01.930.450.DALI	Lady Tube Surface-mounted LED/930 24° DALI 450mA RAL9016
04.062.2011.01.930.500	Lady Tube Surface-mounted LED/930 24° 500mA RAL9016
04.062.2011.01.930.500.DALI	Lady Tube Surface-mounted LED/930 24° DALI 500mA RAL9016
04.062.2011.01.930.600	Lady Tube Surface-mounted LED/930 24° 600mA RAL9016
04.062.2011.01.930.600.DALI	Lady Tube Surface-mounted LED/930 24° DALI 600mA RAL9016
04.062.2011.01.930.650	Lady Tube Surface-mounted LED/930 24° 650mA RAL9016
04.062.2011.01.930.650.DALI	Lady Tube Surface-mounted LED/930 24° DALI 650mA RAL9016
04.062.2011.01.930.700	Lady Tube Surface-mounted LED/930 24° 700mA RAL9016
04.062.2011.01.930.700.DALI	Lady Tube Surface-mounted LED/930 24° DALI 700mA RAL9016
04.062.2011.01.930.800	Lady Tube Surface-mounted LED/930 24° 800mA RAL9016
04.062.2011.01.930.800.DALI	Lady Tube Surface-mounted LED/930 24° DALI 800mA RAL9016
04.062.2011.01.930.900	Lady Tube Surface-mounted LED/930 24° 900mA RAL9016
04.062.2011.01.930.900.DALI	Lady Tube Surface-mounted LED/930 24° DALI 900mA RAL9016
04.062.2011.01.930.950	Lady Tube Surface-mounted LED/930 24° 950mA RAL9016
04.062.2011.01.930.950.DALI	Lady Tube Surface-mounted LED/930 24° DALI 950mA RAL9016
04.062.2011.01.930.PWW.1050	LADY TUBE MEDIUM LED/930.PWW 1050mA White RAL9016
04.062.2011.01.930.PWW.250	LADY TUBE MEDIUM LED/930.PWW 250mA White RAL9016
04.062.2011.01.940.1A0	Lady Tube Surface-mounted LED/940 24° 1050mA RAL9016
04.062.2011.01.940.1A0.DALI	Lady Tube Surface-mounted LED/940 24° DALI 1050mA RAL9016
04.062.2011.01.940.250	Lady Tube Surface-mounted LED/940 24° 250mA RAL9016
04.062.2011.01.940.250.DALI	Lady Tube Surface-mounted LED/940 24° DALI 250mA RAL9016
04.062.2011.01.940.350	Lady Tube Surface-mounted LED/940 24° 350mA RAL9016
04.062.2011.01.940.350.DALI	Lady Tube Surface-mounted LED/940 24° DALI 350mA RAL9016
04.062.2011.01.940.450	Lady Tube Surface-mounted LED/940 24° 450mA RAL9016
04.062.2011.01.940.450.DALI	Lady Tube Surface-mounted LED/940 24° DALI 450mA RAL9016
04.062.2011.01.940.500	Lady Tube Surface-mounted LED/940 24° 500mA RAL9016
04.062.2011.01.940.500.DALI	Lady Tube Surface-mounted LED/940 24° DALI 500mA RAL9016
04.062.2011.01.940.600	Lady Tube Surface-mounted LED/940 24° 600mA RAL9016
04.062.2011.01.940.600.DALI	Lady Tube Surface-mounted LED/940 24° DALI 600mA RAL9016
04.062.2011.01.940.650	Lady Tube Surface-mounted LED/940 24° 650mA RAL9016
04.062.2011.01.940.650.DALI	Lady Tube Surface-mounted LED/940 24° DALI 650mA RAL9016

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
04.062.2011.01.940.700	Lady Tube Surface-mounted LED/940 24° 700mA RAL9016
04.062.2011.01.940.700.DALI	Lady Tube Surface-mounted LED/940 24° DALI 700mA RAL9016
04.062.2011.01.940.800	Lady Tube Surface-mounted LED/940 24° 800mA RAL9016
04.062.2011.01.940.800.DALI	Lady Tube Surface-mounted LED/940 24° DALI 800mA RAL9016
04.062.2011.01.940.900	Lady Tube Surface-mounted LED/940 24° 900mA RAL9016
04.062.2011.01.940.900.DALI	Lady Tube Surface-mounted LED/940 24° DALI 900mA RAL9016
04.062.2011.01.940.950	Lady Tube Surface-mounted LED/940 24° 950mA RAL9016
04.062.2011.01.940.950.DALI	Lady Tube Surface-mounted LED/940 24° DALI 950mA RAL9016
04.062.2011.01.940.PWW.1050	LADY TUBE MEDIUM LED/940.PWW 1050mA White RAL9016
04.062.2011.01.940.PWW.250	LADY TUBE MEDIUM LED/940.PWW 250mA White RAL9016
04.062.2011.02.930.1A0	Lady Tube Surface-mounted LED/930 24° 1050mA RAL9006
04.062.2011.02.930.1A0.DALI	Lady Tube Surface-mounted LED/930 24° DALI 1050mA RAL9006
04.062.2011.02.930.250	Lady Tube Surface-mounted LED/930 24° 250mA RAL9006
04.062.2011.02.930.250.DALI	Lady Tube Surface-mounted LED/930 24° DALI 250mA RAL9006
04.062.2011.02.930.350	Lady Tube Surface-mounted LED/930 24° 350mA RAL9006
04.062.2011.02.930.350.DALI	Lady Tube Surface-mounted LED/930 24° DALI 350mA RAL9006
04.062.2011.02.930.450	Lady Tube Surface-mounted LED/930 24° 450mA RAL9006
04.062.2011.02.930.450.DALI	Lady Tube Surface-mounted LED/930 24° DALI 450mA RAL9006
04.062.2011.02.930.500	Lady Tube Surface-mounted LED/930 24° 500mA RAL9006
04.062.2011.02.930.500.DALI	Lady Tube Surface-mounted LED/930 24° DALI 500mA RAL9006
04.062.2011.02.930.600	Lady Tube Surface-mounted LED/930 24° 600mA RAL9006
04.062.2011.02.930.600.DALI	Lady Tube Surface-mounted LED/930 24° DALI 600mA RAL9006
04.062.2011.02.930.650	Lady Tube Surface-mounted LED/930 24° 650mA RAL9006
04.062.2011.02.930.650.DALI	Lady Tube Surface-mounted LED/930 24° DALI 650mA RAL9006
04.062.2011.02.930.700	Lady Tube Surface-mounted LED/930 24° 700mA RAL9006
04.062.2011.02.930.700.DALI	Lady Tube Surface-mounted LED/930 24° DALI 700mA RAL9006
04.062.2011.02.930.800	Lady Tube Surface-mounted LED/930 24° 800mA RAL9006
04.062.2011.02.930.800.DALI	Lady Tube Surface-mounted LED/930 24° DALI 800mA RAL9006
04.062.2011.02.930.900	Lady Tube Surface-mounted LED/930 24° 900mA RAL9006
04.062.2011.02.930.900.DALI	Lady Tube Surface-mounted LED/930 24° DALI 900mA RAL9006
04.062.2011.02.930.950	Lady Tube Surface-mounted LED/930 24° 950mA RAL9006
04.062.2011.02.930.950.DALI	Lady Tube Surface-mounted LED/930 24° DALI 950mA RAL9006
04.062.2011.02.940.1A0	Lady Tube Surface-mounted LED/940 24° 1050mA RAL9006
04.062.2011.02.940.1A0.DALI	Lady Tube Surface-mounted LED/940 24° DALI 1050mA RAL9006
04.062.2011.02.940.250	Lady Tube Surface-mounted LED/940 24° 250mA RAL9006
04.062.2011.02.940.250.DALI	Lady Tube Surface-mounted LED/940 24° DALI 250mA RAL9006
04.062.2011.02.940.350	Lady Tube Surface-mounted LED/940 24° 350mA RAL9006
04.062.2011.02.940.350.DALI	Lady Tube Surface-mounted LED/940 24° DALI 350mA RAL9006
04.062.2011.02.940.450	Lady Tube Surface-mounted LED/940 24° 450mA RAL9006
04.062.2011.02.940.450.DALI	Lady Tube Surface-mounted LED/940 24° DALI 450mA RAL9006
04.062.2011.02.940.500	Lady Tube Surface-mounted LED/940 24° 500mA RAL9006
04.062.2011.02.940.500.DALI	Lady Tube Surface-mounted LED/940 24° DALI 500mA RAL9006
04.062.2011.02.940.600	Lady Tube Surface-mounted LED/940 24° 600mA RAL9006
04.062.2011.02.940.600.DALI	Lady Tube Surface-mounted LED/940 24° DALI 600mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
04.062.2011.02.940.650	Lady Tube Surface-mounted LED/940 24° 650mA RAL9006
04.062.2011.02.940.650.DALI	Lady Tube Surface-mounted LED/940 24° DALI 650mA RAL9006
04.062.2011.02.940.700	Lady Tube Surface-mounted LED/940 24° 700mA RAL9006
04.062.2011.02.940.700.DALI	Lady Tube Surface-mounted LED/940 24° DALI 700mA RAL9006
04.062.2011.02.940.800	Lady Tube Surface-mounted LED/940 24° 800mA RAL9006
04.062.2011.02.940.800.DALI	Lady Tube Surface-mounted LED/940 24° DALI 800mA RAL9006
04.062.2011.02.940.900	Lady Tube Surface-mounted LED/940 24° 900mA RAL9006
04.062.2011.02.940.900.DALI	Lady Tube Surface-mounted LED/940 24° DALI 900mA RAL9006
04.062.2011.02.940.950	Lady Tube Surface-mounted LED/940 24° 950mA RAL9006
04.062.2011.02.940.950.DALI	Lady Tube Surface-mounted LED/940 24° DALI 950mA RAL9006
04.062.2011.03.930.1A0	Lady Tube Surface-mounted LED/930 24° 1050mA Black RAL9005
04.062.2011.03.930.1A0.DALI	Lady Tube Surface-mounted LED/930 24° DALI 1050mA Black RAL9005
04.062.2011.03.930.250	Lady Tube Surface-mounted LED/930 24° 250mA Black RAL9005
04.062.2011.03.930.250.DALI	Lady Tube Surface-mounted LED/930 24° DALI 250mA Black RAL9005
04.062.2011.03.930.350	Lady Tube Surface-mounted LED/930 24° 350mA Black RAL9005
04.062.2011.03.930.350.DALI	Lady Tube Surface-mounted LED/930 24° DALI 350mA Black RAL9005
04.062.2011.03.930.450	Lady Tube Surface-mounted LED/930 24° 450mA Black RAL9005
04.062.2011.03.930.450.DALI	Lady Tube Surface-mounted LED/930 24° DALI 450mA Black RAL9005
04.062.2011.03.930.500	Lady Tube Surface-mounted LED/930 24° 500mA Black RAL9005
04.062.2011.03.930.500.DALI	Lady Tube Surface-mounted LED/930 24° DALI 500mA Black RAL9005
04.062.2011.03.930.600	Lady Tube Surface-mounted LED/930 24° 600mA Black RAL9005
04.062.2011.03.930.600.DALI	Lady Tube Surface-mounted LED/930 24° DALI 600mA Black RAL9005
04.062.2011.03.930.650	Lady Tube Surface-mounted LED/930 24° 650mA Black RAL9005
04.062.2011.03.930.650.DALI	Lady Tube Surface-mounted LED/930 24° DALI 650mA Black RAL9005
04.062.2011.03.930.700	Lady Tube Surface-mounted LED/930 24° 700mA Black RAL9005
04.062.2011.03.930.700.DALI	Lady Tube Surface-mounted LED/930 24° DALI 700mA Black RAL9005
04.062.2011.03.930.800	Lady Tube Surface-mounted LED/930 24° 800mA Black RAL9005
04.062.2011.03.930.800.DALI	Lady Tube Surface-mounted LED/930 24° DALI 800mA Black RAL9005
04.062.2011.03.930.900	Lady Tube Surface-mounted LED/930 24° 900mA Black RAL9005
04.062.2011.03.930.900.DALI	Lady Tube Surface-mounted LED/930 24° DALI 900mA Black RAL9005
04.062.2011.03.930.950	Lady Tube Surface-mounted LED/930 24° 950mA Black RAL9005
04.062.2011.03.930.950.DALI	Lady Tube Surface-mounted LED/930 24° DALI 950mA Black RAL9005
04.062.2011.03.940.1A0	Lady Tube Surface-mounted LED/940 24° 1050mA Black RAL9005
04.062.2011.03.940.1A0.DALI	Lady Tube Surface-mounted LED/940 24° DALI 1050mA Black RAL9005
04.062.2011.03.940.250	Lady Tube Surface-mounted LED/940 24° 250mA Black RAL9005
04.062.2011.03.940.250.DALI	Lady Tube Surface-mounted LED/940 24° DALI 250mA Black RAL9005
04.062.2011.03.940.350	Lady Tube Surface-mounted LED/940 24° 350mA Black RAL9005
04.062.2011.03.940.350.DALI	Lady Tube Surface-mounted LED/940 24° DALI 350mA Black RAL9005
04.062.2011.03.940.450	Lady Tube Surface-mounted LED/940 24° 450mA Black RAL9005
04.062.2011.03.940.450.DALI	Lady Tube Surface-mounted LED/940 24° DALI 450mA Black RAL9005
04.062.2011.03.940.500	Lady Tube Surface-mounted LED/940 24° 500mA Black RAL9005
04.062.2011.03.940.500.DALI	Lady Tube Surface-mounted LED/940 24° DALI 500mA Black RAL9005
04.062.2011.03.940.600	Lady Tube Surface-mounted LED/940 24° 600mA Black RAL9005
04.062.2011.03.940.600.DALI	Lady Tube Surface-mounted LED/940 24° DALI 600mA Black RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
04.062.2011.03.940.650	Lady Tube Surface-mounted LED/940 24° 650mA Black RAL9005
04.062.2011.03.940.650.DALI	Lady Tube Surface-mounted LED/940 24° DALI 650mA Black RAL9005
04.062.2011.03.940.700	Lady Tube Surface-mounted LED/940 24° 700mA Black RAL9005
04.062.2011.03.940.700.DALI	Lady Tube Surface-mounted LED/940 24° DALI 700mA Black RAL9005
04.062.2011.03.940.800	Lady Tube Surface-mounted LED/940 24° 800mA Black RAL9005
04.062.2011.03.940.800.DALI	Lady Tube Surface-mounted LED/940 24° DALI 800mA Black RAL9005
04.062.2011.03.940.900	Lady Tube Surface-mounted LED/940 24° 900mA Black RAL9005
04.062.2011.03.940.900.DALI	Lady Tube Surface-mounted LED/940 24° DALI 900mA Black RAL9005
04.062.2011.03.940.950	Lady Tube Surface-mounted LED/940 24° 950mA Black RAL9005
04.062.2011.03.940.950.DALI	Lady Tube Surface-mounted LED/940 24° DALI 950mA Black RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES