

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **CONTI 150**

Product number: **in the attachment nr 041/150**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 60598-2-2:2012	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.040.1240.01.930.1000	Conti 150 Recessed LED/930 49° 1000mA RAL9016
02.040.1240.01.930.1000.DALI	Conti 150 Recessed LED/930 49° DALI 1000mA RAL9016
02.040.1240.01.930.1050	Conti 150 Recessed LED/930 49° 1050mA RAL9016
02.040.1240.01.930.1050.DALI	Conti 150 Recessed LED/930 49° DALI 1050mA RAL9016
02.040.1240.01.930.250	Conti 150 Recessed LED/930 49° 250mA RAL9016
02.040.1240.01.930.250.DALI	Conti 150 Recessed LED/930 49° DALI 250mA RAL9016
02.040.1240.01.930.300	Conti 150 Recessed LED/930 49° 300mA RAL9016
02.040.1240.01.930.300.DALI	Conti 150 Recessed LED/930 49° DALI 300mA RAL9016
02.040.1240.01.930.350	Conti 150 Recessed LED/930 49° 350mA RAL9016
02.040.1240.01.930.350.DALI	Conti 150 Recessed LED/930 49° DALI 350mA RAL9016
02.040.1240.01.930.400	Conti 150 Recessed LED/930 49° 400mA RAL9016
02.040.1240.01.930.400.DALI	Conti 150 Recessed LED/930 49° DALI 400mA RAL9016
02.040.1240.01.930.450	Conti 150 Recessed LED/930 49° 450mA RAL9016
02.040.1240.01.930.450.DALI	Conti 150 Recessed LED/930 49° DALI 450mA RAL9016
02.040.1240.01.930.500	Conti 150 Recessed LED/930 49° 500mA RAL9016
02.040.1240.01.930.500.DALI	Conti 150 Recessed LED/930 49° DALI 500mA RAL9016
02.040.1240.01.930.550	Conti 150 Recessed LED/930 49° 550mA RAL9016
02.040.1240.01.930.550.DALI	Conti 150 Recessed LED/930 49° DALI 550mA RAL9016
02.040.1240.01.930.600	Conti 150 Recessed LED/930 49° 600mA RAL9016
02.040.1240.01.930.600.DALI	Conti 150 Recessed LED/930 49° DALI 600mA RAL9016
02.040.1240.01.930.650	Conti 150 Recessed LED/930 49° 650mA RAL9016
02.040.1240.01.930.650.DALI	Conti 150 Recessed LED/930 49° DALI 650mA RAL9016
02.040.1240.01.930.700	Conti 150 Recessed LED/930 49° 700mA RAL9016
02.040.1240.01.930.700.DALI	Conti 150 Recessed LED/930 49° DALI 700mA RAL9016
02.040.1240.01.930.750	Conti 150 Recessed LED/930 49° 750mA RAL9016
02.040.1240.01.930.750.DALI	Conti 150 Recessed LED/930 49° DALI 750mA RAL9016
02.040.1240.01.930.800	Conti 150 Recessed LED/930 49° 800mA RAL9016
02.040.1240.01.930.800.DALI	Conti 150 Recessed LED/930 49° DALI 800mA RAL9016
02.040.1240.01.930.850	Conti 150 Recessed LED/930 49° 850mA RAL9016
02.040.1240.01.930.850.DALI	Conti 150 Recessed LED/930 49° DALI 850mA RAL9016
02.040.1240.01.930.900	Conti 150 Recessed LED/930 49° 900mA RAL9016
02.040.1240.01.930.900.DALI	Conti 150 Recessed LED/930 49° DALI 900mA RAL9016
02.040.1240.01.930.950	Conti 150 Recessed LED/930 49° 950mA RAL9016
02.040.1240.01.930.950.DALI	Conti 150 Recessed LED/930 49° DALI 950mA RAL9016
02.040.1240.01.940.1000	Conti 150 Recessed LED/940 49° 1000mA RAL9016
02.040.1240.01.940.1000.DALI	Conti 150 Recessed LED/940 49° DALI 1000mA RAL9016
02.040.1240.01.940.1050	Conti 150 Recessed LED/940 49° 1050mA RAL9016
02.040.1240.01.940.1050.DALI	Conti 150 Recessed LED/940 49° DALI 1050mA RAL9016
02.040.1240.01.940.250	Conti 150 Recessed LED/940 49° 250mA RAL9016
02.040.1240.01.940.250.DALI	Conti 150 Recessed LED/940 49° DALI 250mA RAL9016
02.040.1240.01.940.300	Conti 150 Recessed LED/940 49° 300mA RAL9016
02.040.1240.01.940.300.DALI	Conti 150 Recessed LED/940 49° DALI 300mA RAL9016

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.040.1240.01.940.350	Conti 150 Recessed LED/940 49° 350mA RAL9016
02.040.1240.01.940.350.DALI	Conti 150 Recessed LED/940 49° DALI 350mA RAL9016
02.040.1240.01.940.400	Conti 150 Recessed LED/940 49° 400mA RAL9016
02.040.1240.01.940.400.DALI	Conti 150 Recessed LED/940 49° DALI 400mA RAL9016
02.040.1240.01.940.450	Conti 150 Recessed LED/940 49° 450mA RAL9016
02.040.1240.01.940.450.DALI	Conti 150 Recessed LED/940 49° DALI 450mA RAL9016
02.040.1240.01.940.500	Conti 150 Recessed LED/940 49° 500mA RAL9016
02.040.1240.01.940.500.DALI	Conti 150 Recessed LED/940 49° DALI 500mA RAL9016
02.040.1240.01.940.550	Conti 150 Recessed LED/940 49° 550mA RAL9016
02.040.1240.01.940.550.DALI	Conti 150 Recessed LED/940 49° DALI 550mA RAL9016
02.040.1240.01.940.600	Conti 150 Recessed LED/940 49° 600mA RAL9016
02.040.1240.01.940.600.DALI	Conti 150 Recessed LED/940 49° DALI 600mA RAL9016
02.040.1240.01.940.650	Conti 150 Recessed LED/940 49° 650mA RAL9016
02.040.1240.01.940.650.DALI	Conti 150 Recessed LED/940 49° DALI 650mA RAL9016
02.040.1240.01.940.700	Conti 150 Recessed LED/940 49° 700mA RAL9016
02.040.1240.01.940.700.DALI	Conti 150 Recessed LED/940 49° DALI 700mA RAL9016
02.040.1240.01.940.750	Conti 150 Recessed LED/940 49° 750mA RAL9016
02.040.1240.01.940.750.DALI	Conti 150 Recessed LED/940 49° DALI 750mA RAL9016
02.040.1240.01.940.800	Conti 150 Recessed LED/940 49° 800mA RAL9016
02.040.1240.01.940.800.DALI	Conti 150 Recessed LED/940 49° DALI 800mA RAL9016
02.040.1240.01.940.850	Conti 150 Recessed LED/940 49° 850mA RAL9016
02.040.1240.01.940.850.DALI	Conti 150 Recessed LED/940 49° DALI 850mA RAL9016
02.040.1240.01.940.900	Conti 150 Recessed LED/940 49° 900mA RAL9016
02.040.1240.01.940.900.DALI	Conti 150 Recessed LED/940 49° DALI 900mA RAL9016
02.040.1240.01.940.950	Conti 150 Recessed LED/940 49° 950mA RAL9016
02.040.1240.01.940.950.DALI	Conti 150 Recessed LED/940 49° DALI 950mA RAL9016
02.040.1240.02.930.1000	Conti 150 Recessed LED/930 49° 1000mA RAL9006
02.040.1240.02.930.1000.DALI	Conti 150 Recessed LED/930 49° DALI 1000mA RAL9006
02.040.1240.02.930.1050	Conti 150 Recessed LED/930 49° 1050mA RAL9006
02.040.1240.02.930.1050.DALI	Conti 150 Recessed LED/930 49° DALI 1050mA RAL9006
02.040.1240.02.930.250	Conti 150 Recessed LED/930 49° 250mA RAL9006
02.040.1240.02.930.250.DALI	Conti 150 Recessed LED/930 49° DALI 250mA RAL9006
02.040.1240.02.930.300	Conti 150 Recessed LED/930 49° 300mA RAL9006
02.040.1240.02.930.300.DALI	Conti 150 Recessed LED/930 49° DALI 300mA RAL9006
02.040.1240.02.930.350	Conti 150 Recessed LED/930 49° 350mA RAL9006
02.040.1240.02.930.350.DALI	Conti 150 Recessed LED/930 49° DALI 350mA RAL9006
02.040.1240.02.930.400	Conti 150 Recessed LED/930 49° 400mA RAL9006
02.040.1240.02.930.400.DALI	Conti 150 Recessed LED/930 49° DALI 400mA RAL9006
02.040.1240.02.930.450	Conti 150 Recessed LED/930 49° 450mA RAL9006
02.040.1240.02.930.450.DALI	Conti 150 Recessed LED/930 49° DALI 450mA RAL9006
02.040.1240.02.930.500	Conti 150 Recessed LED/930 49° 500mA RAL9006
02.040.1240.02.930.500.DALI	Conti 150 Recessed LED/930 49° DALI 500mA RAL9006
02.040.1240.02.930.550	Conti 150 Recessed LED/930 49° 550mA RAL9006
02.040.1240.02.930.550.DALI	Conti 150 Recessed LED/930 49° DALI 550mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.040.1240.02.930.600	Conti 150 Recessed LED/930 49° 600mA RAL9006
02.040.1240.02.930.600.DALI	Conti 150 Recessed LED/930 49° DALI 600mA RAL9006
02.040.1240.02.930.650	Conti 150 Recessed LED/930 49° 650mA RAL9006
02.040.1240.02.930.650.DALI	Conti 150 Recessed LED/930 49° DALI 650mA RAL9006
02.040.1240.02.930.700	Conti 150 Recessed LED/930 49° 700mA RAL9006
02.040.1240.02.930.700.DALI	Conti 150 Recessed LED/930 49° DALI 700mA RAL9006
02.040.1240.02.930.750	Conti 150 Recessed LED/930 49° 750mA RAL9006
02.040.1240.02.930.750.DALI	Conti 150 Recessed LED/930 49° DALI 750mA RAL9006
02.040.1240.02.930.800	Conti 150 Recessed LED/930 49° 800mA RAL9006
02.040.1240.02.930.800.DALI	Conti 150 Recessed LED/930 49° DALI 800mA RAL9006
02.040.1240.02.930.850	Conti 150 Recessed LED/930 49° 850mA RAL9006
02.040.1240.02.930.850.DALI	Conti 150 Recessed LED/930 49° DALI 850mA RAL9006
02.040.1240.02.930.900	Conti 150 Recessed LED/930 49° 900mA RAL9006
02.040.1240.02.930.900.DALI	Conti 150 Recessed LED/930 49° DALI 900mA RAL9006
02.040.1240.02.930.950	Conti 150 Recessed LED/930 49° 950mA RAL9006
02.040.1240.02.930.950.DALI	Conti 150 Recessed LED/930 49° DALI 950mA RAL9006
02.040.1240.02.940.1000	Conti 150 Recessed LED/940 49° 1000mA RAL9006
02.040.1240.02.940.1000.DALI	Conti 150 Recessed LED/940 49° DALI 1000mA RAL9006
02.040.1240.02.940.1050	Conti 150 Recessed LED/940 49° 1050mA RAL9006
02.040.1240.02.940.1050.DALI	Conti 150 Recessed LED/940 49° DALI 1050mA RAL9006
02.040.1240.02.940.250	Conti 150 Recessed LED/940 49° 250mA RAL9006
02.040.1240.02.940.250.DALI	Conti 150 Recessed LED/940 49° DALI 250mA RAL9006
02.040.1240.02.940.300	Conti 150 Recessed LED/940 49° 300mA RAL9006
02.040.1240.02.940.300.DALI	Conti 150 Recessed LED/940 49° DALI 300mA RAL9006
02.040.1240.02.940.350	Conti 150 Recessed LED/940 49° 350mA RAL9006
02.040.1240.02.940.350.DALI	Conti 150 Recessed LED/940 49° DALI 350mA RAL9006
02.040.1240.02.940.400	Conti 150 Recessed LED/940 49° 400mA RAL9006
02.040.1240.02.940.400.DALI	Conti 150 Recessed LED/940 49° DALI 400mA RAL9006
02.040.1240.02.940.450	Conti 150 Recessed LED/940 49° 450mA RAL9006
02.040.1240.02.940.450.DALI	Conti 150 Recessed LED/940 49° DALI 450mA RAL9006
02.040.1240.02.940.500	Conti 150 Recessed LED/940 49° 500mA RAL9006
02.040.1240.02.940.500.DALI	Conti 150 Recessed LED/940 49° DALI 500mA RAL9006
02.040.1240.02.940.550	Conti 150 Recessed LED/940 49° 550mA RAL9006
02.040.1240.02.940.550.DALI	Conti 150 Recessed LED/940 49° DALI 550mA RAL9006
02.040.1240.02.940.600	Conti 150 Recessed LED/940 49° 600mA RAL9006
02.040.1240.02.940.600.DALI	Conti 150 Recessed LED/940 49° DALI 600mA RAL9006
02.040.1240.02.940.650	Conti 150 Recessed LED/940 49° 650mA RAL9006
02.040.1240.02.940.650.DALI	Conti 150 Recessed LED/940 49° DALI 650mA RAL9006
02.040.1240.02.940.700	Conti 150 Recessed LED/940 49° 700mA RAL9006
02.040.1240.02.940.700.DALI	Conti 150 Recessed LED/940 49° DALI 700mA RAL9006
02.040.1240.02.940.750	Conti 150 Recessed LED/940 49° 750mA RAL9006
02.040.1240.02.940.750.DALI	Conti 150 Recessed LED/940 49° DALI 750mA RAL9006
02.040.1240.02.940.800	Conti 150 Recessed LED/940 49° 800mA RAL9006
02.040.1240.02.940.800.DALI	Conti 150 Recessed LED/940 49° DALI 800mA RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.040.1240.02.940.850	Conti 150 Recessed LED/940 49° 850mA RAL9006
02.040.1240.02.940.850.DALI	Conti 150 Recessed LED/940 49° DALI 850mA RAL9006
02.040.1240.02.940.900	Conti 150 Recessed LED/940 49° 900mA RAL9006
02.040.1240.02.940.900.DALI	Conti 150 Recessed LED/940 49° DALI 900mA RAL9006
02.040.1240.02.940.950	Conti 150 Recessed LED/940 49° 950mA RAL9006
02.040.1240.02.940.950.DALI	Conti 150 Recessed LED/940 49° DALI 950mA RAL9006
02.040.1240.03.930.1000	Conti 150 Recessed LED/930 49° 1000mA RAL9005
02.040.1240.03.930.1000.DALI	Conti 150 Recessed LED/930 49° DALI 1000mA RAL9005
02.040.1240.03.930.1050	Conti 150 Recessed LED/930 49° 1050mA RAL9005
02.040.1240.03.930.1050.DALI	Conti 150 Recessed LED/930 49° DALI 1050mA RAL9005
02.040.1240.03.930.250	Conti 150 Recessed LED/930 49° 250mA RAL9005
02.040.1240.03.930.250.DALI	Conti 150 Recessed LED/930 49° DALI 250mA RAL9005
02.040.1240.03.930.300	Conti 150 Recessed LED/930 49° 300mA RAL9005
02.040.1240.03.930.300.DALI	Conti 150 Recessed LED/930 49° DALI 300mA RAL9005
02.040.1240.03.930.350	Conti 150 Recessed LED/930 49° 350mA RAL9005
02.040.1240.03.930.350.DALI	Conti 150 Recessed LED/930 49° DALI 350mA RAL9005
02.040.1240.03.930.400	Conti 150 Recessed LED/930 49° 400mA RAL9005
02.040.1240.03.930.400.DALI	Conti 150 Recessed LED/930 49° DALI 400mA RAL9005
02.040.1240.03.930.450	Conti 150 Recessed LED/930 49° 450mA RAL9005
02.040.1240.03.930.450.DALI	Conti 150 Recessed LED/930 49° DALI 450mA RAL9005
02.040.1240.03.930.500	Conti 150 Recessed LED/930 49° 500mA RAL9005
02.040.1240.03.930.500.DALI	Conti 150 Recessed LED/930 49° DALI 500mA RAL9005
02.040.1240.03.930.550	Conti 150 Recessed LED/930 49° 550mA RAL9005
02.040.1240.03.930.550.DALI	Conti 150 Recessed LED/930 49° DALI 550mA RAL9005
02.040.1240.03.930.600	Conti 150 Recessed LED/930 49° 600mA RAL9005
02.040.1240.03.930.600.DALI	Conti 150 Recessed LED/930 49° DALI 600mA RAL9005
02.040.1240.03.930.650	Conti 150 Recessed LED/930 49° 650mA RAL9005
02.040.1240.03.930.650.DALI	Conti 150 Recessed LED/930 49° DALI 650mA RAL9005
02.040.1240.03.930.700	Conti 150 Recessed LED/930 49° 700mA RAL9005
02.040.1240.03.930.700.DALI	Conti 150 Recessed LED/930 49° DALI 700mA RAL9005
02.040.1240.03.930.750	Conti 150 Recessed LED/930 49° 750mA RAL9005
02.040.1240.03.930.750.DALI	Conti 150 Recessed LED/930 49° DALI 750mA RAL9005
02.040.1240.03.930.800	Conti 150 Recessed LED/930 49° 800mA RAL9005
02.040.1240.03.930.800.DALI	Conti 150 Recessed LED/930 49° DALI 800mA RAL9005
02.040.1240.03.930.850	Conti 150 Recessed LED/930 49° 850mA RAL9005
02.040.1240.03.930.850.DALI	Conti 150 Recessed LED/930 49° DALI 850mA RAL9005
02.040.1240.03.930.900	Conti 150 Recessed LED/930 49° 900mA RAL9005
02.040.1240.03.930.900.DALI	Conti 150 Recessed LED/930 49° DALI 900mA RAL9005
02.040.1240.03.930.950	Conti 150 Recessed LED/930 49° 950mA RAL9005
02.040.1240.03.930.950.DALI	Conti 150 Recessed LED/930 49° DALI 950mA RAL9005
02.040.1240.03.940.1000	Conti 150 Recessed LED/940 49° 1000mA RAL9005
02.040.1240.03.940.1000.DALI	Conti 150 Recessed LED/940 49° DALI 1000mA RAL9005
02.040.1240.03.940.1050	Conti 150 Recessed LED/940 49° 1050mA RAL9005
02.040.1240.03.940.1050.DALI	Conti 150 Recessed LED/940 49° DALI 1050mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.040.1240.03.940.250	Conti 150 Recessed LED/940 49° 250mA RAL9005
02.040.1240.03.940.250.DALI	Conti 150 Recessed LED/940 49° DALI 250mA RAL9005
02.040.1240.03.940.300	Conti 150 Recessed LED/940 49° 300mA RAL9005
02.040.1240.03.940.300.DALI	Conti 150 Recessed LED/940 49° DALI 300mA RAL9005
02.040.1240.03.940.350	Conti 150 Recessed LED/940 49° 350mA RAL9005
02.040.1240.03.940.350.DALI	Conti 150 Recessed LED/940 49° DALI 350mA RAL9005
02.040.1240.03.940.400	Conti 150 Recessed LED/940 49° 400mA RAL9005
02.040.1240.03.940.400.DALI	Conti 150 Recessed LED/940 49° DALI 400mA RAL9005
02.040.1240.03.940.450	Conti 150 Recessed LED/940 49° 450mA RAL9005
02.040.1240.03.940.450.DALI	Conti 150 Recessed LED/940 49° DALI 450mA RAL9005
02.040.1240.03.940.500	Conti 150 Recessed LED/940 49° 500mA RAL9005
02.040.1240.03.940.500.DALI	Conti 150 Recessed LED/940 49° DALI 500mA RAL9005
02.040.1240.03.940.550	Conti 150 Recessed LED/940 49° 550mA RAL9005
02.040.1240.03.940.550.DALI	Conti 150 Recessed LED/940 49° DALI 550mA RAL9005
02.040.1240.03.940.600	Conti 150 Recessed LED/940 49° 600mA RAL9005
02.040.1240.03.940.600.DALI	Conti 150 Recessed LED/940 49° DALI 600mA RAL9005
02.040.1240.03.940.650	Conti 150 Recessed LED/940 49° 650mA RAL9005
02.040.1240.03.940.650.DALI	Conti 150 Recessed LED/940 49° DALI 650mA RAL9005
02.040.1240.03.940.700	Conti 150 Recessed LED/940 49° 700mA RAL9005
02.040.1240.03.940.700.DALI	Conti 150 Recessed LED/940 49° DALI 700mA RAL9005
02.040.1240.03.940.750	Conti 150 Recessed LED/940 49° 750mA RAL9005
02.040.1240.03.940.750.DALI	Conti 150 Recessed LED/940 49° DALI 750mA RAL9005
02.040.1240.03.940.800	Conti 150 Recessed LED/940 49° 800mA RAL9005
02.040.1240.03.940.800.DALI	Conti 150 Recessed LED/940 49° DALI 800mA RAL9005
02.040.1240.03.940.850	Conti 150 Recessed LED/940 49° 850mA RAL9005
02.040.1240.03.940.850.DALI	Conti 150 Recessed LED/940 49° DALI 850mA RAL9005
02.040.1240.03.940.900	Conti 150 Recessed LED/940 49° 900mA RAL9005
02.040.1240.03.940.900.DALI	Conti 150 Recessed LED/940 49° DALI 900mA RAL9005
02.040.1240.03.940.950	Conti 150 Recessed LED/940 49° 950mA RAL9005
02.040.1240.03.940.950.DALI	Conti 150 Recessed LED/940 49° DALI 950mA RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES