

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **SWING R180**

Product number: **in the attachment nr 02/033 R180**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

<b>2009/125/WE</b>	Ecodesign
<b>2011/65/UE</b>	Restriction of the use of certain hazardous substances
<b>2014/30/UE</b>	Electromagnetic Compatibility
<b>2014/35/UE</b>	Low Voltage

and the following standards:

<b>PN-EN 55015:2013</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>PN-EN 60529:2003</b>	Degrees of protection provided by enclosures (IP code)
<b>PN-EN 60598-1:2015</b>	Luminaires - Part 1: General requirements and tests
<b>PN-EN 60598-2-2:2012</b>	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
<b>PN-EN 61000-3-2:2014</b>	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>PN-EN 61000-3-3:2013</b>	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
<b>PN-EN 61547:2009</b>	Equipment for general lighting purposes - EMC immunity requirements
<b>PN-EN 62493:2015</b>	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

**2020**

Place and date of issue of the document

**Warszawa, 19.01.2022**

  
**MIROSLAW RAKOCZY**  
**V-ce PREZES**

### ATTACHMENT

Code	Name
02.033.1113.01.930.1A0	Swing R180 Recessed LED/930, 15° 1050mA RAL9016
02.033.1113.01.930.1A1	Swing R180 Recessed LED/930, 15° 1150mA RAL9016
02.033.1113.01.930.1A25	Swing R180 Recessed LED/930, 15° 1250mA RAL9016
02.033.1113.01.930.250	Swing R180 Recessed LED/930, 15° 250mA RAL9016
02.033.1113.01.930.350	Swing R180 Recessed LED/930, 15° 350mA RAL9016
02.033.1113.01.930.450	Swing R180 Recessed LED/930, 15° 450mA RAL9016
02.033.1113.01.930.500	Swing R180 Recessed LED/930, 15° 500mA RAL9016
02.033.1113.01.930.600	Swing R180 Recessed LED/930, 15° 600mA RAL9016
02.033.1113.01.930.650	Swing R180 Recessed LED/930, 15° 650mA RAL9016
02.033.1113.01.930.700	Swing R180 Recessed LED/930, 15° 700mA RAL9016
02.033.1113.01.930.800	Swing R180 Recessed LED/930, 15° 800mA RAL9016
02.033.1113.01.930.900	Swing R180 Recessed LED/930, 15° 900mA RAL9016
02.033.1113.01.930.950	Swing R180 Recessed LED/930, 15° 950mA RAL9016
02.033.1113.01.940.1A0	Swing R180 Recessed LED/940, 15° 1050mA RAL9016
02.033.1113.01.940.1A1	Swing R180 Recessed LED/940, 15° 1150mA RAL9016
02.033.1113.01.940.1A25	Swing R180 Recessed LED/940, 15° 1250mA RAL9016
02.033.1113.01.940.250	Swing R180 Recessed LED/940, 15° 250mA RAL9016
02.033.1113.01.940.350	Swing R180 Recessed LED/940, 15° 350mA RAL9016
02.033.1113.01.940.450	Swing R180 Recessed LED/940, 15° 450mA RAL9016
02.033.1113.01.940.500	Swing R180 Recessed LED/940, 15° 500mA RAL9016
02.033.1113.01.940.600	Swing R180 Recessed LED/940, 15° 600mA RAL9016
02.033.1113.01.940.650	Swing R180 Recessed LED/940, 15° 650mA RAL9016
02.033.1113.01.940.700	Swing R180 Recessed LED/940, 15° 700mA RAL9016
02.033.1113.01.940.800	Swing R180 Recessed LED/940, 15° 800mA RAL9016
02.033.1113.01.940.900	Swing R180 Recessed LED/940, 15° 900mA RAL9016
02.033.1113.01.940.950	Swing R180 Recessed LED/940, 15° 950mA RAL9016
02.033.1113.02.930.1A0	Swing R180 Recessed LED/930, 15° 1050mA RAL9006
02.033.1113.02.930.1A1	Swing R180 Recessed LED/930, 15° 1150mA RAL9006
02.033.1113.02.930.1A25	Swing R180 Recessed LED/930, 15° 1250mA RAL9006
02.033.1113.02.930.250	Swing R180 Recessed LED/930, 15° 250mA RAL9006
02.033.1113.02.930.350	Swing R180 Recessed LED/930, 15° 350mA RAL9006
02.033.1113.02.930.450	Swing R180 Recessed LED/930, 15° 450mA RAL9006
02.033.1113.02.930.500	Swing R180 Recessed LED/930, 15° 500mA RAL9006
02.033.1113.02.930.600	Swing R180 Recessed LED/930, 15° 600mA RAL9006
02.033.1113.02.930.650	Swing R180 Recessed LED/930, 15° 650mA RAL9006
02.033.1113.02.930.700	Swing R180 Recessed LED/930, 15° 700mA RAL9006
02.033.1113.02.930.800	Swing R180 Recessed LED/930, 15° 800mA RAL9006
02.033.1113.02.930.900	Swing R180 Recessed LED/930, 15° 900mA RAL9006
02.033.1113.02.930.950	Swing R180 Recessed LED/930, 15° 950mA RAL9006
02.033.1113.02.940.1A0	Swing R180 Recessed LED/940, 15° 1050mA RAL9006
02.033.1113.02.940.1A1	Swing R180 Recessed LED/940, 15° 1150mA RAL9006
02.033.1113.02.940.1A25	Swing R180 Recessed LED/940, 15° 1250mA RAL9006

Place and date of issue of the document

**Warszawa, 19.01.2022**



MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
02.033.1113.02.940.250	Swing R180 Recessed LED/940, 15° 250mA RAL9006
02.033.1113.02.940.350	Swing R180 Recessed LED/940, 15° 350mA RAL9006
02.033.1113.02.940.450	Swing R180 Recessed LED/940, 15° 450mA RAL9006
02.033.1113.02.940.500	Swing R180 Recessed LED/940, 15° 500mA RAL9006
02.033.1113.02.940.600	Swing R180 Recessed LED/940, 15° 600mA RAL9006
02.033.1113.02.940.650	Swing R180 Recessed LED/940, 15° 650mA RAL9006
02.033.1113.02.940.700	Swing R180 Recessed LED/940, 15° 700mA RAL9006
02.033.1113.02.940.800	Swing R180 Recessed LED/940, 15° 800mA RAL9006
02.033.1113.02.940.900	Swing R180 Recessed LED/940, 15° 900mA RAL9006
02.033.1113.02.940.950	Swing R180 Recessed LED/940, 15° 950mA RAL9006
02.033.1113.03.930.1A0	Swing R180 Recessed LED/930, 15° 1050mA RAL9005
02.033.1113.03.930.1A1	Swing R180 Recessed LED/930, 15° 1150mA RAL9005
02.033.1113.03.930.1A25	Swing R180 Recessed LED/930, 15° 1250mA RAL9005
02.033.1113.03.930.250	Swing R180 Recessed LED/930, 15° 250mA RAL9005
02.033.1113.03.930.350	Swing R180 Recessed LED/930, 15° 350mA RAL9005
02.033.1113.03.930.450	Swing R180 Recessed LED/930, 15° 450mA RAL9005
02.033.1113.03.930.500	Swing R180 Recessed LED/930, 15° 500mA RAL9005
02.033.1113.03.930.600	Swing R180 Recessed LED/930, 15° 600mA RAL9005
02.033.1113.03.930.650	Swing R180 Recessed LED/930, 15° 650mA RAL9005
02.033.1113.03.930.700	Swing R180 Recessed LED/930, 15° 700mA RAL9005
02.033.1113.03.930.800	Swing R180 Recessed LED/930, 15° 800mA RAL9005
02.033.1113.03.930.900	Swing R180 Recessed LED/930, 15° 900mA RAL9005
02.033.1113.03.930.950	Swing R180 Recessed LED/930, 15° 950mA RAL9005
02.033.1113.03.940.1A0	Swing R180 Recessed LED/940, 15° 1050mA RAL9005
02.033.1113.03.940.1A1	Swing R180 Recessed LED/940, 15° 1150mA RAL9005
02.033.1113.03.940.1A25	Swing R180 Recessed LED/940, 15° 1250mA RAL9005
02.033.1113.03.940.250	Swing R180 Recessed LED/940, 15° 250mA RAL9005
02.033.1113.03.940.350	Swing R180 Recessed LED/940, 15° 350mA RAL9005
02.033.1113.03.940.450	Swing R180 Recessed LED/940, 15° 450mA RAL9005
02.033.1113.03.940.500	Swing R180 Recessed LED/940, 15° 500mA RAL9005
02.033.1113.03.940.600	Swing R180 Recessed LED/940, 15° 600mA RAL9005
02.033.1113.03.940.650	Swing R180 Recessed LED/940, 15° 650mA RAL9005
02.033.1113.03.940.700	Swing R180 Recessed LED/940, 15° 700mA RAL9005
02.033.1113.03.940.800	Swing R180 Recessed LED/940, 15° 800mA RAL9005
02.033.1113.03.940.900	Swing R180 Recessed LED/940, 15° 900mA RAL9005
02.033.1113.03.940.950	Swing R180 Recessed LED/940, 15° 950mA RAL9005
02.033.1114.01.930.1A0	Swing R180 Recessed LED/930, 26° 1050mA RAL9016
02.033.1114.01.930.1A1	Swing R180 Recessed LED/930, 26° 1150mA RAL9016
02.033.1114.01.930.1A25	Swing R180 Recessed LED/930, 26° 1250mA RAL9016
02.033.1114.01.930.250	Swing R180 Recessed LED/930, 26° 250mA RAL9016
02.033.1114.01.930.350	Swing R180 Recessed LED/930, 26° 350mA RAL9016
02.033.1114.01.930.450	Swing R180 Recessed LED/930, 26° 450mA RAL9016
02.033.1114.01.930.500	Swing R180 Recessed LED/930, 26° 500mA RAL9016
02.033.1114.01.930.600	Swing R180 Recessed LED/930, 26° 600mA RAL9016

Place and date of issue of the document

**Warszawa, 19.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.033.1114.01.930.650	Swing R180 Recessed LED/930, 26° 650mA RAL9016
02.033.1114.01.930.700	Swing R180 Recessed LED/930, 26° 700mA RAL9016
02.033.1114.01.930.800	Swing R180 Recessed LED/930, 26° 800mA RAL9016
02.033.1114.01.930.900	Swing R180 Recessed LED/930, 26° 900mA RAL9016
02.033.1114.01.930.950	Swing R180 Recessed LED/930, 26° 950mA RAL9016
02.033.1114.01.940.1A0	Swing R180 Recessed LED/940, 26° 1050mA RAL9016
02.033.1114.01.940.1A1	Swing R180 Recessed LED/940, 26° 1150mA RAL9016
02.033.1114.01.940.1A25	Swing R180 Recessed LED/940, 26° 1250mA RAL9016
02.033.1114.01.940.250	Swing R180 Recessed LED/940, 26° 250mA RAL9016
02.033.1114.01.940.350	Swing R180 Recessed LED/940, 26° 350mA RAL9016
02.033.1114.01.940.450	Swing R180 Recessed LED/940, 26° 450mA RAL9016
02.033.1114.01.940.500	Swing R180 Recessed LED/940, 26° 500mA RAL9016
02.033.1114.01.940.600	Swing R180 Recessed LED/940, 26° 600mA RAL9016
02.033.1114.01.940.650	Swing R180 Recessed LED/940, 26° 650mA RAL9016
02.033.1114.01.940.700	Swing R180 Recessed LED/940, 26° 700mA RAL9016
02.033.1114.01.940.800	Swing R180 Recessed LED/940, 26° 800mA RAL9016
02.033.1114.01.940.900	Swing R180 Recessed LED/940, 26° 900mA RAL9016
02.033.1114.01.940.950	Swing R180 Recessed LED/940, 26° 950mA RAL9016
02.033.1114.02.930.1A0	Swing R180 Recessed LED/930, 26° 1050mA RAL9006
02.033.1114.02.930.1A1	Swing R180 Recessed LED/930, 26° 1150mA RAL9006
02.033.1114.02.930.1A25	Swing R180 Recessed LED/930, 26° 1250mA RAL9006
02.033.1114.02.930.250	Swing R180 Recessed LED/930, 26° 250mA RAL9006
02.033.1114.02.930.350	Swing R180 Recessed LED/930, 26° 350mA RAL9006
02.033.1114.02.930.450	Swing R180 Recessed LED/930, 26° 450mA RAL9006
02.033.1114.02.930.500	Swing R180 Recessed LED/930, 26° 500mA RAL9006
02.033.1114.02.930.600	Swing R180 Recessed LED/930, 26° 600mA RAL9006
02.033.1114.02.930.650	Swing R180 Recessed LED/930, 26° 650mA RAL9006
02.033.1114.02.930.700	Swing R180 Recessed LED/930, 26° 700mA RAL9006
02.033.1114.02.930.800	Swing R180 Recessed LED/930, 26° 800mA RAL9006
02.033.1114.02.930.900	Swing R180 Recessed LED/930, 26° 900mA RAL9006
02.033.1114.02.930.950	Swing R180 Recessed LED/930, 26° 950mA RAL9006
02.033.1114.02.940.1A0	Swing R180 Recessed LED/940, 26° 1050mA RAL9006
02.033.1114.02.940.1A1	Swing R180 Recessed LED/940, 26° 1150mA RAL9006
02.033.1114.02.940.1A25	Swing R180 Recessed LED/940, 26° 1250mA RAL9006
02.033.1114.02.940.250	Swing R180 Recessed LED/940, 26° 250mA RAL9006
02.033.1114.02.940.350	Swing R180 Recessed LED/940, 26° 350mA RAL9006
02.033.1114.02.940.450	Swing R180 Recessed LED/940, 26° 450mA RAL9006
02.033.1114.02.940.500	Swing R180 Recessed LED/940, 26° 500mA RAL9006
02.033.1114.02.940.600	Swing R180 Recessed LED/940, 26° 600mA RAL9006
02.033.1114.02.940.650	Swing R180 Recessed LED/940, 26° 650mA RAL9006
02.033.1114.02.940.700	Swing R180 Recessed LED/940, 26° 700mA RAL9006
02.033.1114.02.940.800	Swing R180 Recessed LED/940, 26° 800mA RAL9006
02.033.1114.02.940.900	Swing R180 Recessed LED/940, 26° 900mA RAL9006
02.033.1114.02.940.950	Swing R180 Recessed LED/940, 26° 950mA RAL9006

Place and date of issue of the document

**Warszawa, 19.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.033.1114.03.930.1A0	Swing R180 Recessed LED/930, 26° 1050mA RAL9005
02.033.1114.03.930.1A1	Swing R180 Recessed LED/930, 26° 1150mA RAL9005
02.033.1114.03.930.1A25	Swing R180 Recessed LED/930, 26° 1250mA RAL9005
02.033.1114.03.930.250	Swing R180 Recessed LED/930, 26° 250mA RAL9005
02.033.1114.03.930.350	Swing R180 Recessed LED/930, 26° 350mA RAL9005
02.033.1114.03.930.450	Swing R180 Recessed LED/930, 26° 450mA RAL9005
02.033.1114.03.930.500	Swing R180 Recessed LED/930, 26° 500mA RAL9005
02.033.1114.03.930.600	Swing R180 Recessed LED/930, 26° 600mA RAL9005
02.033.1114.03.930.650	Swing R180 Recessed LED/930, 26° 650mA RAL9005
02.033.1114.03.930.700	Swing R180 Recessed LED/930, 26° 700mA RAL9005
02.033.1114.03.930.800	Swing R180 Recessed LED/930, 26° 800mA RAL9005
02.033.1114.03.930.900	Swing R180 Recessed LED/930, 26° 900mA RAL9005
02.033.1114.03.930.950	Swing R180 Recessed LED/930, 26° 950mA RAL9005
02.033.1114.03.940.1A0	Swing R180 Recessed LED/940, 26° 1050mA RAL9005
02.033.1114.03.940.1A1	Swing R180 Recessed LED/940, 26° 1150mA RAL9005
02.033.1114.03.940.1A25	Swing R180 Recessed LED/940, 26° 1250mA RAL9005
02.033.1114.03.940.250	Swing R180 Recessed LED/940, 26° 250mA RAL9005
02.033.1114.03.940.350	Swing R180 Recessed LED/940, 26° 350mA RAL9005
02.033.1114.03.940.450	Swing R180 Recessed LED/940, 26° 450mA RAL9005
02.033.1114.03.940.500	Swing R180 Recessed LED/940, 26° 500mA RAL9005
02.033.1114.03.940.600	Swing R180 Recessed LED/940, 26° 600mA RAL9005
02.033.1114.03.940.650	Swing R180 Recessed LED/940, 26° 650mA RAL9005
02.033.1114.03.940.700	Swing R180 Recessed LED/940, 26° 700mA RAL9005
02.033.1114.03.940.800	Swing R180 Recessed LED/940, 26° 800mA RAL9005
02.033.1114.03.940.900	Swing R180 Recessed LED/940, 26° 900mA RAL9005
02.033.1114.03.940.950	Swing R180 Recessed LED/940, 26° 950mA RAL9005
02.033.1115.01.930.1A0	Swing R180 Recessed LED/930, 29° 1050mA RAL9016
02.033.1115.01.930.1A1	Swing R180 Recessed LED/930, 29° 1150mA RAL9016
02.033.1115.01.930.1A25	Swing R180 Recessed LED/930, 29° 1250mA RAL9016
02.033.1115.01.930.250	Swing R180 Recessed LED/930, 29° 250mA RAL9016
02.033.1115.01.930.350	Swing R180 Recessed LED/930, 29° 350mA RAL9016
02.033.1115.01.930.450	Swing R180 Recessed LED/930, 29° 450mA RAL9016
02.033.1115.01.930.500	Swing R180 Recessed LED/930, 29° 500mA RAL9016
02.033.1115.01.930.600	Swing R180 Recessed LED/930, 29° 600mA RAL9016
02.033.1115.01.930.650	Swing R180 Recessed LED/930, 29° 650mA RAL9016
02.033.1115.01.930.700	Swing R180 Recessed LED/930, 29° 700mA RAL9016
02.033.1115.01.930.800	Swing R180 Recessed LED/930, 29° 800mA RAL9016
02.033.1115.01.930.900	Swing R180 Recessed LED/930, 29° 900mA RAL9016
02.033.1115.01.930.950	Swing R180 Recessed LED/930, 29° 950mA RAL9016
02.033.1115.01.940.1A0	Swing R180 Recessed LED/940, 29° 1050mA RAL9016
02.033.1115.01.940.1A1	Swing R180 Recessed LED/940, 29° 1150mA RAL9016
02.033.1115.01.940.1A25	Swing R180 Recessed LED/940, 29° 1250mA RAL9016
02.033.1115.01.940.250	Swing R180 Recessed LED/940, 29° 250mA RAL9016
02.033.1115.01.940.350	Swing R180 Recessed LED/940, 29° 350mA RAL9016

Place and date of issue of the document

**Warszawa, 19.01.2022**




MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
02.033.1115.01.940.450	Swing R180 Recessed LED/940, 29° 450mA RAL9016
02.033.1115.01.940.500	Swing R180 Recessed LED/940, 29° 500mA RAL9016
02.033.1115.01.940.600	Swing R180 Recessed LED/940, 29° 600mA RAL9016
02.033.1115.01.940.650	Swing R180 Recessed LED/940, 29° 650mA RAL9016
02.033.1115.01.940.700	Swing R180 Recessed LED/940, 29° 700mA RAL9016
02.033.1115.01.940.800	Swing R180 Recessed LED/940, 29° 800mA RAL9016
02.033.1115.01.940.900	Swing R180 Recessed LED/940, 29° 900mA RAL9016
02.033.1115.01.940.950	Swing R180 Recessed LED/940, 29° 950mA RAL9016
02.033.1115.02.930.1A0	Swing R180 Recessed LED/930, 29° 1050mA RAL9006
02.033.1115.02.930.1A1	Swing R180 Recessed LED/930, 29° 1150mA RAL9006
02.033.1115.02.930.1A25	Swing R180 Recessed LED/930, 29° 1250mA RAL9006
02.033.1115.02.930.250	Swing R180 Recessed LED/930, 29° 250mA RAL9006
02.033.1115.02.930.350	Swing R180 Recessed LED/930, 29° 350mA RAL9006
02.033.1115.02.930.450	Swing R180 Recessed LED/930, 29° 450mA RAL9006
02.033.1115.02.930.500	Swing R180 Recessed LED/930, 29° 500mA RAL9006
02.033.1115.02.930.600	Swing R180 Recessed LED/930, 29° 600mA RAL9006
02.033.1115.02.930.650	Swing R180 Recessed LED/930, 29° 650mA RAL9006
02.033.1115.02.930.700	Swing R180 Recessed LED/930, 29° 700mA RAL9006
02.033.1115.02.930.800	Swing R180 Recessed LED/930, 29° 800mA RAL9006
02.033.1115.02.930.900	Swing R180 Recessed LED/930, 29° 900mA RAL9006
02.033.1115.02.930.950	Swing R180 Recessed LED/930, 29° 950mA RAL9006
02.033.1115.02.940.1A0	Swing R180 Recessed LED/940, 29° 1050mA RAL9006
02.033.1115.02.940.1A1	Swing R180 Recessed LED/940, 29° 1150mA RAL9006
02.033.1115.02.940.1A25	Swing R180 Recessed LED/940, 29° 1250mA RAL9006
02.033.1115.02.940.250	Swing R180 Recessed LED/940, 29° 250mA RAL9006
02.033.1115.02.940.350	Swing R180 Recessed LED/940, 29° 350mA RAL9006
02.033.1115.02.940.450	Swing R180 Recessed LED/940, 29° 450mA RAL9006
02.033.1115.02.940.500	Swing R180 Recessed LED/940, 29° 500mA RAL9006
02.033.1115.02.940.600	Swing R180 Recessed LED/940, 29° 600mA RAL9006
02.033.1115.02.940.650	Swing R180 Recessed LED/940, 29° 650mA RAL9006
02.033.1115.02.940.700	Swing R180 Recessed LED/940, 29° 700mA RAL9006
02.033.1115.02.940.800	Swing R180 Recessed LED/940, 29° 800mA RAL9006
02.033.1115.02.940.900	Swing R180 Recessed LED/940, 29° 900mA RAL9006
02.033.1115.02.940.950	Swing R180 Recessed LED/940, 29° 950mA RAL9006
02.033.1115.03.930.1A0	Swing R180 Recessed LED/930, 29° 1050mA RAL9005
02.033.1115.03.930.1A1	Swing R180 Recessed LED/930, 29° 1150mA RAL9005
02.033.1115.03.930.1A25	Swing R180 Recessed LED/930, 29° 1250mA RAL9005
02.033.1115.03.930.250	Swing R180 Recessed LED/930, 29° 250mA RAL9005
02.033.1115.03.930.350	Swing R180 Recessed LED/930, 29° 350mA RAL9005
02.033.1115.03.930.450	Swing R180 Recessed LED/930, 29° 450mA RAL9005
02.033.1115.03.930.500	Swing R180 Recessed LED/930, 29° 500mA RAL9005
02.033.1115.03.930.600	Swing R180 Recessed LED/930, 29° 600mA RAL9005
02.033.1115.03.930.650	Swing R180 Recessed LED/930, 29° 650mA RAL9005
02.033.1115.03.930.700	Swing R180 Recessed LED/930, 29° 700mA RAL9005

Place and date of issue of the document

**Warszawa, 19.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.033.1115.03.930.800	Swing R180 Recessed LED/930, 29° 800mA RAL9005
02.033.1115.03.930.900	Swing R180 Recessed LED/930, 29° 900mA RAL9005
02.033.1115.03.930.950	Swing R180 Recessed LED/930, 29° 950mA RAL9005
02.033.1115.03.940.1A0	Swing R180 Recessed LED/940, 29° 1050mA RAL9005
02.033.1115.03.940.1A1	Swing R180 Recessed LED/940, 29° 1150mA RAL9005
02.033.1115.03.940.1A25	Swing R180 Recessed LED/940, 29° 1250mA RAL9005
02.033.1115.03.940.250	Swing R180 Recessed LED/940, 29° 250mA RAL9005
02.033.1115.03.940.350	Swing R180 Recessed LED/940, 29° 350mA RAL9005
02.033.1115.03.940.450	Swing R180 Recessed LED/940, 29° 450mA RAL9005
02.033.1115.03.940.500	Swing R180 Recessed LED/940, 29° 500mA RAL9005
02.033.1115.03.940.600	Swing R180 Recessed LED/940, 29° 600mA RAL9005
02.033.1115.03.940.650	Swing R180 Recessed LED/940, 29° 650mA RAL9005
02.033.1115.03.940.700	Swing R180 Recessed LED/940, 29° 700mA RAL9005
02.033.1115.03.940.800	Swing R180 Recessed LED/940, 29° 800mA RAL9005
02.033.1115.03.940.900	Swing R180 Recessed LED/940, 29° 900mA RAL9005
02.033.1115.03.940.950	Swing R180 Recessed LED/940, 29° 950mA RAL9005
02.033.1116.01.930.1A0	Swing R180 Recessed LED/930, 62° 1050mA RAL9016
02.033.1116.01.930.1A1	Swing R180 Recessed LED/930, 62° 1150mA RAL9016
02.033.1116.01.930.1A25	Swing R180 Recessed LED/930, 62° 1250mA RAL9016
02.033.1116.01.930.250	Swing R180 Recessed LED/930, 62° 250mA RAL9016
02.033.1116.01.930.350	Swing R180 Recessed LED/930, 62° 350mA RAL9016
02.033.1116.01.930.450	Swing R180 Recessed LED/930, 62° 450mA RAL9016
02.033.1116.01.930.500	Swing R180 Recessed LED/930, 62° 500mA RAL9016
02.033.1116.01.930.600	Swing R180 Recessed LED/930, 62° 600mA RAL9016
02.033.1116.01.930.650	Swing R180 Recessed LED/930, 62° 650mA RAL9016
02.033.1116.01.930.700	Swing R180 Recessed LED/930, 62° 700mA RAL9016
02.033.1116.01.930.800	Swing R180 Recessed LED/930, 62° 800mA RAL9016
02.033.1116.01.930.900	Swing R180 Recessed LED/930, 62° 900mA RAL9016
02.033.1116.01.930.950	Swing R180 Recessed LED/930, 62° 950mA RAL9016
02.033.1116.01.940.1A0	Swing R180 Recessed LED/940, 62° 1050mA RAL9016
02.033.1116.01.940.1A1	Swing R180 Recessed LED/940, 62° 1150mA RAL9016
02.033.1116.01.940.1A25	Swing R180 Recessed LED/940, 62° 1250mA RAL9016
02.033.1116.01.940.250	Swing R180 Recessed LED/940, 62° 250mA RAL9016
02.033.1116.01.940.350	Swing R180 Recessed LED/940, 62° 350mA RAL9016
02.033.1116.01.940.450	Swing R180 Recessed LED/940, 62° 450mA RAL9016
02.033.1116.01.940.500	Swing R180 Recessed LED/940, 62° 500mA RAL9016
02.033.1116.01.940.600	Swing R180 Recessed LED/940, 62° 600mA RAL9016
02.033.1116.01.940.650	Swing R180 Recessed LED/940, 62° 650mA RAL9016
02.033.1116.01.940.700	Swing R180 Recessed LED/940, 62° 700mA RAL9016
02.033.1116.01.940.800	Swing R180 Recessed LED/940, 62° 800mA RAL9016
02.033.1116.01.940.900	Swing R180 Recessed LED/940, 62° 900mA RAL9016
02.033.1116.01.940.950	Swing R180 Recessed LED/940, 62° 950mA RAL9016
02.033.1116.02.930.1A0	Swing R180 Recessed LED/930, 62° 1050mA RAL9006
02.033.1116.02.930.1A1	Swing R180 Recessed LED/930, 62° 1150mA RAL9006

Place and date of issue of the document

**Warszawa, 19.01.2022**




MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.033.1116.02.930.1A25	Swing R180 Recessed LED/930, 62° 1250mA RAL9006
02.033.1116.02.930.250	Swing R180 Recessed LED/930, 62° 250mA RAL9006
02.033.1116.02.930.350	Swing R180 Recessed LED/930, 62° 350mA RAL9006
02.033.1116.02.930.450	Swing R180 Recessed LED/930, 62° 450mA RAL9006
02.033.1116.02.930.500	Swing R180 Recessed LED/930, 62° 500mA RAL9006
02.033.1116.02.930.600	Swing R180 Recessed LED/930, 62° 600mA RAL9006
02.033.1116.02.930.650	Swing R180 Recessed LED/930, 62° 650mA RAL9006
02.033.1116.02.930.700	Swing R180 Recessed LED/930, 62° 700mA RAL9006
02.033.1116.02.930.800	Swing R180 Recessed LED/930, 62° 800mA RAL9006
02.033.1116.02.930.900	Swing R180 Recessed LED/930, 62° 900mA RAL9006
02.033.1116.02.930.950	Swing R180 Recessed LED/930, 62° 950mA RAL9006
02.033.1116.02.940.1A0	Swing R180 Recessed LED/940, 62° 1050mA RAL9006
02.033.1116.02.940.1A1	Swing R180 Recessed LED/940, 62° 1150mA RAL9006
02.033.1116.02.940.1A25	Swing R180 Recessed LED/940, 62° 1250mA RAL9006
02.033.1116.02.940.250	Swing R180 Recessed LED/940, 62° 250mA RAL9006
02.033.1116.02.940.350	Swing R180 Recessed LED/940, 62° 350mA RAL9006
02.033.1116.02.940.450	Swing R180 Recessed LED/940, 62° 450mA RAL9006
02.033.1116.02.940.500	Swing R180 Recessed LED/940, 62° 500mA RAL9006
02.033.1116.02.940.600	Swing R180 Recessed LED/940, 62° 600mA RAL9006
02.033.1116.02.940.650	Swing R180 Recessed LED/940, 62° 650mA RAL9006
02.033.1116.02.940.700	Swing R180 Recessed LED/940, 62° 700mA RAL9006
02.033.1116.02.940.800	Swing R180 Recessed LED/940, 62° 800mA RAL9006
02.033.1116.02.940.900	Swing R180 Recessed LED/940, 62° 900mA RAL9006
02.033.1116.02.940.950	Swing R180 Recessed LED/940, 62° 950mA RAL9006
02.033.1116.03.930.1A0	Swing R180 Recessed LED/930, 62° 1050mA RAL9005
02.033.1116.03.930.1A1	Swing R180 Recessed LED/930, 62° 1150mA RAL9005
02.033.1116.03.930.1A25	Swing R180 Recessed LED/930, 62° 1250mA RAL9005
02.033.1116.03.930.250	Swing R180 Recessed LED/930, 62° 250mA RAL9005
02.033.1116.03.930.350	Swing R180 Recessed LED/930, 62° 350mA RAL9005
02.033.1116.03.930.450	Swing R180 Recessed LED/930, 62° 450mA RAL9005
02.033.1116.03.930.500	Swing R180 Recessed LED/930, 62° 500mA RAL9005
02.033.1116.03.930.600	Swing R180 Recessed LED/930, 62° 600mA RAL9005
02.033.1116.03.930.650	Swing R180 Recessed LED/930, 62° 650mA RAL9005
02.033.1116.03.930.700	Swing R180 Recessed LED/930, 62° 700mA RAL9005
02.033.1116.03.930.800	Swing R180 Recessed LED/930, 62° 800mA RAL9005
02.033.1116.03.930.900	Swing R180 Recessed LED/930, 62° 900mA RAL9005
02.033.1116.03.930.950	Swing R180 Recessed LED/930, 62° 950mA RAL9005
02.033.1116.03.940.1A0	Swing R180 Recessed LED/940, 62° 1050mA RAL9005
02.033.1116.03.940.1A1	Swing R180 Recessed LED/940, 62° 1150mA RAL9005
02.033.1116.03.940.1A25	Swing R180 Recessed LED/940, 62° 1250mA RAL9005
02.033.1116.03.940.250	Swing R180 Recessed LED/940, 62° 250mA RAL9005
02.033.1116.03.940.350	Swing R180 Recessed LED/940, 62° 350mA RAL9005
02.033.1116.03.940.450	Swing R180 Recessed LED/940, 62° 450mA RAL9005
02.033.1116.03.940.500	Swing R180 Recessed LED/940, 62° 500mA RAL9005

Place and date of issue of the document

**Warszawa, 19.01.2022**




MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
02.033.1116.03.940.600	Swing R180 Recessed LED/940, 62° 600mA RAL9005
02.033.1116.03.940.650	Swing R180 Recessed LED/940, 62° 650mA RAL9005
02.033.1116.03.940.700	Swing R180 Recessed LED/940, 62° 700mA RAL9005
02.033.1116.03.940.800	Swing R180 Recessed LED/940, 62° 800mA RAL9005
02.033.1116.03.940.900	Swing R180 Recessed LED/940, 62° 900mA RAL9005
02.033.1116.03.940.950	Swing R180 Recessed LED/940, 62° 950mA RAL9005
02.033.1117.01.930	Swing R180 Recessed LED/930, Frost 32° 500mA RAL9016
02.033.1117.01.940	Swing R180 Recessed LED/940, Frost 32° 500mA RAL9016
02.033.1118.01.930	Swing R180 Recessed LED/930, Frost 41° 500mA RAL9016
02.033.1118.01.940	Swing R180 Recessed LED/940, Frost 41° 500mA RAL9016
02.033.1119.01.930	Swing R180 Recessed LED/930, Frost 40° 500mA RAL9016
02.033.1119.01.940	Swing R180 Recessed LED/940, Frost 40° 500mA RAL9016
02.033.1120.01.930	Swing R180 Recessed LED/930, Frost 56° 500mA RAL9016
02.033.1120.01.940	Swing R180 Recessed LED/940, Frost 56° 500mA RAL9016
02.033.1121.01.930	Swing R180 Recessed LED/930, Micro-p 37° 500mA RAL9016
02.033.1121.01.940	Swing R180 Recessed LED/940, Micro-p 37° 500mA RAL9016
02.033.1122.01.930	Swing R180 Recessed LED/930, Micro-p 44° 500mA RAL9016
02.033.1122.01.940	Swing R180 Recessed LED/940, Micro-p 44° 500mA RAL9016
02.033.1123.01.930	Swing R180 Recessed LED/930, Micro-p 44° 500mA RAL9016
02.033.1123.01.940	Swing R180 Recessed LED/940, Micro-p 44° 500mA RAL9016
02.033.1124.01.930	Swing R180 Recessed LED/930, Micro-p 53° 500mA RAL9016
02.033.1124.01.940	Swing R180 Recessed LED/940, Micro-p 53° 500mA RAL9016
02.033.1125.01.930	Swing R180 Recessed LED/930, Honeycomb 17° 500mA RAL9016
02.033.1125.01.940	Swing R180 Recessed LED/940, Honeycomb 17° 500mA RAL9016
02.033.1126.01.930	Swing R180 Recessed LED/930, Honeycomb 23° 500mA RAL9016
02.033.1126.01.940	Swing R180 Recessed LED/940, Honeycomb 24° 500mA RAL9016
02.033.1127.01.930	Swing R180 Recessed LED/930, Honeycomb 24° 500mA RAL9016
02.033.1127.01.940	Swing R180 Recessed LED/940, Honeycomb 24° 500mA RAL9016
02.033.1128.01.930	Swing R180 Recessed LED/930, Honeycomb 47° 500mA RAL9016
02.033.1128.01.940	Swing R180 Recessed LED/940, Honeycomb 47° 500mA RAL9016

Place and date of issue of the document

**Warszawa, 19.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES